

Smart choice for power

xantrex

Now there are 4!

Available in 2.5 kW, 3.0 kW, 3.3 kW & 3.3 kW (208V)

Now there's even more reason to use a Xantrex GT Series inverter. Besides the proven reliability and cost savings through ease of installation and included components, you can now mix and match inverter sizes to maximize your system.

GT Series inverters offer numerous combinations of power ranges to work effectively with the array size you require. Use a GT 2.5 inverter and a GT 3.3 inverter to match a 5.8 kW array, or use three GT 2.5 inverters to match a 7.5 kW array.

To learn more about the Xantrex GT Series, visit
www.xantrex.com/gridtie

- ▶ 208 volt GT 3.3 for commercial voltage installations
- ▶ 240 volt GT Series inverters can be combined for variety of power ranges
- ▶ NEC 690 compliant DC disconnect included
- ▶ Wide input voltage range (195 volt - 600 volt DC)
- ▶ Minimum of 94% efficiency (CEC listing)

www.xantrex.com

Backwoods Solar

SELLING OFF-GRID POWER FOR REMOTE HOMES & BUSINESSES SINCE 1979

Solar

WE USE WHAT WE SELL.

Everybody who works at Backwoods Solar owns a remote, off-grid home powered by solar, wind and/or micro-hydro systems. For 26 years, your calls have been answered by people who *actually use the products they sell everyday* – so they know what works.

Our annual *Catalog & Planning Guide* teaches the basics of installing solar, wind and hydroelectric residential power systems. We also offer free system design service to our customers by telephone and email – or in person if you visit Backwoods Solar. We can also refer you to solar installation experts nationwide.



**Our 185-page
Catalog &
Planning Guide
FREE to Home
Power readers in
the USA.**

Be sure to sign-up online
for our free quarterly
e-newsletter!

Wind

Hydro

WE USE WHAT WE SELL.

Everybody who works at Backwoods Solar owns a remote, off-grid home powered by solar, wind and/or micro-hydro systems. For 26 years, your calls have been answered by people who *actually use the products they sell everyday* – so they know what works.

Our annual *Catalog & Planning Guide* teaches the basics of installing solar, wind and hydroelectric residential power systems. We also offer free system design service to our customers by telephone and email – or in person if you visit Backwoods Solar. We can also refer you to solar installation experts nationwide.

Please call or visit our website to check out
THIS MONTH'S FEATURED PRODUCTS:



Custom Outback PS-2 Factory-Assembled Power Systems

Includes 2 inverters and an MX60 charge control. Connects to batteries, solar array, backup generator and home circuits.



Xantrex DR and SW Plus Inverter/Chargers

Provides homes with an inverter, battery charger and transfer switch – all in one package!



Evergreen Cedar Series PV Modules

110-watt, 12-volt modules for 12-, 24- and 48-volt off-grid systems.

Grundfos SQFlex Pumps

Solar-powered deep-well pumps deliver 25,000 gallons per day at 25 feet. Can pump from depths up to 500 feet.

AC / DC Lighting



We have a large selection of 12-volt and 120-volt energy-saving lights – incandescent, halogen, fluorescent and LED.



BACKWOODS SOLAR

1589-HP Rapid Lightning Creek Rd., Sandpoint, ID 83864 USA

phone 208-263-4290 • fax 208-265-4788

info@backwoodssolar.com

Call 208-263-4290

8 to 5 Pacific Time, Monday-Friday

You can also order online!

www.backwoodssolar.com

More Power, More Control



Contact your favorite SMA supplier for special deals on a Sunny Boy 3800 and Sunny Beam package!



Sunny Boy 3800 & Sunny Beam

The Sunny Boy 3800U is the newest in our long line of high efficiency solar inverters. Compatible with today's larger solar modules, the 3,800 watt Sunny Boy can handle the energy needs of a medium to large home and all at a lower cost than ever before. Pair any Sunny Boy system with SMA's new Sunny Beam and see for yourself. A sleek desktop or wall mount unit, the Sunny Beam is a wireless meter that communicates with your Sunny Boy. It's portable and provides daily, current and overall energy yield, along with internal data storage. It works with up to four SMA inverters and even connects to your laptop or PC. It is retrofittable and takes just minutes to install. Monitor and manage your Sunny Boy system with the Sunny Beam and watch your power and your savings soar.


**The Sunny Boy 3800 provides more power, at lower cost, than ever before.
The Sunny Beam can prove it.**

SMA America, Inc.
12438 Loma Rica Drive,
Grass Valley, CA 95945
Tel. 1.530.273.4895
Fax 1.530.274.7271

info@sma-america.com
www.sma-america.com

Solar Today...Energy Tomorrow

SMA



Not all of life's decisions are easy.



The MS4024: 4000 watt inverter with power factor corrected charger

We make this one simple.

The MS4024 Pure Sine Wave Inverter/Charger

When deciding on the right inverter/charger for your system — ease-of-installation, ease-of-use, durability and price are key. Magnum Energy has you covered.

Easy installation:

A light-weight body makes the MS4024 easy to lift into place and the simple-to-reach connectors allow the MS4024 to install in four easy steps.

Easy-to-use:

An on/off inverter-mounted switch, easy-to-read LED indicators, and an available remote control — for convenient operation, including the unique one-knob™ programming — makes the MS4024 a breeze to operate.

Durable:

With over 20 years of renewable energy experience backing Magnum Energy inverter/chargers, the MS4024 is designed with real world use in mind. ETL listed to UL1741/458 standard, Magnum has over 10,000 units in the field going strong.

Economical:

Simply said — the MS4024 won't break the bank.



www.magnumenergy.com

Phone: 425-353-8833

Available Accessories:

Remote control AGS module - auto generator start


Stacking cable - series stackable

Also available:

MS2012 and MS2812 pure sine wave inverter/chargers
Modified sine wave models RD1824, RD2824, and RD3924

Dealer and distributor inquiries welcome


The Powerful Difference



The ReadyWatt® Family of Products

The growing ReadyWatt® family of renewable energy products includes integrated power systems for grid-tie, off-grid, and remote cabins – as well as pass-through and combiner boxes, remote water pumping kits, wire and cables, and RV solar power kits. Each is

designed and built to our high standards and is ETL® listed, offering you a dependable system that is code-compliant, aesthetically pleasing, and quick and easy to install. Call today to find out more about how our family can make life a little easier for yours.



HP111

contents



10 **solar** innovation

Zeke Yewdall

Eighteen university teams compete in Washington, D.C., to design and build the most energy efficient and attractive solar home.

22 **snow** power

Auden Schandler

Sustainable skiing—Snowmass Ski Area, near Aspen, Colorado, taps into hydropower to offset some of its energy needs.

30 **wise** driving

George Harvey with Shari Prange

Seven simple strategies to improve your car's mileage—without busting your budget.

36 **community** solar

Michael Welch

A renewable energy advocacy group installs a second showcase solar-electric system.

44 **insulation** options

Claire Anderson

Cut your utility bills, reduce your energy use, and make your home more comfortable with these insulation options.



On the Cover

Shawn Schreiner, with wife Claire and son Kai, installs itch-free cotton insulation made from recycled denim scraps and plastic fibers. For more on insulation options, see page 44.



Regulars

- 8** From Us to You
HP crew
One home at a time.

- 94** Code Corner
John Wiles
Connecting to the grid.

- 98** Independent Power Providers
Don Loweburg
Solar Power 2005.

- 102** Power Politics
Michael Welch
Renewables boom.

- 106** Word Power
Ian Woofenden
DC receptacles.

- 108** Home & Heart
Kathleen Jarschke-Schultze
Goodbye to Carla.

- 80** Subscription Form

- 110** Letters

- 118** RE Happenings

- 120** Q&A

- 122** Readers' Marketplace

- 124** Installers Directory

- 128** Advertisers Index

54 state success

Mike Taylor & Niels Wolter

Incentive programs in Minnesota and Wisconsin have jump-started the installation of solar-electric systems.

60 small-scale solar

Bob Owens

Bob takes his wife's office off the grid and, as a bonus, supplies his house with a source of emergency backup power.

66 energy freedom

Jeff Lahl

Nine solar-electric projects transform several rural Nigerian villages, making a world of difference.

76 student solar

Dick Anderson

High-tech and hands-on—Darlington, Wisconsin, high school students construct a working model of a solar hot water system.

82 solar camp

Paul Hanley & Ken Kelln

To prevent the closure of their favorite park, committed campers rallied, and got a solar-electric system to provide peaceful power.

88 current controversy

John Cowdrey

Learn about the gritty history of grid-supplied electricity—from Edison's ego to Tesla's electrons.



Changing the World One Home at a Time

A few years ago, I approached a major solar equipment distributor for a donation of solar-electric modules for a demonstration project. My contact at the company responded that the industry is beyond the stage where demonstration projects are needed. I strongly disagreed. Until we have renewable energy (RE) systems in every neighborhood, we will not have outgrown the need for demonstration projects.

People are inspired by the positive examples set by other people. The most inspiring RE advocates don't just *talk* about how great RE is, they use it. Installing a renewable energy system on your home is the best first step toward a renewably powered community. If your home is visible to your neighbors, you'll likely have many opportunities to show off your system, educate the curious, and refer people to your favorite local system installer.

This renewable energy implementation plan doesn't depend on agencies, organizations, incentives, programs, politics, or even magazines. It depends on us as individuals. And it works. In my neighborhood, more and more people are installing RE systems. Ten years ago, it was tough to convince them. Now, I can point to more than a dozen modern systems within a few miles of my rural home. And I have to do less pointing than I did back then, because my neighbors are pointing at their own systems, and the word is spreading.

If we want to live in communities powered by renewable energy, we need to start by living in homes powered by renewable energy. Thanks to every one of you for setting this positive example, and sharing your passion and your results. Your commitment is contagious!

—Ian Woofenden for the *Home Power* crew

Think About It...

*"It is not only what we do, but also what we do not do,
for which we are accountable."*

—Jean Baptiste Moliere

Legal: Home Power (ISSN 1050-2416) is published bimonthly for \$22.50 per year at PO Box 520, Ashland, OR 97520. International surface subscription for US\$30. Periodicals postage paid at Ashland, OR, and at additional mailing offices. POSTMASTER send address corrections to Home Power, PO Box 520, Ashland, OR 97520.

Paper and Ink Data: Cover paper is Aero Gloss, a 100#, 10% recycled (postconsumer-waste), elemental chlorine-free paper, manufactured by Sappi Fine Paper. Interior paper is Connection Satin, a 50#, 80% postconsumer-waste, elemental chlorine-free paper, manufactured by Madison International, an environmentally responsible mill based in Alsip, IL. Printed using low-VOC vegetable-based inks. Printed by St. Croix Press Inc., New Richmond, WI.

HP staff

Publisher Richard Perez

**Publisher &
Business Manager** Karen Perez

**CEO &
Technical Editor** Joe Schwartz

Advertising Manager Connie Said

Advertising Director Kim Bowker

Marketing Director Scott Russell

**Customer Service
& Circulation** Jackie Gray
Shannon Ryan
Ewa Dlugolecka-Richey

Managing Editor Linda Pinkham

Senior Editor Ian Woofenden

Submissions Editor Michael Welch

Associate Editor Claire Anderson

Art Director Benjamin Root

Graphic Artist Dave Emrich

**Chief Information
Officer** Rick Germany

**Solar Thermal
Editor** Chuck Marken

**Solar Thermal
Technical Reviewer** Ken Olson

**Green Building
Editors** Rachel Connor
Laurie Stone
Johnny Weiss

**Transportation
Editors** Mike Brown
Shari Prange

Regular Columnists Kathleen Jarschke-Schultze
Don Loweburg
Richard Perez
Michael Welch
John Wiles
Ian Woofenden

HP access

Home Power Inc.

PO Box 520, Ashland, OR 97520 USA

800-707-6585 or 541-512-0201

Fax: 541-512-0343

hp@homepower.com

letters@homepower.com

Subscriptions, Back Issues

& Other Products: Shannon & Jackie
subscription@homepower.com

Advertising: Connie Said & Kim Bowker
advertising@homepower.com

Marketing & Resale: Scott Russell
marketing@homepower.com

Editorial Submissions: Michael Welch
submissions@homepower.com

www.homepower.com

Copyright ©2006 Home Power Inc. All rights reserved. Contents may not be reprinted or otherwise reproduced without written permission. While *Home Power* magazine strives for clarity and accuracy, we assume no responsibility or liability for the use of this information.



The Alternative Energy STORE

Making Renewable Energy Affordable™

**Shop on-line 24/7 at:
www.AltEnergyStore.com
Or call now & order toll free:
1.877.878.4060 (M-F, 9am-7pm ET)**

Use special code 'HP111' & get an extra discount!

SOLAR
HEATING

SOLAR
PUMPS

SOLAR
PANELS

WIND
TURBINES

CHARGE
CONTROLLERS

INVERTERS

SPECIALS



Sav'n'Sun DX Drainback Solar Water Heating System

Complete kits. Pays for itself several times over its lifetime. Start sav'n now!

**Starting at
\$1893**



Rollable Solar Panel

Great for camping. Use for 2-way radios, walkmans, CD players, GPS, other mobile devices. Choose 5, 10, or 20 Watts, 12V. Made in USA.

\$129 to \$415



Miller Gas Refrigerators

Your old 7 cu. ft. gas fridge too small? We now have larger ones available! Choose from 10 to 17 cu. ft. Made in USA.

**Prices Start at
\$1295**



Solarsheat 1500g Glazed Solar Air Heater

Lower your heating bill by as much as a 1/3rd with this solar air heating system. Comes with integrated PV panel to power blower system.

\$1550

MORNINGSTAR

TriStar 45 Amp, 12-48V Solar Charge Controller

Handles solar arrays of up to 4kW, 48V. Includes computer interface for data logging and remote control. Optional digital meter, displays in 5 languages.

**Starting at
\$143**



MPPT500 500W Solar Charge Controller

Uses high efficiency Power Tracking Technology. Takes inputs up to 500 Watts at 100VDC from solar panel array, and charges a 12, 24, or 48 V battery bank. Made in USA.

\$199



PVI 2500W Grid-Tie Inverter

Breakthrough in quality & price! Includes display & PC port for FREE! Lightweight at 35lbs. Unlike other inverters, power is not derated at higher temperatures.

\$1985



Lakota 900W Wind Turbine

Rugged turbine with carbon fiber blades.
\$1693



SUNLINQ™ Foldable Solar Panels

Lightweight, foldable and durable, these mobile modules are designed to charge and maintain your batteries and provide power for your portable electronics including cell phones, PDA devices, MP3 players and laptops. Comes in 6.5W and 12W. Made in USA.

Starting at \$99



SolarMax 240 Solar Air Heating System

Each kit is recommended for 1000 sq. ft. of home-space. When heating fuel prices are on the increase, why not use the SolarMax to decrease your fuel demand by 30-50%? Pays for itself in a short 3-6 years! Works with any existing heating system.

\$1649

Solar AtticFan

Great way to keep your attic cool and reduce your air conditioning needs. Easy to install, no AC wiring needed. Runs when it's hot - when there's sun!

\$299



We Have
Solar Panels
in Stock!

**Brands such as:
Evergreen, BP,
Sanyo, Sharp &
Others**

Call for Information!

Solar Innovation at the Capitol

Zeke Yewdall

**Photos courtesy Chris Gunn
& Stefano Paltera, Solar Decathlon**

©2006 Zeke Yewdall



This past October, the U. S. Department of Energy sponsored the second Solar Decathlon competition. This university competition to build the best solar-powered house is held on the National Mall in Washington, D.C. Ten subcontests range from lighting to heating to operating a TV to running around town in an electric car charged from the house's solar-electric (photovoltaic; PV) array. This time, teams brought their houses from as far away as Madrid, Spain, and Pullman, Washington, and as close as College Park, Maryland.

After a few days of sunny weather for the teams to construct their houses and prepare, Mother Nature greeted the official opening of the solar village with 7 inches (18 cm) of rain, turning the entire mall into a swamp, with more water than land visible. This soggy opening day was followed by humidity, clouds, and rain for the following week. But anyone who lives in an off-grid solar house knows that life goes on, even when the sun goes away for a while. And so the competition went on.

The eighteen teams did their best to accomplish all their assigned tasks on battery power and what little sun they could catch. The solar houses were open for tours, and thousands of people came by to see the village. An hour after the official announcement of the winner at the end of the week, the sun came out again, for a glorious sunny weekend of public tours to end the event. Here's a taste of what each team brought to the competition.



Colorado

The University of Colorado at Boulder and Denver upheld their winning title from 2002 with another first-place finish. As before, the house scored lower in architecture (6th), but excelled in the engineering, and in strategizing during the competition week. They also came in first in the documentation and communications contests. They chose a biobased materials emphasis (minimizing petroleum use), using SIPs (structural insulated panels) made partly from recycled cardboard and soybean oil-based foam, and using biodiesel in the semi-truck that pulled the house to Washington, D.C., from Colorado.


Cornell

Cornell University tied for second in architecture and dwelling, and came in second place overall. A unique feature of their house was the complete edible garden in the yard, from which they prepared all of the meals for the competition week. They came in first in the hot water and comfort zone contests. Part of their advantage over Colorado and Cal Poly was including dehumidifiers in the house—not something that people in the West even think about, but important when the humidity outside ranged from 75 to 96 percent.



Cal Poly

California Polytechnic State University, San Luis Obispo, tied for second in the architecture contests, and placed third overall. The engineering systems in their house performed well, and they were in second place for much of the competition, but the week of humid, cloudy weather was more than their batteries could handle on the last day. Despite this, they placed first in the appliances and lighting competition.



Virginia Tech

Virginia Polytechnic Institute and State University, another returning team from 2002, won the architecture and dwelling contests. The walls of their house used translucent aerogel insulation, lighted with multicolor LEDs to give a futuristic look. Unlike the winning three teams, they chose to conserve on energy a bit due to the cloudiness (as most users of stand-alone PV systems do). They didn't accomplish all of the contest's required household tasks, but they did make it to the end of the week without draining their batteries significantly. This gave them an extra 60 points in the energy balance competition, and put them in fourth place overall.



NYIT

New York Institute of Technology entered the competition with a compact two-story house, complete with a small roof garden, and a fuel cell to store energy. They tied for third place in the dwelling competition. A "green machine" pod houses the mechanical systems, the fuel cell and hydrogen storage, and the kitchen and bathroom. A roof garden provides space for growing food and collecting rainwater. The pod is attached to the living room, bedroom, and office via a sunspace. They also used many biobased building materials, including soy-based foam insulation and wheat straw building panels.



Fuel Cells

New York Institute of Technology used a hydrogen fuel cell instead of a large battery bank to store energy. A small battery bank was used to level loads, but a fuel cell/electrolyzer provided the majority of the storage. This system worked well, although throughput efficiency of the system is much less than with lead-acid batteries—the result was that the team's 12 KW array was equivalent to only about 6 KW.

The team wanted to demonstrate an application of hydrogen fuel-cell technology. It turns out that the fuel cell was not as efficient as they had hoped (estimates are between 25% and 40%, compared to about 80% for flooded lead-acid batteries). This proved to be a liability in the competition, showing that the hydrogen hype doesn't stand up when faced with reality. It is ironic that proven solar technology has stood up well and won in a direct face-off with hydrogen at the Decathlon, but hydrogen is often given more credit in the press nowadays, while solar energy is still treated as experimental.

Texas

Named the SNAP house (Super Nifty Action Package), the University of Texas at Austin house consisted of a set of prefabbed modules that snap together for easy transportation and quick construction. Native Texas grasses are planted into the north slope of the "green" roof and the floors are made from local Texas mesquite wood. A key part of their team's goal was community outreach, including educating local schoolchildren about solar energy and green building before the house even made its way to Washington, D.C.



Missouri Rolla

The University of Missouri at Rolla and Rolla Technical Institute returned with a new design that used amorphous Uni-Solar roofing applied to a copper standing seam metal roof. This same array also serves as the solar thermal collector, by collecting heat from the back of it. Their house is fairly traditional looking compared to many at the competition, but the dimensions throughout the design are based on both the golden and Fibonacci series mathematical ratios, which are found throughout nature in objects such as pinecones and flowers.



Maryland

The University of Maryland team returned with an innovative design based on shipbuilding. The house will be placed in a lot that is mostly marsh grasses, and the small central tower is the only spot that will touch the ground, to reduce its impact. It received first place in the "People's Choice" contest, a contest that doesn't count towards the official contest winner, but is important nonetheless. This house consistently had long lines waiting to get into it, even in the pouring rain, and you could tell that people liked the architecture.





Pittsburgh

This house was designed by a consortium of three universities—Carnegie Mellon, the University of Pittsburgh, and the Art Institute of Pittsburgh—as well as some students from the Technical University of Darmstadt in Germany, and many local Pittsburgh trade unions. The entire house tilts toward the south to “reach out to the sun,” and has translucent northern walls to let in more daylight. Instead of conventional air conditioning, they used an absorption air conditioner that operates from the heat of the solar thermal system. The home also uses LED lighting throughout.



Madrid

Not only did the Universidad Politécnica de Madrid team do a lot of engineering and architectural design, but all the members of their team also entered an intensive English language course for the past two years to be able to compete. Their house had a moveable section that could join the rest of the house, or slide out to create a patio surrounded by the kitchen and living areas—a popular feature of houses in Spain.

Puerto Rico

On its return visit to the contest, Universidad de Puerto Rico didn't restrict its public outreach efforts just to solar energy, but also performed music and generally made the village a more festive place by bringing some island culture to it. They also focused on using conventional building materials and appliances where possible, rather than high priced experimental systems that the average person would not have access to. For many students, this project was a welcome chance to escape from their narrow disciplines in school, and experience being part of a multidisciplinary team—something that will be useful when they graduate.





Crowder (MO)

Once again, Crowder College, a two-year technical school in Nashao, Missouri, participated with a well-built, well-performing house. The combination PV/solar thermal collectors were improved over last time. They also finished the week with more energy than they started with. This house didn't look flashy or architecturally as exciting as some others, perhaps, but it would have fit right into many suburban developments, and many visitors were interested to see this.



Florida International

Florida International University's house has a lot more glass than most solar houses in warm climates. This gives it a much more open feel—doors can be opened to connect the house with the interior courtyard and make it feel much bigger than its 800 square feet (74 m^2). However, it must also be shielded from the sun, hence an array of external louvers to keep unwanted solar gain out. The Florida team was composed of more than just the usual architects and engineers. It also included students from journalism and mass communications, and creative writing, ranging from freshmen to doctoral candidates.



New PV Modules

Several teams used integrated PV and solar thermal collectors. All of these were fabricated by the teams. This idea has been pursued by many people over the years, but a commercial product is still not available.

Two teams used the new SunPower PV modules, which achieve their very high efficiency (approaching 16.9%) partially by not having any contacts on the front of the cells. These modules also experience less efficiency degradation from high temperatures than normal crystalline modules.

Many innovative PV technologies that are commercially available in Europe are just beginning to be available here in the United States. Some of these include colored solar cells (made by adjusting the thickness of the antireflective coating, which normally appears blue), translucent amorphous modules, and crystalline laminates with transparent glass between the cells instead of a white background. Expect to see more of these available in the United States in the future.



Canada

The Concordia University and Université de Montréal team built a very high-tech house, but hid the technology in a home designed to feel inviting and nonthreatening.

They actually wrote control software to operate the house behind the scenes, including automated blinds in the south-facing windows. The house also includes phase-change materials to store more thermal energy—cooling is not much of an issue in Montreal, but heating certainly is. One additional hurdle faced by this team and the Spanish team was importing a house through U.S. Customs, which required extensive documentation of all the materials and systems.



Washington State

Washington State University's house included several innovative engineering systems, such as linking the refrigeration and heating systems to use all of the waste heat from the refrigeration and air conditioning. Washington State is also home to a new type of PV incentive—the feed-in tariff, one of the authors of which was on site helping to give tours of the house. Used to astounding success in Germany, the feed-in tariff rewards PV systems with ongoing payments per KWH of energy produced, rather than a single up-front payment per KW of rated capacity. The Washington law uses a graduated payment based on how much of the PV system is manufactured in-state, thus trying to promote local jobs in a new energy economy, in addition to promoting solar energy.



RISD

Rhode Island School of Design entered the competition with a house that used innovative phase-change materials to store thermal energy—both heating and cooling. These plastic bricks, filled with specialized wax that melts or freezes at a specific temperature, are available in Europe, but are almost unheard of in the United States. The team is working with the manufacturer to try to introduce them here. Architecturally, one of the major features of their house was a beautiful roof garden and patio—a popular idea with several teams, designed to give more useable space in a house constrained by competition rules to only 800 square feet (74 m^2).



Michigan

The University of Michigan, known for its successes in solar car races, entered the Solar Decathlon this year. Some of the automotive engineering expertise is visible in their entry. The curved south wall and roof of their house is a double wall, with vents than can direct the hot air collected in the gap between the walls either into the space to heat it, or outside to keep it cool.



Why Such Large PV Arrays?

All of the competition houses had very large PV arrays, especially for one-bedroom houses. The sizes ranged from about 4 KW to almost 12 KW rated. So a lot of people touring the houses assumed that a three-bedroom house must need a 30 KW array.

This is one of the places where the rules of the competition override reality. In a real off-grid house, you design a renewable energy system for average conditions. During an unusually long snowstorm or cloudy period, you will either turn a generator on or put off energy intensive tasks like doing laundry for a day or two until the sun comes out again. During the competition, teams are severely penalized for using engine generators to charge batteries.

To get the most points, the teams had to emulate the typical American lifestyle of turning on loads on a schedule not affected by the climate or weather. If you want to win the competition, you don't design for average conditions. You design for worst-case conditions, and then add some to that. And that's what we saw this time. The entire week had the equivalent of 5.5 full sun-hours. Yet, because of their oversized systems, many of the houses still collected enough energy to do most, if not all, of their tasks. The three winning teams even drove their electric cars regularly—318 miles (512 km) for the Colorado team—but depleted their batteries severely doing this.

UMass Dartmouth

The University of Massachusetts Dartmouth entry was designed from the very beginning to be used as a home after the contest. The students had previously built several other such houses, including an "energy smart" one with Oak Ridge National Laboratory in Tennessee. Because of this goal, the house is designed to be as "normal" as possible, and use off-the-shelf materials and appliances. A large portion of the building materials are from the ReStore Home Improvement Center, a company in Springfield, Massachusetts, that sells reclaimed materials from demolished or renovated houses.

Solar Technology Now

The Solar Decathlon was a competition, and to compete effectively, many of the teams made design choices that you or I would not make. Despite their design differences, even the most competitive teams would agree on the Decathlon's common goals of changing the way people think about houses, convincing the building industry to integrate solar technology into houses, and educating people that solar energy is within the average person's reach right now.

Most of the houses will be used after the competition, and often their future owners were involved in the design. The Colorado house is going to be the leasing office for an affordable housing development in Colorado. Others are going to become housing for visiting professors on campuses. These may not be "real" houses because of the constraints of the competition, but the students are obviously well connected with reality.

Students tried a lot of innovative designs and schemes in these houses, and some entries attempted to define a new paradigm for housing or push architectural envelopes. But even more evident was a push to make solar houses that look "normal." Solar houses are not the homes of the future, but the homes of today. We don't have to wait for some technological breakthrough. The overwhelming sentiment from visitors was that they wanted a solar house, and wanted to know where to buy one now.

Access

Zeke Yewdall, PO Box 18946, Boulder, CO 80308 •
zyewdall@gmail.com

Solar Decathlon • www.eere.energy.gov/solar_decathlon •
Includes contact info & detailed scoring for all of the teams



The BEST Tool for Solar Site Analysis

Easy to Use



Ingenious design projects your horizon onto a sun chart for the full year.

Perfect for optimal siting of:

- Photovoltaic Arrays
- Solar Hot Water Systems
- Solar Homes
- Greenhouses
- Gardens

Includes 20 latitude specific diagrams—available for all the populated world.



Fast & Accurate

3953 Marsh Creek Road
Linden, TN 37096

317-501-2529

info@solarpathfinder.com • Fax 931-589-5400

www.solarpathfinder.com

We'll Go TO Great Lengths

... To Earn Your Business!

Our success depends on yours, and you can rely on SunWize to support the growth of your solar business. That's why we offer prepackaged systems, same day shipping, three fully-stocked warehouses, a dedicated customer service team and technical support. Bill Loesch of Solar One states, "I make SunWize my first choice in solar suppliers . . . thanks again for your wide-ranging knowledge of the products you handle." Call us at 800.817.6527 and find out how SunWize can help your business. Be successful, choose SunWize!

www.sunwize.com

Reliable People . . . Reliable Products . . . Reliable Power!



SunWize®



Nothing else is remotely close.

You've invested a lot in your grid-tied solar power system – and now you can monitor its performance from virtually anywhere in your home or office.

The wireless FRONIUS IG Personal Display tells you everything you need to know from up to 450 feet away, and is the perfect centerpiece to your system.


With the wireless display you can monitor up to 15 inverters, together or individually, for all power parameters – even CO₂ offset and total savings. And it's FCC approved, so it won't interfere with your cordless phones or other household electronics.

Discover the freedom of wireless performance monitoring – discover the power of Fronius.

Fronius USA LLC 5266 Hollister Avenue #117, Santa Barbara, CA 93111
Tel: 805-683-2200 Email: pv-us@fronius.com Web: www.fronius-usa.com



POWERING YOUR FUTURE



Sunlight has to travel 90,000,000 miles to reach the earth. Despite this enormous distance, it's still bursting with energy when it gets here: the sun's annual irradiation of the earth could cover worldwide demand for energy ten thousand times over. Whether in the form of highly efficient solar water pumps, photovoltaic or solar thermal systems, with intelligent Conergy products and systems you can use this infinite energy immediately.



OUR WORLD IS FULL OF ENERGY.

After millions of miles.

Given a warm welcome by Conergy.

Please call for a dealer referral

Toll-Free (888) 396-6611 | www.conergy.us

Solar Water Pumps | Photovoltaics | Balance of Systems | Solar Thermal | Small Wind Power



www.fronius-usa.com

Better technology, better value, better dealers. Have we missed anything?

Maybe what we're missing is you. Sure, Fronius is the leader in performance, reliability, and value – that's why Fronius is the name most trusted by installers throughout the United States, including 7 of the top 10 Solar Integrators in California as defined by the most recent CEC data. And now we're doing even more to help you succeed.

The FRONIUS IG Series is now backed by a 7-year guarantee that goes a long way toward keeping your customers happy.

To keep our dealers happy, Fronius offers the only free online data monitoring service available, helping you remotely monitor the performance of your installations. And in the unlikely case a service event does occur, Fronius now compensates installers \$90 for each qualified service replacement.

Put 60 years of experience to work for you – and your customers. Join the growing Fronius dealer network.

Fronius USA LLC 5266 Hollister Avenue #117, Santa Barbara, CA 93111
Tel: 805-683-2200 Email: pv-us@fronius.com Web: www.fronius-usa.com



SUSTAINABLE SKIING

Snowmass Ski Area Gets Hydro

Auden Schendler

©2006 Auden Schendler



Courtesy Hal Williams

The histories of Aspen, Colorado, and hydroelectricity converge underground. Silver lodes drew the miners who first established Aspen. And Lester Pelton, the inventor of the modern waterwheel, was a gold miner in California. Both were pursuing a holy grail—vast wealth from the earth's natural resources.

The silver miners found it in Aspen, once in the form of a 2,200-pound silver nugget. Pelton discovered no gold, but he extracted something more valuable—an efficient way to make clean energy from falling water. One hundred and forty years later, his invention, the Pelton wheel, is being put to use at a ski resort near Aspen, in a revolutionary way.

Sustainable Vision

The silver lodes are long since tapped out, but there is a new grail, of sorts, for the residents of this resort town. It is the idea of a sustainable community, one that can thrive with minimal impact on the environment. In the big picture, the main barrier to that vision is energy use.

As Vijay Vaitheeswaran points out in *Power to the People*, his superb book on global energy issues, "The needlessly filthy and inefficient way we use energy is the single most destructive thing we do to the environment." The average American household is responsible for the annual emission of 23,380 pounds (10,605 kg) of carbon dioxide, the primary greenhouse gas, much of that from electricity use. Now, consider the emissions from plugging in a ski resort. And yet, "With enough clean energy," Vaitheeswaran notes, "most environmental problems—not just air pollution or global warming, but also chemical waste and recycling and water scarcity—can be tackled."

The Pelton Wheel

In 1864, when Lester Pelton worked in the mines, mechanical power came from waterwheels spun by jets of water. As the technology evolved, millwrights replaced wooden slats with metal cups, which turned the wheel faster. One day, Pelton observed a broken waterwheel. The jet was hitting



The microhydroelectric plant on Fanny Hill now has an educational display that will be viewed by an estimated 750,000 skiers annually.

the edge of the cup instead of the center. Pelton observed something else—the wheel turned faster than other wheels nearby. Based on his observations, Pelton developed a more efficient design and patented it.

That design became the key component of many modern hydroelectric turbines. A Pelton wheel looks like an industrial flower, or a blacksmith's rendition of the universe. It is a beautiful and timeless tool, a reminder of human ingenuity that evokes the creativity of a silversmith more than

the equations of an engineer. Pelton wheels have brought great affluence to the world through the sale and use of electricity, and great environmental damage through the construction of large dams. But the first wheel that Lester Pelton put to practical use ran his landlady's sewing machine. Now, that legacy is helping to stitch together the fabric of a sustainable community.

Water from the turbine exits the tailrace.



Why Hydro?

Aspen Skiing Company, which operates four ski mountains—Aspen, Snowmass, Highlands, and Buttermilk—and several hotels, is responsible for 28,000 tons (25,401 metric tons) of greenhouse gas pollution every year. Roughly 23,000 tons (20,865) of that is from electricity use. One of the only ways to address this impact is to buy renewable electricity, which anyone, even homeowners, can purchase from the local utility, Holy Cross Energy.

Tech Specs

Location: Fanny Hill, Snowmass Ski Area, Snowmass, Colorado

Owner: Aspen Skiing Company

Project cost: US\$155,000

Head: 746 feet (227 m)

Pipeline length: 4,103 feet (1,251 m)

Static pressure at turbine: 323 psi

Average flow: 1,100 gpm (2.45 cfs)

Turbine: Single-nozzle Pelton turbine from Canyon Hydro, 18.5-inch pitch diameter

Generator: 175 hp, 480 V, 3 phase, 60 Hz, 115 KW

Annual generation: 250,000 KWH, estimated

out 450 to 500 kilowatts (KW). A 20 KW system is in the basement of the Mountain Chalet in Snowmass. And local microhydro enthusiast Tom Golec has a 40 KW turbine on Ruedi Creek. Unlike dams, microhydro plants take some of the water out of a creek, but don't have to block the flow. Such systems can generate electricity from relatively small water flows, even seasonal streams—you don't need to rebuild the Hoover Dam. The water runs through a pipe to a turbine, and then back into the creek downstream.

A Not-So-Costly Installation

The biggest expense of most microhydro systems is the "penstock," or pipe, that runs from high elevation to low, creating pressurized water that can spin the Pelton wheel. The economics of installing a penstock can often kill a project. At Snowmass Ski Area, installing a basic hydroelectric system would require building a retention pond (at a cost of about US\$1 million), and burying 4,000 feet (1,220 m) of 10-inch (25 cm) steel pipe. The cost of such a project is mind-boggling. Once you add up pipe cost and excavation equipment time, you're pushing a system's payback into the next millennium. Unless, of course, you have the pipe and pond already in place. At the Snowmass Ski Area in Aspen, we do. We call it a snowmaking system.

Snowmaking pipes run everywhere at some ski resorts. So snowmaking supervisor Jimmy Holton asked, "If we already have half a hydroelectric system, why not just add a turbine and start making electricity?" We determined that a hydro plant could generate renewable energy at a fraction of the cost of using solar-electric panels. And the return on investment could be as low as seven years.

Convinced that a microhydro system was the best way to generate onsite renewable energy, Snowmass Ski Area built a small powerhouse on Fanny Hill, the beginner slope at the

The city of Aspen buys 67 percent of its electricity as renewables. Aspen Skiing Company buys wind power—about 5 percent of total usage—and increases its purchases annually. But the business can't afford to buy renewables in the volume necessary to offset impacts, and the practice sometimes confuses guests. The most common question is, "Where's the windmill?"

Installing a wind turbine on site would be a significant investment. The best sites are far from transmission lines, on the local ridgetops. Areas closer to the transmission infrastructure are more sheltered, so there's not enough wind. Photovoltaic panels are an option, but they're expensive, especially for the quantity of energy required. However, one source of renewable energy on ski hills is plentiful, economical, and readily at hand—water.

Early Aspen


Early Aspen was all hydro-powered. In fact, according to *The Electric Review* from January 1907, "Aspen led the way in the use of electricity for domestic lighting and mining. For years, it was the best-lighted town in the United States. It was the first mining camp to install an electric hoist, and the first to install generators run by water power."

Today, three substantial microhydro systems are still running in the area (and likely many smaller ones). One is on Maroon Creek, and puts

The Pelton wheel used in the Snowmass Ski Area hydro plant was custom-made for the project by Canyon Hydro.



Snowmass Microhydro System



Courtesy W. Jonker Klunne,
<http://microhydropower.net>

Snowmass Microhydro Costs

Equipment	Cost (US\$)
Turbine & switch gear	\$65,610
Structure & foundation	48,957
Excavation, pipe connection & associated fees	7,500
Consulting fees	7,240
Flow meter	6,000
Electrician	5,200
Utility interface	5,000
Shipping	3,000
Installation & crane	2,000
Permits	1,500
Total Costs	\$152,007

Grants

CORE/REMP/Ruth Brown Fdn.	-\$20,000
OEMC	-15,000
StEPP	-10,080
Holy Cross	-5,000
Town of Snowmass Village	-5,000
Total Grants	-\$55,080
Grand Total	\$96,927

base of the mountain. The building houses a 115 KW turbine attached to a 10-inch steel snowmaking pipe that drains water from a storage pond, which is 800 feet (244 m) farther up the mountain and is fed by West Brush Creek. In 2005, our first complete year of operation, we made some 200,000 kilowatt-hours (enough to power 40 homes), while preventing the emission of 400,000 pounds (181,437 kg) of carbon dioxide.

A Turbine On Every Slope

Think about the possibilities. Hundreds of ski resorts in America have snowmaking systems. On our four mountains alone, we have half a dozen more good opportunities for hydro. If we had five or ten turbines running, we'd be generating an enormous amount of renewable energy—enough for say, 200 homes—contributing to clean air, stable climate, and the long-term sustainability of the ski industry and the town. Any ski resort with a snowmaking system should look into installing a turbine.

Inside each of those turbines, you'd find a Pelton wheel, a tool so elegant that it meets Einstein's design criteria that everything should be made as simple as possible, but not simpler. It's a device that has its origins tied to the origins of this town, and now, tied to its future as well.

Access

Auden Schendler, Director of Environmental Affairs, Aspen Skiing Co., PO Box 1248, Aspen, CO 81612 • 970-300-7152 • Fax: 970-300-7154 • aschandler@aspensnowmass.com • www.aspensnowmass.com/environment

Brett Bauer, Canyon Hydro Inc., PO Box 36, Deming, WA 98224 • 360-592-2235 • Fax: 360-592-2235 • turbines@canyonhydro.com • www.canyonhydro.com • Pelton turbine & generator

Project Partners

The Snowmass hydroelectric project is so exciting and forward-looking, and has such broad applicability, that a wide range of partners were interested in providing financial support to help make it happen.

Donors included Holy Cross Energy, the utility that buys the electricity and has also covered all grid interface fees (www.holycross.com); the Colorado Office of Energy Management and Conservation, which supports innovative energy projects all over Colorado (www.state.co.us/oemc); the Community Office for Resource Efficiency (CORE), which is a national leader in renewable energy and energy efficiency and helped bring a green pricing program to Colorado (www.aspencore.org); the Renewable Energy Mitigation Program (REMP) from the town of Aspen, which collects fees from new homes that use large amounts of energy (www.aspencore.org/NEW_FORMAT/REMP_new_format.htm); turbine manufacturer Canyon Hydro, which discounted its equipment (www.canyonhydro.com); the StEPP Foundation (Strategic Environmental Project Pipeline), whose contribution made Aspen Ski Company (ASC) the only corporation in state history to receive money from environmental mitigation funds (www.steppfoundation.org); the Ruth Brown Foundation; the town of Snowmass Village (www.tosv.com); and Snowmass Water and Sanitation, which contributed time, space, and technical support.

Dan Batdorf, Bat Electric, 20200 Charianne Dr., Redding, CA 96002 • 530-221-1336 • Fax: 530-221-3496 • batelecinc@aol.com • Controls & switchgear

Pat Costello, Costello & Co., 405 Park Ave., Ste. E-6, Basalt, CO 81621 • 970-927-1421 • Fax: 970-927-2008 • Contractor for powerhouse

Robert Gardner, Holy Cross Energy, PO Drawer 2150, Glenwood Springs, CO 81602 • 970-945-5491 • Fax: 970-945-4081 • bgardner@holycross.com • www.holycross.com • Radio-link remote terminal unit (provides generator output & bill info)

Brian Mitchem, Mountain Peak Controls, PO Box 1550, Paonia, CO 81428 • 970-527-2444 • bmitchem@mpcontrols.com • www.mpcontrols.com • System automation controls

Mike Hoffman, TPE-Twin Peaks Electric, 145 Cheyenne Ave., Carbondale, CO 81623 • 970-963-1021 • Fax: 970-963-0958 • twinpeakselec@aol.com • Electrician

Mark Gressett, Gressett Excavation, 510 Sopris Creek Rd., Basalt, CO 81621 • 970-948-4686 • Excavation

Charles Brugger, Advanced Mechanical Services, PO Box 33237, Denver, CO 80233 • 303-818-5434 • advmech1@aol.com • Laser alignment & turbine installation

Tom Golec, Ruedi Creek Water & Power LLC, 15401 Fryingpan Rd., Basalt, CO 81621 • 970-927-4212 • golec@msn.com • Project consultant

Randy Udall, Community Office for Resource Efficiency (CORE), PO Box 9707, Aspen, CO 81612 • 970-544-9808 • rudall@aol.com • www.aspencore.org • Project consultant




Harris Hydroelectric

Hydro-Power for Home Use

Introducing a new adjustable
Permanent Magnetic Brushless Alternator

- 25 - 30% more efficient than Hi Output Alternator
- Marine Grade Construction throughout
- Re-connectable Stator
- Retrofittable on existing turbine



632 Swanton Road
Davenport, CA 95017
831-425-7652



www.harrishydro.com

Not Just A Pretty Face

And at just 2.25 inches deep and less than 17 pounds, the sleek new 3.6 kW Aurora PVI-3600 Inverter is no lightweight when it comes to energy harvesting either!



This 94.5% CEC efficiency rated Magnetek inverter, with industry exclusive dual source input circuits—each with its own max power point tracker—gives you design flexibility and unmatched energy harvesting.

Certified to UL's 1741 standard, the Aurora PVI-3600 has a DC operating range of 90-530 Volts with a start up voltage of 200V. With its light weight, attractive design and graphical LCD display with integrated data logger, this is the ideal inverter for indoor installations in new homes.



AURORA®
Photovoltaic Inverters

Frost & Sullivan's Technology
Innovation of the Year 2005

Five Best Designs Award INTEL 2005

Call **866-381-2035** or go online at www.alternative-energies.com/aurora3.6 for further information.

North America - Magnetek Inc.
N49 W13650 Campbell Drive
Menomonee Falls, WI 53051
Toll Free: 1- 866-381-2035
Fax: 1-262-790-4142
aesales-us@magnetek.com

Europe - Magnetek, S.p.A.
Via San Giorgio 642
52028 Terranuova Bracciolini, Arezzo, Italy
Phone: (+39) 055-9195-1
Fax: (+39) 055-9738-270
aesales-eu@magnetek.it



MAGNETEK
UNCOMMON POWER

www.alternative-energies.com

Available from these authorized Magnetek Aurora Wholesale Distributors:



(415) 446-0103
www.thompsontec.com



(800) 374-4494
www.globalresourceoptions.com



(866) SOLAR-55
www.heliopower.com



(800) 379-4121
www.energyfederation.com



(707) 433-5824
www.dcpower-systems.com

Solahart has been designing and building solar water heaters since 1953. The Solahart brand is backed by Rheem, the largest water heater manufacturer in the world.

Buy Solahart systems with confidence.

- Simple and reliable passive thermosiphon systems
- Open and closed loop systems for installation in almost any environment
- 5 and 10 year warranty options

For more information on Solahart systems and dealers, call **334-260-1525** or email us at solar@rheem.com. Dealer inquiries are welcomed!

Hot Water Free from the Sun™ is a trademark of Solahart Industries Pty Ltd



Solahart systems OG-300 certified by SRCC

Hot Water Free from the Sun™



Solar Water Heaters built by Solahart and backed by Rheem!



Rheem Water Heating | 101 Bell Road | Montgomery, AL 36117-4305 | www.solahart.com

NOW PLAYING

MidNite
SOLAR Inc



WWW.MIDNITESOLAR.COM
425-374-9060

Gothic Lovers
MAGNA SINE E-PANEL
4000 WATT 24V
INVERTER/CHARGER

MIDNITE SOLAR PRESENTS

THE MIDNITE SOLAR E-PANEL

**SAVE \$700 ON INSTALLATION AND EQUIPMENT EXPENSES
OVER COMPETING DISCONNECT AND BREAKER BOXES**





Outsmart the 7 Worst Gas Guzzlers

WISE DRIVING

George Harvey with Shari Prange

©2006 George Harvey & Shari Prange

In these times of climbing fuel costs, chances are that getting better gas mileage has moved up on your list of priorities. One option is to buy the most fuel-efficient vehicle you can find, or even an alternative fuel vehicle that you make your own homemade fuel for. But if you're not in the market for new wheels, is there anything you can do to limit your trips to the pump?

The resounding answer is "Yes!" No matter what you drive, *how* you drive and maintain your vehicle can make a big difference. In addition to sparing your pocketbook, by using these techniques, you'll also reduce your dependence on nonrenewable, imported fuel sources and, at the same time, reduce pollution. Driving wisely means less wear and tear on your vehicle. And as a bonus, your fuel-efficient driving habits will also make you safer on the road.

Mileage Myths

When I bought my hybrid electric car, a 2001 Toyota Prius, the mileage estimate on the highway was 45 mpg (19 km/l) and the city estimate was 52 mpg (22 km/l). I expected an average mileage about halfway between, perhaps 48.5 mpg (20.6 km/l). This year, at the beginning of spring, I reset the mileage meter, and in the 5,880 miles (9,463 km) I have put on since, I have averaged 58.5 mpg (24.9 km/l).

My car is not special. When I loan it to other people, they get the estimated mileage or worse. My message: These cars can deliver their EPA-rated mileage and sometimes more, but drivers must do their part. And this is true for all vehicles, not just hybrids.

The good news is that by improving your worst mileage situations, you can get a dramatic improvement in overall mileage. Your best bet is to identify and outfox the worst mileage thieves. Here's how.

1 Lose the Lead Foot

If there is a single rule that says almost everything, it is this: Aggressive, impatient driving (quick starts and stops) produces the worst mileage. At highway speeds, this road rage packs a wallop, shaving off more than one-third from your car's fuel economy. Racing around town knocks off another 5 percent. If you want to spare your pocketbook and go green, the first thing to do is relax, be safe, and drive defensively. Believe it or not, it usually makes the trip more enjoyable, and nearly always makes it less stressful.

✓ In stop-and-go traffic, try to find the speed that you can hold more or less constant. When the car ahead of you speeds up, more of a space will open between you and it. When its driver hits the brakes, you will close up the space. If you time it right, that car will start moving again just about the time you catch up to it.

✓ Never tailgate. Doing this puts your fuel mileage into the hands of the driver in front of you. It should take you three to four full seconds to get to where they were.

✓ Accelerate moderately. Avoid jack-rabbit starts and unnecessary acceleration, such as over a short distance before a turn or stop.

✓ When at cruising speed, keep a steady foot on the gas pedal—accelerating and decelerating can significantly decrease your mileage.

✓ Delay acceleration for short distances if doing so allows you to take advantage of a downward slope to give you a gravity assist.

✓ Slow down. At speeds above 60 mph (97 km/h), the fuel economy of most vehicles takes a big hit—from 7 to 23 percent.

My Prius seems to get its best mileage at speeds below 50 mph (80 km/l), possibly even below 40 mph (64 km/l). On the other hand, the Honda Accord hybrid shuts down three of its six cylinders when it's cruising, and its best mileage is probably at highway cruising speed—possibly at 65 mph (105 km/h). For most vehicles, though, mileage takes hit at speeds above 60 mph.

2 Cruisin' & Coastin'

The flip side of acceleration is braking. Unless you have an electric or hybrid car with regenerative braking (which charges the battery), every time you touch the brakes, you throw away energy. In *all* vehicles, it pays to plan ahead for braking.

✓ Instead of keeping your foot on the throttle up to the instant you switch to the brake, learn to use the third state of driving—coasting. If you see the light turning red ahead of you or traffic bogging down, lift off the throttle and coast.

Coasting is most effective in an all-electric car with no regenerative (regen) braking. You can coast for a full block to a gentle stop. In an internal combustion engine car, you can use this technique on long downhill stretches. Instead of pushing the car down the hill in second gear, let it roll down the hill in third, with your foot off the throttle, gently tapping the brakes from time to time if needed.

In hybrid vehicles or some all-electric vehicles, gentle braking is regenerative. With the pedal barely engaged, the motor captures part of the braking energy and transfers it into the battery. Pushing harder on the pedal makes the brake pads contact the rotor, turning this energy into heat, which is dissipated. In any car, longer and lighter braking has the advantage of reducing the time the car is using energy.



✓ When possible, slow down gradually. Try to avoid heavy braking unless it's absolutely necessary.

3 It's a Drag

Above a certain speed, another thief—wind resistance—steals most of a car's power. This varies from car to car, and depends on a lot more than the vehicle's drag coefficient. But there are things you can do easily to improve your car's aerodynamic characteristics. For pickup trucks, a tonneau cover over the truck bed can make a real difference. For vehicles in general, if you want to get really serious about it, a bellypan—a sheet metal, plastic, or any durable covering underneath a car—can reduce air drag. Just be sure you are not interfering with airflow needed for component cooling.





An open convertible has more wind resistance than one with the top up. Even a hardtop car has more resistance at high speeds with the windows open than closed. Of course, in hot climates, the choice may be between open windows, air conditioning, or heat stroke. Operating an air conditioner is a mileage thief too, and can steal up to 20 percent from your mileage. But above a speed of about 50 mph (80 km/h), the energy lost to turbulence from open windows is more than the energy lost to running an air conditioner.

- ✓ At low speeds, use "natural air conditioning" (open windows); at high speeds, turn on the mechanical air conditioning.
- ✓ Remove the detachable roof rack or cargo box—a loaded roof rack can lower fuel economy by 5 percent. Flags, banners, stuffed toys, and other exterior decorations will also increase drag. If you can, avoid ornamenting the outside of your car. Save your decorating for the inside—fuzzy dice, anyone?
- ✓ Keep the body in good shape. Dents are not aerodynamic (unless they are strategically applied, as on a golf ball). While you're at it, give your car a good wash and wax. Mud is not aerodynamic, either.
- ✓ When it rains, slow down for good mileage, regardless of the type of car you have. Pushing air around is one thing—but pushing water around is even more difficult, especially when you're traveling at high speeds.

4 The Cold, Hard Truth

One of the jobs of a cold engine is to warm up, and it uses fuel to do this. And any car, regardless of type, gets worse mileage when its engine is cold. According to the Web site FuelEconomy.gov, combining errands into one trip always saves time and money, especially if each of the short trips would involve a cold start. Considering the temperature is especially important in hybrids because the engine shuts off when the car does not demand power, and it won't shut down unless the car is warmed up.

✓ Try to eliminate short trips, especially those followed by long intervals, when the engine can cool. In general, if the distance is less than a mile (1.6 km), you could walk. Good health is a side benefit.

✓ Limit or eliminate unnecessary trips in cold weather—or any weather, for that matter. Plan ahead to do multiple errands on a single trip instead of making multiple trips, and keep backup supplies of essentials (like toilet paper or toothbrushes) to reduce "emergency" runs. A side benefit will be less stress on you, and time saved.

✓ In a hybrid vehicle that shuts its engine off at a stop, be prepared to shut off the engine manually for a stop of a minute or longer during the first five minutes of driving. (However, don't do this in very cold weather; you'll put too much strain on the engine.)

5 Go on a Diet

Not you, but your car. Every extra 100 pounds (45 kg) you carry around cuts 1 percent to 2 percent from your fuel economy.

✓ Clean out all the extraneous clutter in the car, including in the trunk and under the seats, and only keep the necessary items that you *really* need. Then make it a habit to unpack the car completely every time you come home, instead of carrying everything around until you either need to use it or run out of room.

✓ Lighten your load. Replace a full-size spare tire with a mini-spare. This will also encourage you to fix or replace a flat tire promptly. If you have back seats you rarely use, take them out and store them at home. Note that replacing fenders or hoods with fiberglass is often *not* a good idea—to provide the necessary rigidity, these pieces may weigh as much or more than the original steel ones.

6 Keep It in Shape

Several simple things can make a big difference in fuel economy, for any kind of car.

✓ Get your car serviced promptly when it is due. Tuning up a car can improve mileage an average of 4 percent. And while you're under the hood, don't forget to replace the air filter. A clogged, dirty filter can suck up to 10 percent from your mileage.



✓ Keeping your tires properly inflated can improve your car's fuel economy up to 3 percent. On electric cars, this usually means inflating tires to their maximum pressure rating.

Another maintenance job I've done to increase mileage was to have wheel alignment done with extra precision, the side benefit being better tire wear. Make sure that the wheels are properly aligned, and that you don't have any dragging wheel bearings or brakes.

Low rolling-resistance tires can also help, but these can be hard to find. The original factory tires on a car are usually pretty good for fuel economy, because they are the ones the car earns its EPA ratings with. So when it's time for new tires, spend a little more for factory replacements. If they aren't available, go to a major tire supplier and ask for "fuel efficient" tires for your car model. Stay away from trendy tires and wheels—short, wide ones or big knobbies. "Cool" will cost you mileage.

✓ Stick with the fuel your manufacturer recommends, and change the oil early and often. This can improve your mileage by 1 to 2 percent. Use a low-friction synthetic oil in your transmission. My winter mileage is about 85 percent of my summer mileage. The main reason for this is that the oil, grease, and other fluids are more viscous in cold weather and produce more friction.

7 Find the Sweet Spot

Different cars perform better in different circumstances. For example, some cars have arrow indicators, which light up on the dash to urge you to upshift to a higher gear for better efficiency. A higher gear means lower rpm, and less fuel use.

✓ Try to understand how your car performs best for speed and use that information as you drive. Get this information before you buy, of course, so you can mate the car to your needs.

In an electric car, you will get best efficiency by keeping the motor's rpm high. Your car will be more efficient at 40 mph in second gear than in third. You can see this easily by watching the ammeter as you drive.

Going the Extra Mile

Keep your car well maintained, and learn what techniques are most effective for it. Practice efficient driving habits until they become second nature to you. With these straightforward strategies, you can improve your car's mileage without a lot of hassle or expense, no matter what kind of vehicle you drive.

Access

George Harvey, 181 Elliot St., Brattleboro, VT 05301 • 802-524-7044 • geoharvey@aol.com

Shari Prange, Electro Automotive, PO Box 1113-HP, Felton, CA 95018 • 831-429-1989 • Fax: 831-429-1907 • electro@cruzio.com



Want to Save Money? Extend the life of your battery with... Nanopulser!!!



FEATURES

- Maximize battery life by decomposing sulfation
- Desulfates slowly and gently w/ no damage to electrode plates
- Capacity comes back in 1~2 weeks
- Renews Flooded, Gel and AGM batteries
- For best investment and results, install on your new batteries

DISTRIBUTORS

- AEE Solar <http://www.aesolar.com>
- Sunelco Inc. <http://www.sunelco.com>



Pulse Genetech

www.pulsegenetech.co.jp/en/

ASK YOUR LOCAL DEALERS
FOR NANOPULSER
OR CONTACT US DIRECTLY

info@pulsegenetech.co.jp

Pulse Genetech U.S.A., Inc. • 425-454-2520

EVs THAT WORK™



Clean Quiet Powerful

GORILLA TOUGH

WARNING: Not a toy !

5 years of satisfied customers.

Made in the USA



TWO THUMBS UP !

Greg of Brooks Solar, Chelan Wash.



See our new webpage about
SOLAR CHARGING GORILLAs
and other
Electric Vehicles

- Electric Power and Torque
- Almost Zero Maintenance
- No Oil, Gas, or Fumes
- 110v Charging or DC Direct
- Silent Utility and Mobility



ATV
uses

Thanks Joe in NJ.

info@GorillaVehicles.com

PLEASE SEE OUR WEBSITE
or call for a brochure package

Gorilla Vehicles
Doran Motor Company, Inc.
16121 Saint Croix Circle
Huntington Beach, CA 92649
(714) 377-7776

www.GorillaVehicles.com

Not all batteries are created equal!

Rolls... better by design!

- Modular dual container construction
- Unsurpassed cycling - North America's best
- Widest range of specifications available
- Industry's largest liquid reserve
- 10 year warranty -
15 year average life

Serving renewable energy
customers since 1984.

Rolls

BATTERY ENGINEERING


1-800-681-9914

sales@rollsbattery.com



Surrette Battery Company Ltd.

Walking the Talk



Emilly Larson, Claire Anderson and her son Kai, and Debra Haven drop by to visit author Michael Welch and check out the Redwood Alliance solar-electric systems.


The Next Step

Redwood Alliance's (RA) first solar-electric installation is battery-based and grid-intertied, intended to demonstrate a modern photovoltaic (PV) system to a community that has both plenty of utility outages, and lots of off-grid residents. My article in *HP110* covers all the details of that installation, and the organization's longtime effort to have a demonstration project in our office. We had 24 solar-electric panels left from the donation by Shell Solar that we could use to do a second system, and we wanted it to be batteryless.

Michael Welch

©2006 Michael Welch

The first system's PV array hangs from the balcony, and the array for the newer system is on the roof.





Volunteers move the 24 Shell Solar panels to the roof for the second installation on the Redwood Alliance building in Arcata, California.



Even in our rural community, many more people are interested in batteryless installations. So it was appropriate that our second system demonstrate that technology.

Maximize Efficiency & Savings

Batteryless setups are less expensive and more efficient than battery-based grid-tie systems. With an identical number of Shell modules, our batteryless system consistently produces about 10 percent more energy than the battery-based installation. It makes a big difference not having to use energy to keep batteries charged up!

In addition, the balance of system (BOS) equipment costs for a batteryless system are significantly less than for a battery-based system. If you have a small PV array but need a big battery backup, your costs including installation could

Peter Brant demonstrates how to remove the inverter from its wiring box, a great feature of the Xantrex GT3 series inverters.



be up to double that of a batteryless setup. The bottom line is that unless you live off grid, have frequent or extended utility outages, or have a nagging fear that worldwide energy woes are going to bring the grid to its knees, you should install a batteryless system.

Inverter Choice

When we started looking into which inverter brand to choose, we immediately decided that we did not want to use multiple inverters. That meant we needed an inverter that would handle at least 3 kilowatts (KW) of PV. We investigated most of the inverters included in the grid-tie inverter survey article in *HP106*, and found all the choices to be quite excellent. But we had a special need—the inverter had to be silent, since it would be sitting just three feet from my desk.

After inquiring among a group of RE professionals, the Xantrex GT3 series was recommended to us as being efficient and silent. Through the generosity of Xantrex, we got a chance to find out for ourselves. With the arrival of the inverter, the last piece of our design puzzle was in place. Our contractor Roger, his crew, and our volunteers started the installation.

The inverter was simple to mount. The inverter's mounting plate was lag-screwed to a wall, and the inverter and its wiring box were hung from that plate. All the DC and AC wiring is done inside the wiring box. If the inverter ever needs to be removed or replaced, the wiring box can



The Xantrex GT3 series inverter assembly complete (above), and with the inverter removed, leaving the handy wiring box (shown open, at right).

stay on the wall to provide a safe place to terminate both the AC and DC wiring.

The GT inverter's wiring box has conduit knockouts on both sides, the bottom, and the back, for maximum flexibility. We used two on one side, one for the DC wiring from the array and the other for the AC wiring to the breaker. Our array is divided into two subarrays, and



Tech Specs

System Overview

Type: Batteryless, grid-tie PV

Location: Arcata, California

Solar resource: 4.4 average daily peak sun-hours

Production: 360 AC KWH per month (to date)

Utility electricity offset: 80 percent

Photovoltaics

Modules: 24 Shell Solar SP130-PC, 130 W STC, 33 Vmp, 24 VDC nominal

Array: Two, 12-module series strings, 3,120 W STC total, 396 Vmp

Array installation: Direct Power & Water LPRGM mounts with custom feet installed on flat roof, SSW-facing, 40-degree tilt

Balance of System

Inverter: Xantrex GT3.3-208, 3,300 W, 195–550 VDC operating range, 208 VAC output

System performance metering: Xantrex GT series internal display, Xantrex GT-View software


there was space inside the wiring box to easily attach both of them. Both the DC and AC terminals are easy to get to, making wiring handy.

Aesthetics were a paramount concern. Unlike our neat OutBack installation, this time we weren't able to hide all the conduit behind a wall. But we ended up with only two short pieces of conduit between the inverter and our building's wire chase. It still looks great.

Up on the Roof

The installation of the PV modules went pretty smoothly, though as installers know, you always run into some things that do not go perfectly. Getting onto the roof of this two-story building was a hassle and required some bravery on the extension ladder. The landlord was concerned about roof penetrations leaking, and rightfully insisted that a professional roofer be brought on board to guarantee the installation be leak-proof.

The biggest problem we ran into was that the roof surface was inconsistent. The Direct Power & Water racks we used on our first installation's balcony mounts came with infinitely adjustable telescoping legs—necessary for making up for inconsistencies in the balcony construction. There were similar inconsistencies on the "flat" roof our second system was going on, but the legs were not infinitely adjustable, so we had to drill bolt holes in the legs in the



Note: All numbers are rated, manufacturers' specifications, or nominal unless otherwise specified.

proper places to get the tops of the modules even and parallel with the roof eave. Beware—"telescoping" legs are not the same as infinitely adjustable legs.

Once the final DC wiring from the arrays was done, we were ready for inspections. As with the first system, the electrical inspector liked what he saw and immediately approved it. He only checked what equipment we were using, and gave a cursory look before granting us the approval so the utility could install the new two-way digital meter.

Usage Vs. Production

Redwood Alliance shares the building with four other businesses, and each floor has a separate utility service and meter. The newest array on the roof of the building feeds into

the electric meter and utility service that supplies the bottom floor of the building, which has two businesses in it.

It looks like our first system will meet the annual demands of the building's second-floor tenants. But it appears that there needs to be more energy education for the first-floor tenants, since their meter is showing more energy used than the new, second system can possibly produce. I often see lights left on there, and the heater sometimes runs all night. The heater's big blower is part of their electric bill, even though the heater burns gas.

We will be spending some of our California state rebate money on energy efficiency for the building, and when it comes to some electrical users, money talks. We hope to get both first-floor tenants on the energy efficiency bandwagon.

Next Steps

All in all, we are quite pleased with both installations, their output, the equipment choices we made, and the level of support from the manufacturers and the community. Our next step includes a datalogging system that will monitor array outputs, inverter outputs, and total usage for each of the five businesses in the building. We are working with engineering students at Humboldt State University (HSU) with the goal of turning the new information system into someone's master's thesis. Other HSU students are using our building as a test site for their energy auditing class.

We are also working on getting the word out in the community about the demonstration systems. We've been receiving visitors who see the PV arrays from the street and are curious. We've participated in two of the nationwide solar home tours sponsored by the American Solar Energy Society (ASES). In 2004, we had just the first system to show, and last year we were able to show off both.

The meter for the Xantrex GT showing net -0.48 KW.



Redwood Alliance System #2 Costs

Item	List or Street Price (US\$)
24 Shell Solar SP130-PC modules	\$14,229
Xantrex GT3.3-208 inverter	2,300
4 DP&W LPRGM6-SQ roof mounts	1,568
Miscellaneous wire, conduit, electrical	1,133
Labor, PV system installation	1,000
24 DP&W custom mounting feet	437
Labor, roofer	362
Labor, AC electrical site preparation	342
Permits & documentation	306
Miscellaneous hardware	73
Square D DU221RB utility disconnect	48
Total	\$21,798

We welcome the opportunity to demonstrate our two systems. We would also love to show you how we are improving the energy efficiency of our appliances and other loads to maximize the effectiveness of our solar-electric installations. You too can "walk your talk." To find out how, give us a call, and please come by for your own visit.

Access

Michael Welch, Redwood Alliance, PO Box 293, Arcata, CA 95518 • 707-822-7884 • michael.welch@homepower.com • www.redwoodalliance.org

Peter Brant, Brant Electric, PO Box 66, Arcata, CA 95518 • 707-822-3256 • Fax: 707-826-1180 • pbrant@foggy.net • Electrical contractor

Direct Power & Water Corp., 4000-B Vassar Dr. NE, Albuquerque, NM 87107 • 800-260-3792 or 505-889-3585 • Fax: 505-889-3548 • jrandal@directpower.com • www.directpower.com • PV mounts

Roger, The Little House, 1527 Buttermilk Ln., Arcata, CA 95521 • Message only: 707-826-9901 • Solar contractor

Ben Scurfield, Scurfield Solar, PO Box 41, Arcata, CA 95518 • 707-825-0759 • bscurfield@yahoo.com • Solar installer

Shell Solar Industries, 4650 Adohr Ln., Camarillo, CA 93011 • 800-272-6765 or 805-482-6800 • Fax: 805-388-6395 • solarsales@shellsolar.com • www.shellsolar.com • PVs

Xantrex Technology Inc., 8999 Nelson Wy., Burnaby, BC, Canada V5A 4B5 • 800-670-0707 or 604-422-8595 • Fax: 604-442-1591 • information@xantrex.com • www.xantrex.com • Inverter



QUALITY HARDWARE FOR THE PV INDUSTRY



Designed for the Professional...

**Top-of-Pole Mounts
Power-Rail Mounting System
Side-of-Pole Mounts
Power Tube Commercial Racking System
Power-Grid Racking System
Roof-Ground Mounts
Battery Boxes, Racks and Cabinets
Equipment Enclosures**

Preferred by Experienced Installers



**DIRECT POWER AND WATER CORP.
ALBUQUERQUE, NM USA
800-260-3792 OR 505-889-3585
FAX: 505-889-3548
www.power-fab.com
info@power-fab.com**

No Power? No Problem!

There is more to a working renewable energy system than a cheap deal on a pile of hardware.

We Provide:

Complete service. We do solar, wind, microhydro and pumping systems. Load analysis, site survey, system design, sales, installation, user training, and tech support long after the warranties expire. We live on renewable energy, have 20 years of experience, and have established over 500 systems. We specialize in NEC® compliant, safe systems that will make your Electrical Inspector smile!

Equipment for DIY. We offer reasonable deals and technical reality checks. Why settle for a packaged system when you can have yours custom designed by an expert?

Your best resource is a local pro. Tap into our network of qualified, competent Electron Connection associates across the country.

Going into the Biz? Why talk to a "sales technician" when you can talk to an electrician? We KNOW what works and how it works. We offer technical support, system design help, prompt shipment, fair pricing and NO BULL. Local referrals always. Electrical competence required.

Electron Connection

Bob-O Schultze
CA Electrical Lic #613554
OR CCB Lic #149724



800-945-7587 toll free

www.electronconnection.com online catalog



silver solar
series

Smart choice for power

Authorized Distributor

green
Power Systems

Authorized Distributor

Mitsubishi
Electric

Authorized Distributor

PO Box 203, Hornbrook, CA 96044 USA

Voice / Fax: 530-475-3401 • E-mail: bob-o@electronconnection.com



climate control

It's simple. Heat and cool your home smartly with ENERGY STAR® to reduce your home energy use and make a big difference in the fight against air pollution.




YOUR HOME CAN CAUSE TWICE AS MANY GREENHOUSE GASES AS A CAR.

Discover steps you can take to reduce air pollution from your home and car at energystar.gov.

ENERGY STAR® is sponsored by the U.S. Environmental Protection Agency and the U.S. Department of Energy.





The Exeltech PV AC Module mounted to a PV panel.
(Conduit and fittings not shown are customer/installer provided.)

A self-contained, UL-1741 compliant inverter that produces clean, sine-wave electricity for grid-tie applications without the complexity or expense common in large-inverter-based systems.

Advantages Over Conventional Grid-Tie Systems: 50% reduction in wiring requirements! This eliminates: DC wiring, DC cable trays, DC fusing, overcurrent protection and required holders, DC connectors, DC ground-fault detection, protection, and devices, DC surge protection, DC combiner boxes, DC junction boxes and connector blocks, UL-related DC cabling issues, PV Series ("blocking") diodes, PV module bypass diode

Additional Benefits of Exeltech PV AC Modules: No batteries to purchase, maintain, or wear out! More reliable—single point failure does not disable entire system! Simplified system assembly—AC wiring connects directly to AC sub-panel with appropriate breaker! Incremental growth capability—no need to purchase many expensive modules at one time. Minimizes system design time and expense. Significantly decreases system power reduction events due to single-module shading. No large or heavy inverters to ship, handle, or mount. Easy to install and service—PV panel and inverter are integrated into one unit. No imbalance losses due to differences in PV output voltage or current. Anti-islanding protection built into every module (per UL1741). Microprocessor-controlled Maximum Power Point Tracking (MPPT) operates over entire DC input voltage range. Adaptable: J-box or Multi-contact connector input. Knock-outs for standard AC-side conduit fittings.

**7317 Jack Newell Blvd North,
Fort Worth, Texas USA 76118-7100
Telephone: (817) 595-4969 or Toll-free: (800) 886-4683
Fax: (817) 595-1290 • E-mail: exelsales@exeltech.com
Web: www.exeltech.com**



Manufacturers of more than 35,000 different true sine wave power inverters, chargers, and related products. 15 years of Exeltech inverter manufacturing experience and support behind every Exeltech product. We provide the emergency backup power systems for the Communications Center in every US Embassy, worldwide.

Harness The **POWER**

**U.S. Battery offers the perfect solution
for all of your alternative energy
storage requirements**

- **Maximum capacity**
- **Maximum life**
- **Minimum service**



ph. (800) 695-0945

www.usbattery.com

The Smart Choice!

Get Energy Smart Insulation Options

Johns Manville's line of formaldehyde-free fiberglass insulation is available in pre-cut batts to fit standard wall cavities.



Courtesy Johns Manville

Claire Anderson

©2006 Claire Anderson

Do you know where your energy dollars are going? Chances are, if your energy bills are going through the roof, your home's heat might be going there, too—as well as through your walls, ceilings, and floors.

If you want to cut your costs, reduce your overall energy use, and make your home more comfortable, insulation is one of the best energy investments you can make. If you're living in an old home, it's almost assured that you can make improvements in insulation, and save energy and money. And even new homes built within the past few years may benefit from additional insulation.

The good news is that according to the U.S. Department of Energy (DOE), investing just a few hundred dollars in good insulation and home weatherization strategies can reduce your heating and cooling needs by up to 30 percent. Paired with good passive solar design, having a well-insulated home could even eliminate the need for mechanical heating and cooling in some climates.

Why It Works

Heat naturally migrates from warmer objects to cooler ones. Insulation helps slow this heat transfer considerably. Most insulation works by trapping tiny air pockets within the material. These pockets effectively reduce the material's conductivity, and help it resist heat transfer. This thermal resistance (or "R-value") is usually measured per inch of material. The more material you add, the greater its effectiveness

(see R-value table on page 46). Insulation's performance also hinges on how and where the insulation is installed. (See the sidebar "Adding It Up.")

Taking Shape

Insulation takes many forms: loose-fill, blankets (batts or rolls), rigid board, and liquid foam (which expands to fill a cavity as it dries). Insulation is also being integrated into building materials like structural insulated panels (SIPs) and insulated concrete forms (ICFs). If you're building a new home or an addition, you may want to investigate these "all-in-one" options. Some types of insulation require professional installation, while others are fairly easy to install yourself.

Loose-fill and liquid foam insulation are usually best suited to places where they can be blown in, such as attics and wall cavities. Special pneumatic equipment is usually necessary. Batts and rolls are sold in standard widths to fit between wall studs or ceiling or floor joists, and can be hand-cut to fit nonstandard spaces. Faced batts, covered on one side with a kraft paper or a reflective-foil vapor barrier, can be used where required by code. Rigid foam board can be used to insulate exterior walls, basements, concrete slabs, and foundation and stem walls.

Besides choosing an insulation material based on how well it works within a particular building system, also consider its long-term performance, its embodied energy (the energy used to make and transport the material), and any potential health impacts it might have, while it's being installed or after it's in place.

Measuring Up

The DOE provides minimum R-value recommendations for homes based on climate, heating source, and the space needing insulation, such as attics, basements, or walls (see the R-value map on page 48). Consider exceeding these levels (also known as "superinsulating" a home) for maximum energy efficiency. You'll need to compare the life-cycle savings to your initial budget for insulation to figure out the best return for your investment.

Start at the Top

If you have a limited budget for insulation, experts recommend insulating your attic or ceiling first. Compared to floors and walls, attics are a major contributor to a home's heat gain and loss, and bundling up an attic can shave up to 30 percent from your energy bills. Besides having a large surface area for heat transfer, attics can also have other conduits for air infiltration, such as recessed lights, plumbing and electrical chases, chimneys, exhaust fans, and ductwork. Together, these can account for more heat transfer than the *entire* flat surface of your attic.



Shawn Schreiner

Cotton batt insulation, made from post-industrial denim and other fibers, offers itch-free, easy installation and similar R-values to cellulose insulation.

Next, insulate walls and floors. In new homes, adequately insulating walls is a no-brainer. In older homes, however, it may be an expensive and difficult task. Get an estimate first, and then do the math to see how long it will take you to recoup your investment at a 16 to 20 percent savings on your heating and cooling costs. Insulating crawl spaces and underneath floors can save 5 to 15 percent on heating costs, and is usually an easier job.

These days, a wide variety of insulation materials are available. Here are some of the more common types you might choose, and brief descriptions of their properties.

Fiberglass. You might be most familiar with the "fluffy pink stuff"—fiberglass insulation. This insulation uses molten silica sand spun into fibers, along with different additives, such as boron, or a phenol formaldehyde or acrylic binder. Fiberglass is widely available in loose-fill and blanket products, and is relatively inexpensive.

Most fiberglass insulation manufacturers use recycled bottle glass—either pre-consumer glass scraps (known as cullet) or post-consumer glass from bottle-recycling

Adding It Up

An insulation's R-value indicates how well it resists heat flow. Generally, the higher the R-value, the better the insulation is at doing its job. But how and where insulation is installed also affects its performance. Insulation that is compressed too tightly into a space will not give its fully rated R-value. And a ceiling or wall's total R-value will usually be lower than the R-value of the insulation, mainly due to thermal bridging (increased conduction) that occurs through studs or joists because of their lower thermal resistance.

Cellulose insulation is considered one of the greenest conventional insulation materials—from its raw materials to its manufacture. Because its production relies on a low-tech process, manufacturing plants can be small and localized, so transportation energy is usually low.

Questions have been raised about possible health risks of the chemicals and heavy metal residues (from newspaper ink) in cellulose insulation. But most researchers conclude that cellulose insulation does not pose a health risk to a home's occupants. As with other insulation materials, installers should minimize their risk of inhaling dust and fibers by using proper respiratory protection.

Cotton. Cotton insulation offers similar insulation value to cellulose. It's made primarily of blue-jean manufacturing trim waste (85 percent), with the remaining 15 percent consisting of microscopic plastic fibers to give it loft, and borates to resist pests and combustion. This product offers the installer itch-

programs, incorporating 20 to 30 percent post-industrial and/or post-consumer material into their products. The production of the glass fibers can be energy intensive, but the low-density product means that the embodied energy is comparable to other insulation types.

Airborne fibers may be inhaled and absorbed into the lungs, particularly during installation. But phenol formaldehyde products used as binders have overshadowed this risk. This chemical off-gasses, and can contribute to poor indoor air quality. Acute effects of formaldehyde exposure include watery eyes, throat irritation, and nausea. Long-term effects have been harder to study, but the International Agency for Research on Cancer (IARC) classifies formaldehyde as a "probable human carcinogen." In response to this concern, some insulation manufacturers, like Johns Manville, have replaced formaldehyde binders with an acrylic binder. This formaldehyde-free insulation is off-white—the natural color of the fiberglass.

Cellulose. Old newspapers enjoy a new life in cellulose insulation, which is applied as loose fill or damp-sprayed into cavities. Cellulose insulation manufacturers purchase newsprint, cardboard, and paperboard that have been collected at recycling centers and shred it into fine pieces. After shredding, fire-retardants and mold inhibitors, such as boric acid, sodium borate (borax), and ammonium sulfate, are added. The finished product is about 80 percent recycled material by weight.

In terms of energy performance, cellulose insulation rivals high-density fiberglass batts, at roughly R-3.7 per inch. But because it generally packs more tightly than fiberglass batts, especially in damp-spray applications, cellulose is more effective at controlling air leakage. Settling can be a problem in loose-fill applications and can affect thermal performance.

Insulation Comparison

	R-Value Per Inch*	R-Value Per Thickness*
Loose Fill		
Fiberglass	2.2–2.9	—
Rock wool	2.2–2.9	—
Cellulose	3.1–3.7	—
Batts		
Fiberglass	2.9–3.8	—
Wool	3.5	—
Cotton	3–3.7	—
Rigid Board		
EPS	3.9–4.2	—
XPS	5.0	—
Polyisocyanurate	5.6–7	—
Liquid Foam		
Air Krete	3.9	—
Polyurethane	5.6–6.2	—
Other		
Straw bale	1.5	—
Straw-clay	1.6	—
Rastral (8 in. thick block)	—	11.0
SIPs (3.5–9.38 in. thick)	—	14.0–37.0
ICFs	—	18.0–35.0

*All values are estimates; total R-value will vary depending on material and installation techniques.



Courtesy Thermafiber

Slag wool, made from by-products of the steel mill industry, can also be sprayed into wall cavities.

free, fairly easy installation. Its installation and use poses few, if any, health risks to installers or a home's occupants.

Mineral (or Rock) Wool. Although "mineral wool" can be used to refer to fiberglass insulation or natural stone (usually basalt), most often it refers to a brittle material made from steel-mill slag—calcium, magnesium, and aluminum silicate minerals that are by-products of the steel manufacturing process. The slag is melted and then spun into fibers, an energy-intensive process, but one that doesn't require mining raw materials.

Moisture-resistant mineral wool retains its insulation abilities even when wet. It has excellent acoustic dampening

Rigid foam polyisocyanurate insulation can be used to completely cover a building's exterior walls, reducing heating and cooling losses significantly.



Don't Forget Ducts

After ceilings, floors, and walls, ductwork can account for up to 15 percent of a home's winter heat loss, according to the DOE. This network of tubes in a home's walls, floors, and ceilings carries conditioned air to the rooms in your home. Most systems, unless they're relatively new, are uninsulated or not insulated properly. And uninsulated and leaky ducts translate into energy dollars down the drain.

Insulating and sealing ducts is especially important if they are located in unconditioned, unheated spaces. In the wintertime, ducts can leak heat, and in the summertime, they can actually draw in hot air, decreasing your central air conditioner's efficiency.

Minor duct repairs are easy to do yourself, but you may want to consult a pro to insulate and seal ducts in unconditioned spaces. First look for sections that should be joined, but have separated, and then look for obvious holes. Seal your ducts with Underwriters Laboratories (UL) certified tape to ensure a long-lasting bond. Insulating ducts in a basement will make the basement colder, so if both the ducts and the basement walls are uninsulated, consider insulating both. To help prevent condensation on cooling ducts, make sure that a well-sealed vapor barrier exists on the outside of the insulation. In most areas, use duct wrap insulation of R-4 or R-6.

qualities, and is more fire resistant than either fiberglass or cellulose. The company Thermafiber manufactures a spray-on mineral wool product with an R-value similar to sprayed cellulose insulation or high-density fiberglass batts.

The IARC puts mineral wool (rock and slag wool) in its Group 2B class: "possibly carcinogenic to humans." Although in some study groups, an elevated risk of death from respiratory system cancer and nonmalignant respiratory disease was observed, no consistent evidence of an association between those elevated risks and respirable mineral wool fibers was found. Mineral wool poses no off-gassing risks, and few health risks to a home's occupants.

Rigid Foam. Also called foam board, rigid foam insulation is most commonly used to insulate foundations and slabs, as well as exterior roofs and walls. With up to twice the R-value per inch of fiberglass or cellulose, it packs an insulation punch. Three types of rigid foam insulation are available.

Going Green

Because insulation reduces energy consumption—and the pollution associated with this energy use—any type of insulation can be considered “green,” says Alex Wilson of BuildingGreen.com. Over a home’s lifetime, the environmental benefits of that alone can outweigh any negative consequences that result from an insulation’s manufacture.

From an embodied energy standpoint, some materials measure up quite differently—from what kind of materials they were made of and their manufacturing process—and this may be a consideration when you’re making insulation decisions. You may also want to consider the health implications of using certain materials, whether you’re doing it yourself or hiring an installer. Some insulation may off-gas (slowly release) volatile chemicals, such as formaldehyde, or shed small fibers, which can be inhaled, during installation.

Expanded polystyrene (EPS), extruded polystyrene (XPS), and polyisocyanurate (polyiso) are made from polymers—petrochemical-based foam plastics—that are expanded with a blowing agent.

XPS has a higher R-value and compressive strength than EPS, and is more moisture-resistant. Inch for inch, polyiso boasts the best insulation value of the three rigid foam boards. Aluminum-foil and plastic-faced polyiso offer

even greater resistance to heat flow. Most of the rigid foam insulations undergo a gradual deterioration in their insulation value over time. This “thermal drift” eventually stabilizes, but can represent a significant shift from the product’s original, rated R-value.

Blowing agents that are used to manufacture foam boards have been the target of environmental concerns because of their damaging effects on atmospheric ozone, a molecule that screens out harmful high energy ultraviolet rays. EPS, or beadboard, is made from polystyrene beads that are expanded with liquid pentane. As the agent disperses from the foam board, tiny, trapped bubbles in the material fill with air, giving the foam its insulative value. EPS has the least environmental impact because it is not manufactured using ozone-depleting chemicals. The pentane used as an expansion agent in EPS does, however, contribute to the formation of ground-level smog.

Most XPS or blueboard is made from polystyrene and HCFC-142b—a hydrochlorofluorocarbon expansion agent. While HCFCs are only 5 percent to 11 percent as damaging to atmospheric ozone than their CFC precursors, a single molecule can still damage *thousands* of ozone molecules. In the United States, HCFC-142b must be phased out by 2010.

Until 2003, most polyisocyanurate foam board was manufactured using HCFC-141b as the blowing agent. Today, most polyiso companies have switched to using a hydrocarbon mix, which causes no damage to atmospheric ozone.


Besides relying on petrochemicals, foam board is energy intensive to manufacture, making it one of the insulation materials with the highest embodied energy. The use of

Recommended R-Values

Zone	Attic	Wall	Floor
1	R-49	R-18/R-28*	R-25
2	R-49	R-18/R-22	R-25
3	R-49	R-18	R-25
4	R-38/R-49	R-13/R-18	R-13/R-25
5	R-38/R-49	R-13/R-18	R-11/R-25
6	R-22/R-49	R-11/R-18	R-11/R-25

*First value is for homes heated with natural gas; second is for electric furnaces

Source: U.S. DOE, www.eere.energy.gov/consumer/tips/insulation.html



rigid foam board insulation poses few health risks, although there have been some concerns about the potential off-gassing from flame retardants and the plastic polymers.

Liquid Foam. Foamed-in-place insulation has the advantage of filling wall and ceiling cavities completely, providing high R-values (3.6 to 6.5 per inch) and blocking air leakage very effectively. Installation requires special equipment, however, and must be done by licensed contractors. Generally, liquid foam is sprayed into open wall cavities, where it rapidly expands—sometimes up to 100 times its original volume—to fill the space. Once it has dried, excess insulation is easy to trim off. Some foams can be used in closed wall cavities. These products expand more slowly, to reduce the risk of structural damage.

Most liquid or spray-foam insulation products are high-density, closed-cell polyurethanes, made from petroleum—and some of these still use the ozone-depleting HCFC-141b blowing agent. Open-cell, low-density polyurethane foams have been produced with water or carbon dioxide as the blowing agent for some time.

Compared with closed-cell polyurethane, open-cell products also use significantly less material, making them attractive from a resource standpoint. These spray-foams provide an airtight, water vapor resistant seal, and eliminate the need for vapor barriers in stick-framed homes. And most resist shrinking, settling, and sagging.

Polyurethane foams rank close to rigid foam insulations in terms of their embodied energy. To improve this energy-to-efficiency balance, some manufacturers are reducing their reliance on petroleum, replacing up to three-quarters of the petrochemical-based foam with a soy-based product.

Air Krete is one of the few nonpetroleum-based foams. Made with magnesium chloride, ceramic talc, and a proprietary foaming agent, it is sprayed into wall cavities with pressurized air. One drawback is that since it does not adhere to surfaces, material shrinkage or movement in a building may eventually cause gaps in the insulation, compromising the whole wall R-value. Air Krete offers superior fire-resistance.

Installers need to take safety precautions when working with these materials; others should not be present while polyurethane insulations are being installed. However, most indoor air quality professionals consider this product to be inert once it has cured.

Courtesy Agriboard



All-in-one insulation and wall systems, such as Agriboard's SIP, made with strawboard and compressed straw, can reduce thermal bridging and air infiltration.

Other Options: Wool & Straw. Sheep's wool has been commonly used in Australia and New Zealand for decades, but is now just starting to make its way into U.S. homes. With an insulation value higher than standard fiberglass, it also retains its value when wet and is naturally flame-resistant, although some wool insulation manufacturers add boric acid as an additional flame retardant.

Straw bales have been used as a cheap and effective building and insulation material since the nineteenth century. Oak Ridge National Laboratory determined the R-value to be R-27.5 (or R-1.45 per inch), or R-33 for three-string (23-inch-wide) bale wall systems. The California Energy Commission reports that a plastered straw bale wall has an average R-value of 30. Straw-clay, a mixture of short, chopped strands of straw and clay slip, can be packed into wall forms or ceilings to create thick, fire-resistant, and fairly mold- and mildew-resistant walls, with an estimated R-value of about R-1.6 per inch, according to research results reported by the Canadian Mortgage and Housing Corporation.

Because these materials undergo little or no processing, and can be sourced locally, their embodied energy and resulting environmental impacts are generally low. They pose no or very little health risk to installers or a home's occupants.

Integrated Insulation. Some homebuilders today opt for all-in-one construction, combining insulation within their wall and ceiling structures. Several different products are available to meet this need. Structural insulated panels (SIPs) sandwich a polystyrene, isocyanurate, or even a

insulation options

compressed straw core between plywood, oriented strand board, or strawboard panels. Using these large panels reduces thermal bridging and air gaps more common in conventionally insulated stick-frame homes.

Insulating concrete forms (ICFs) integrate poured concrete into interlocking foam board or hollow-core polystyrene blocks to make a complete wall or foundation system. Because of its flammability, though, ICFs exposed to occupied spaces must be covered with a fire-resistant material.

Rastra "blocks" incorporate recycled polystyrene, Portland cement, and additives into a framework, which is glued or clamped together until the concrete is poured. This lightweight, strong material can be easily worked with all woodworking tools, and carved to achieve curves. By volume, Rastra contains 85 percent recycled content. No energy is used to cure the elements, and only about 1 KWH is required to produce one Rastra element—a 10-inch-thick, 15 by 10-foot panel. This product provides high insulation values with no off-gassing, and is pest- and fire-resistant.

Access

Claire Anderson, PO Box 520, Ashland, OR 97520 • craig.anderson@homepower.com

Thanks to Mark Piepkorn, Associate Editor at *Environmental Building News* (www.buildinggreen.com), and Andre Desjarlais, Program Manager of the Building Envelopes Program at Oak Ridge National Laboratory's Buildings Technology Center, for their expert review of this article.

Select Insulation Manufacturers/Distributors:

Agriboard Industries, 8301 E. 21st N., Ste. 320, Wichita, KS 67206 • 866-495-3595 or 316-630-9223 • Fax: 316-636-9255 • info@agriboard.com • www.agriboard.com • SIPs made with a compressed wheat-straw core

Bonded Logic Inc., 411 E. Ray Rd., Chandler, AZ 85225 • 480-812-9114 • Fax: 480-812-9633 • www.bondedlogic.com • Cotton insulation

Good Shepherd Wool Insulation, RR 3, Rocky Mountain House, AB, Canada T4T 2A3 • 403-845-6705 • Fax: 403-845-6705 • www.goodshepherdwool.com • Sheep's wool insulation

InnoTherm, PO Box 226, Newton, NC 28658 • 877-466-0612 or 828-466-1147 • Fax: 828-466-1498 • rpfrazier@hickorysprings.com • www.innotherm.com • Cotton insulation

Insulating Concrete Forms • www.icfweb.com • General ICF information

Johns Manville, PO Box 5108, Denver, CO 80217 • 800-654-3103 or 303-978-2000 • www.jm.com • Formaldehyde-free fiberglass insulation

Nu-Wool Inc., 2472 Port Sheldon Rd., Jenison, MI 49428 • 800-748-0128 • Fax: 616-669-2370 • info@nuwool.com • www.nuwool.com • Cellulose insulation

Rastra Corp., North American Corp. Office, 7621 E. Gray Rd., Ste. A1, Scottsdale, AZ 85260 • 877-935-3545 or 480-443-9211 • Fax: 480-443-9228 • info@rastra.com • www.rastra.com • Rastra insulated blocks

Structural Insulated Panel Association, PO Box 1699, Gig Harbor, WA 98335 • 253-858-7472 • Fax: 253-858-0272 • staff@sips.org • www.sips.org • General SIP information

Thermafiber, 3711 W. Mill St., Wabash, IN 46992 • 800-294-7076 or 260-563-2111 • Fax: 260-563-8979 • info@thermafiber.com • www.thermafiber.com • Rock wool insulation

Urethane Soy Systems Co. Inc., PO Box 500, Volga, SD 57071 • 888-514-9096 or 605-627-6393 • Fax: 605-627-5869 • tom.kosakowski@soyol.com • www.soyol.com • SoyTherm 50, soy-based polyurethane insulation

U.S. GreenFiber LLC, 809 W. Hill St., Ste. A, Charlotte, NC 28208 • 800-228-0024 • Fax: 704-379-0685 • greenfiber.info@us-gf.com • www.us-gf.com • Cellulose insulation

Online Insulation Assessment: ZIP-Code Insulation Program • www.ornl.gov/~roofs/Zip/ZipHome.html

BIO SHIELD
Healthy Living Paints
Zero VOC Interior Paints, Clay-based Wall Coverings, Color Washes, Pigments and Milk Paints.
NEW! Aqua Resin Stain Finish Water-based, Zero VOC Interior/Exterior Wood Stains.
For a FREE Color Catalog call us at (800) 621-2591
www.bioshieldpaint.com

FORCEFIELD
www.wondermagnet.com www.otherpower.com
NdFeB Magnets 877-944-6247 (toll free)
Magnet Wire 970-484-7257
Books
Weird Science
Needful Things for the homebrew renewable energy enthusiast!
MAKE YOUR ELECTRICITY FROM SCRATCH!
2606 W. Vine Dr.
Fort Collins, CO 80521
info@wondermagnet.com

AUTOMATIC BATTERY WATERING



WE MAKE WATER FROM YOUR GAS

Hydrogen and oxygen battery gas catalytically recombined into pure water and returned to each battery cell. Keeps battery topped off for extended periods of time and reduces maintenance costs. Explosive hydrogen gas is virtually eliminated from the battery area. Corrosive spray and fumes are contained and washed back into each battery cell. Electrolyte kept strong longer, extending the useful power and life of the battery. HYDROCAP Vents simply replace the battery's caps. Battery maintenance is greatly reduced. Write or call for more information.



Hydrocap
Catalytic Battery Caps

305-696-2504
975 NW 95 St.
Miami, FL 33150

ZOMEWORKS

RELIABLE PASSIVE ENERGY

CORPORATION

PRODUCTS SINCE 1969




NEW TO ZOMEWORKS TRACKERS:

THE UTRK040

Improvements from UTRK040 include:

- Light weight for quick installation
- Early morning wake-up fin for fast response
- Dual shock absorbers for better stability
- Ships partially assembled via UPS

UTRK040 installation by Total Light & Power Pie Town, NM



California Building Code certification available for all racks



NEW UTRF168 now comes standard with high wind kit, please call for pricing

WWW.ZOMEWORKS.COM
800-279-6342

UTRF168 photo Installation by Miller Power and Communications Atascadero, CA

- Highest quality construction
- Quietest operation
- No shutdown in high winds
- Sealed alternator prevents corrosion

KESTREL
WIND TURBINES

EXCLUSIVE DISTRIBUTOR NORTH & SOUTH AMERICA

600 Watt

800 RPM Max

3 yr warranty

12, 24, 48 V DC

1.5 Meter
6-blade fixed-pitch rotor
50 lbs total weight

K600



2500 Watt

500 RPM Max

5 yr warranty

48, 120, 300 V DC

3.8 Meter
Variable-pitch rotor
300 lbs total weight

K2500



Also available K800 & K1000. K1000 optimized for low wind.

Kestrel manufactures turbines of the highest quality to withstand the rigors of even the most difficult wind regimes. Thanks to their ultra-efficient axial-flux alternators and large variable-pitch rotors (800, 1000 and 2,500 Watt models), Kestrels produce the highest energy in marginal wind regimes. To learn more about Kestrels and our other wind products, please contact us by email or telephone; or visit our website. Dealer inquiries welcome!



30 C Mill Street
Healdsburg, CA 95448

707.433.5824

matt@dcpower-systems.com
www.dcpower-systems.com

SEI Hands-On Workshops



- PV Design & Installation
- Advanced Photovoltaics
- Women's Photovoltaics
- Utility Interactive PV
- PV Industry Week
- Micro-Hydro Power
- Wind Power
- Solar Water Pumping
- Intro. to Renewables
- Successful Solar Business
- Biodiesel
- Solar Hot Water
- Solar & Radiant Heat
- Solar Home Design Principles
- Designing & Building a Natural Home
- Renewable Energy for the Developing World
- Sustainable Building for the Developing World

Offering Workshops Worldwide

Online Courses



- | | |
|-----------------|---------------------|
| PV Design | Jan. 9 - Feb 17 |
| | March 13 - April 21 |
| | May 30 - July 7 |
| | Sept. 5 - Oct. 13 |
| | Oct. 30 - Dec. 8 |

- | | |
|-------------------|--------------------|
| Advanced PV | Sept. 11 - Oct. 20 |
| | Nov. 6 - Dec. 15 |

- | | |
|---------------------|--------------------|
| Solar Home Design.. | Feb. 13 - March 24 |
| | Sept. 5 - Oct. 13 |

**2006 schedule available online
call for a catalog**

HANDS-ON EDUCATION FOR A SUSTAINABLE FUTURE



**SOLAR ENERGY
INTERNATIONAL**

PO Box 715 • Carbondale, CO 81623
tel: 970-963-8855 • fax: 970-963-8866
ssei@solarenergy.org

WWW.SOLARENERGY.ORG

Discover

NEVER ADD WATER!

Discover™ the difference:

- Industry first**: Discover™ sealed AGM & Gel Battery Now Available.
- Never add water**: The Discover™ sealed AGM and Gel batteries have no water ever required.
- Recommended**: Recommended for emergency power applications and residential solar systems where normal maintenance steps must be performed on a regular basis.
- Advanced design**: With more advanced components and technology, the enhanced power system increases efficiency, durability, and reliability.

CENTRIC POWER
SOLAR POWER | ENERGY MANAGEMENT
RESIDENTIAL & COMMERCIAL
CENTRIC INQUIRIES (800) 308-4776

SUPERIOR FEATURES

- Advanced AGM & Gel Technology
- Sealed & Maintenance Free
- Long Life Cycle
- Low Self Discharge
- High Efficiency
- Low Internal Resistance
- Low Temperature Performance
- Low Maintenance
- Low Self Discharge
- Low Internal Resistance
- Low Temperature Performance
- Low Maintenance

Discover™ the difference:

Discover™ Sealed AGM & Gel Battery Now Available

UNIRAC®
THE STANDARD
IN PV MOUNTING STRUCTURES™

When it has to look great
Ensure the visual appeal that you and your neighbors demand.

New options and accessories
The most versatile mounting system in the PV industry continues to grow.

Standing-seam solution
The lowest possible installed cost with no rails or penetrations on a standing-seam metal roof.

The large array answer
Low cost, installation ease, and code compliance are our standard.

PV power anywhere
The right rack sized to your needs saves you time and money.

www.unirac.com

U.S. Des. Patent Nos. D496,248S, D496,249S.
U.S. and other patents pending.

UniRac, Inc. • Albuquerque NM USA • 505.242.6411



A 34 KW system, the largest in Minnesota and the surrounding five states, was installed at the Green Institute, a Minneapolis nonprofit.



Randy and Kris Olson show off their 1 KW solar-electric shingle system in Elk River, Minnesota.

Courtesy Kris Olson

A Tale of Two States


Small Solar Rebates—Steady Success

With as good or even better solar resources than parts of Florida or Texas, Minnesota and Wisconsin have become movers and shakers in the Midwest's solar-electricity markets. In this region known for its pragmatic attitudes and reliance on tradition, there is a decidedly progressive movement toward residential renewable energy.

Mike Taylor, Minnesota Department of Commerce & Niels Wolter, MSB Energy Associates Inc.

©2006 Mike Taylor & Niels Wolter

Courtesy Niels Wolter (2)



Madison Christian Community Church in Madison, Wisconsin, invested in a 2.7 KW system co-funded by Focus on Energy.



The pink flamingos like their 1.2 KW, dual-axis tracking solar-electric system at the Dane County Zoo in Madison, Wisconsin.

In fact, both states have more solar-electric capacity per capita than either Florida or Texas. In the past three years, the amount of grid-connected solar electricity in Minnesota has more than doubled—from 186 kilowatts (kW) to 421 kW—largely because of Minnesota’s PV (photovoltaic; solar-electric) rebate program. Similarly, Wisconsin’s PV rebate program has co-funded about 200 kW of PV installations, increasing the state’s PV-produced electricity capacity to about 460 kW. And this is despite small budgets and smaller-than-average incentives—typically a 20 percent to 25 percent rebate.

Program Particulars

The Minnesota Solar Electric Rebate program pays US\$2,000 per installed kW (the sum total of the DC ratings of the solar-electric panels in the system) for systems ranging in size from 0.5 to 10 kW of grid-connected solar electricity. Larger systems are eligible for the rebate on a case-by-case basis. Only new equipment qualifies, and a site assessment, performed by the applicant or their solar-electric dealer, is required.

To qualify for Minnesota’s rebate, a site needs to meet an estimated annual production of 960 kilowatt-hours

Gordon Carlson of Duluth, Minnesota, received the standard state rebate of US\$5,340 for his 2.67 kW PV system, and an additional US\$4,000 from his electric utility, Minnesota Power.



Courtesy Helen Carlson

(AC energy) per kW installed. (For comparison’s sake, an unshaded, nontracking, 1 kW system in Minneapolis produces an estimated 1,100 kWh per year.) Typically, the solar-electric installer submits a Solar Pathfinder diagram, photographs, and a copy of the rebate program spreadsheet used to calculate the system’s estimated performance. Applicants not using solar dealers can opt to provide just photographs with their applications. However, if site shading is evident in the photos, the rebate program requires a Solar Pathfinder diagram and spreadsheet assessment.

The Wisconsin program uses the U.S. Department of Energy’s PVWatts calculator, along with information (panel capacity, orientation, shading, and percent snow cover) supplied by the prospective system owner to estimate the system’s anticipated production. The PVWatts production estimate is reduced by 20 percent to account



The 3.06 kW solar-electric system on their Minneapolis, Minnesota, home makes this modern *American Gothic* couple much happier than the ones in Grant Wood’s painting.

for system losses (inverter and wire losses, and panel temperature correction).

Both programs allow homeowners to install their own systems, provided they meet applicable local building codes and pass the electric utility’s anti-islanding test (which determines that the system can be successfully shut down in the event of a grid failure). However, Wisconsin incentive amounts are tiered to reflect various parameters, awarding:

- US\$1 per kWh for self-installed systems
- US\$1.50 per kWh for professionally installed systems
- US\$2 per kWh for North American Board of Certified Energy Practitioners (NABCEP) installed systems
- US\$3 per kWh for NABCEP-installed systems on new Wisconsin Energy Star Homes or new commercial buildings

The incentive is a one-time payment based on the yearly electricity production estimate made at the time of application.

Owners of this home in Waukesha, Wisconsin, installed a 4.32 kW solar-electric system.



Courtesy Jon & Janell Wilcox

PV Rebate Program Comparison

Demographics

	Minnesota	Wisconsin
Population (2003 census)	5,059,000	5,472,000
Households (2003 census)	1,895,000	2,085,000

Grid-Connected PV

Pre- or non-rebate (KW)	186	260
Rebate program (KW)	235	200
Total KW	421	460

Program Specifics

Participating households (to date)	79	100
Rebate amount per KW (US\$)	\$2,000	\$1,200–\$3,600*
Eligible system types	On-Grid	On- / Off-Grid
Spent to date (US\$)	\$497,000	\$870,000
Total budget (US\$)	\$1,150,000	Annually Renewed
Program end date	Dec. 31, '07	Annually Renewed

*Approx. per KW; actual rebate is US\$1–\$3 per KWH, dependent upon installation variables

Funding

Minnesota's PV program funding comes from Xcel Energy's Renewable Development Fund (RDF), a mandated funding source that was part of a legislative compromise to allow additional nuclear waste storage at the Prairie Island nuclear power plant in Red Wing, Minnesota. (Most of Minnesota's utility-scale wind energy development was also the result of the compromise.) Xcel Energy issued a competitive request for proposals to spend the RDF, and the solar-electric rebate program was one of many chosen for funding. The Minnesota Department of Commerce State Energy Office administers the program, and Xcel Energy funds it through periodic payments to the state.

Focus on Energy administers Wisconsin's rebates. The state's electricity and natural gas utility ratepayers fund the program through a "systems benefit charge," a small fee that appears on their bills. The state collects this fee from the utilities and disperses it through Focus on Energy's energy efficiency and renewable energy projects. As a result of this funding centralization, they are able to provide enhanced coordination of their solar programs, which include training, workshops, and other industry and consumer educational efforts. Since the program's inception, the number of PV installers in Wisconsin has more than doubled. Several installers are NABCEP-certified, and several more are in the process of being certified. The program also supports renewable energy education in primary and

secondary schools with its K-12 Energy Education Program (KEEP) and at Wisconsin's technical colleges. However, the program's centralization has also made it subject to significant funding cuts during recent Wisconsin state budget downturns.

Minnesota's simple dollar-per-KW approach provides for an easily marketed message and low administrative costs, but does not provide funding for training, workshops, or other industry or consumer educational programs. Although Minnesota isn't able to offer a more comprehensive program, its funding is somewhat insulated from potential cuts because of the legal contract that exists between Xcel Energy and the State, making it a more difficult target for budget cuts.

Although Minnesota's rebate program lacks the breadth of Wisconsin's, it has sparked many

unanticipated changes in the state. Minnesota Power, a northeastern Minnesota utility, now offers a companion rebate program for their customers, and another cooperative utility, Great River Energy, is developing one for its members. Community solar-electric projects are emerging on schools, nonprofits, and businesses, where local citizens actually help plan and fundraise for PV systems in their neighborhoods. Three solar home tours take place in various parts of the state. Solar Saver Homes, a building developer, constructed and sold eight energy efficient town homes that have integrated solar-electric shingles. A Million Solar Roofs Initiative was started in Minnesota, and

The Dodge Nature Center in West St. Paul, Minnesota, features a 1.0 KW system on a single-axis tracker.





Courtesy Anderson family

Tom Anderson from Cloquet, Minnesota, stands in front of his 2.53 KW solar-electric system on a sunny winter day.

various organizations are slowly awakening to solar energy opportunities in the state.

Incentive Levels

Both Wisconsin and Minnesota's programs are limited to relatively small budgets. This translates into either a small number of systems that receive larger incentives or more systems with less funding for each. By starting small, both states independently concluded that the market would grow in a more moderate fashion and attract the passionate installer and system owner. Interestingly, if Minnesota had offered a US\$4,000 per KW rebate, the funding would have been used by the end of 2005. As a result, fewer individual photovoltaic projects would have ultimately been installed, and no additional funding to continue the program would be available now.

Getting Tied In

Connecting PV systems to the grid in Minnesota is a mixed bag that is improving. Net metering, which allows system owners to offset their electrical usage with their electrical production, has been available since 1984, but the rules have not been revised in many years. While strong in spirit, the interface with recently adopted distributed generation interconnection standards is not clear and in some cases conflicting.

However, Minnesota Power, which was the first to offer a companion rebate program, has stepped up its leadership on training solar dealers, code officials, and its internal engineers to streamline interconnection in their service territory. Other utilities may follow this model of cooperation. In addition, system owners continue to press interconnection issues with their local utilities. And those who have made it through the interconnection grind are making it easier for those who follow.

In Wisconsin, utility-tied systems are no longer an issue. A collaboration of interested parties (electric utilities, renewable energy groups, regulators, and the public) developed uniform, statewide technical standards, forms, and processes for interconnection, and presented them to the Public Service Commission of Wisconsin and the Legislature in 2002. Today, these standards are law.

Wisconsin's Renewable Energy Program helped the state develop a simple, uniform interconnection application and requirements. And We Energies, the largest regional utility in Wisconsin, recently agreed to buy solar-electric generated energy at a rate much higher than the retail rate, for use in their green pricing program.

Program Results

The response to both programs has been very similar over roughly the same time period—about 200 KW of new capacity has been installed in each state. Together, this represents more than US\$3 million in solar investments.

Initially, both states were challenged with few PV installers and needed to grow their installer base. Today, both states maintain lists of solar energy installers for consumers to reference. There is no licensure requirement to be listed in either state, but there is a designation if an installer is NABCEP certified.

In Minnesota, 89 percent of the funds have gone directly to rebates. The average system size is 2.5 KW, and 78 percent of these systems are installed at residential locations, with an average cost of US\$8,177 per KW for a dealer-installed system. A 34 KW system, the largest in Minnesota and the surrounding five states, was installed at the Green Institute, a Minneapolis nonprofit.

The biggest underestimation of the Minnesota program was that the progress of solar installations was slower than proposed in the funding application. Originally slated as a four-year program, after three years, the solar rebate program is only about halfway toward the goal of 500 KW of installed PV.

Program Statistics

	MN	WI
Avg. system size (KW)	2.5	1.9
Avg. on-grid system cost (US\$/KW)	\$8,177	\$9,230
% Residential	78%	75%
% Dealer installed	80%	68%
Largest system funded (KW STC)	34	12

In Wisconsin, the influx of applications for solar-electric incentives is highly variable. A seasonal cycle exists, with applications peaking in the June-July time frame. Applications also increase whenever funding is threatened, or when incentive levels are poised to decline. Other factors thought to influence application rates include local and world issues and events, and the state's economy.

Lessons Learned

More than 400 KW of new photovoltaic systems have been added in three years using only about a 25 percent rebate between the two states. This bears witness to the progressive nature of Midwesterners who have committed to PV, despite the common misperceptions of the lack of solar resources in this region.

Although each program's measure of success is to get more PV installed, the programs are also helping to build grassroots and organizational support for solar energy and the solar industry. These rebate programs are moving the Midwest solar-electric market forward, providing consumers with an incentive to say "yes." The respective programs also provide the PV industry with a predictable, long-term market. And, as more people become aware of the rebate programs, the goals of a self-sustaining industry will become attainable.

Minnesota's program is set to expire at the end of 2007; Wisconsin's is dependent on annual funding availability. The key will be the transition away from the incentives—will the market dry up or will the low incentive levels help the industry in the long run? Time will tell.

Access

Mike Taylor, State Energy Office, Minnesota Dept. of Commerce, 85 7th Pl. E., Ste. 500, St. Paul, MN 55101 • 651-296-6830 • Fax: 651-297-7891 • mike.taylor@state.mn.us • www.commerce.state.mn.us

Niels Wolter, MSB Energy Associates Inc., 7507 Hubbard Ave., Ste. 200, Middleton, WI 53562 • 608-831-1127, ext. 308 • Fax: 608-836-1290 • wolter@msbnrg.com • www.msbnrg.com

Minnesota Solar Electric Rebate Program, Energy Information Center, Minnesota Dept. of Commerce, 85 7th Pl. E., Ste. 500, St. Paul, MN 55101 • 800-657-3710 or 651-296-5175 • energy.info@state.mn.us • www.commerce.state.mn.us

Wisconsin Focus on Energy Program, 211 S. Paterson St., 3rd Fl., Madison, WI 53703 • 800-762-7077 • renewinfo@focusonenergy.com • www.focusonenergy.com

PVWatts Calculator • <http://rredc.nrel.gov/solar/calculators/PVWATTS/> • Performance calculator for grid-connected PV systems



Three Men and a Baby!

Introducing the "Water Baby"...

Another breakthrough in water powered generators.



- Brushless permanent magnet design
- Adjustable while running
- Operates with as little as 3 gpm
- 12, 24, 48 volts and higher available

ENERGY SYSTEMS & DESIGN, LTD.
www.microhydropower.com 506-433-3151

TROUBLE-FREE WATER PUMPING

NO diaphragm or pistons
NO cams and flappers
NO brushes
NO electronics down the well

Thanks to intelligent engineering,
LORENTZ pumps ensure a reliable water supply for remote places.

**up to 750 ft / 230 m
up to 50 GPM / 200 LPM**



LORENTZ 
reliable solar solutions since 1993

Tel. ++49 (0) 4193-7548-0 www.lorentz.de



- A diverse line of quality trackers for: Grid-Intertie, Commercial Applications, Remote Homes and Water Pumping.
- Trackers from 150 W to 15 kW.
- Complete pre-engineered TrackKits™ available.
- Patented technology.
- 15 years of solar tracking experience.

Array Technologies, Inc

505-881-7567

www.wattsun.com

Cut Your Own Lumber!

Cuts any size log!

Mills starting at under \$10,000!



See our website for Lucas Mill owners near you!

The Ultimate Portable Saw Mill FREE Video & Brochure Available!

© 2006 Bailey's Inc.



The World's Largest Mail Order Woodsmen Supplies Company – Selling at Discounted Prices.

Call today and mention source code:
H7Q6
for your FREE Video and Brochure!



TOLL FREE 1-800-322-4539 TOLL FREE

www.baileys-online.com



SOLAR CONVERTERS INC.

We design and manufacture Power Control Solutions for your Renewable Energy Systems!



Linear Current Boosters

- Increases Solar Pump Performance
- 12 / 24 V @ 7 amps
- MPPT
- Voltage Limited
- Fused Output

DC Autotransformers

- Bi-directional DC-DC Converter
- Battery Balancer / Equalizer
- Converts Battery Power to Different Voltages
- Up / Down Converter

Battery Desulphicators

- Extends Battery Life
- Reverses Sulphated Batteries
- Single unit 12 to 48 V
- Adjustable Pulse Strength

Linear Voltage Boosters

- Keeps a Constant Battery Voltage to your Equipment
- Charge a Battery from a Lower Voltage Battery or PV
- Water Pump Booster and Controller

Generator Starters

- Starts / Stops Generators based on Battery Charge
- Single unit 12 to 48 V
- Controls any Generator
- Temp. Compensated

ALSO...

- MPPT Power Tracker™ Charge Controllers
- Cathodic Protection Controllers

- Voltage Controlled Switches
- Solar Lighting Controllers

Please visit www.solarconverters.com for MORE products and details

C1-199 Victoria Road S., Guelph, ON, N1E 6T9, Canada Phone: 519-824-5272 Fax: 519-823-0325 E-mail: info@solarconverters.com

Off-Grid



Most people in suburbia are grid connected and content. They would like to do something with solar electricity, but really don't know where to begin. I found myself in a similar position. I loved the idea of going solar, but wasn't ready to make a large investment. Instead, I decided to start small and take my wife's home office off the grid. I also decided that I wanted to do the work myself.

Bob Owens

©2006 Bob Owens

With these ideas as a starting point, I designed a small, stand-alone solar-electric system. I wanted:

- To remove a single electrical circuit from the grid, and power it with solar electricity.
- To have an emergency power supply (EPS) during extended utility outages.
- The EPS function to allow a generator to be connected to all the house circuits.
- All circuits to be switch-selectable between utility and generator, with no possibility of the system energizing a downed grid.
- To take advantage of the fact that a PV system produces more electricity in the summer than in the winter. A battery-powered lawn mower would use the excess energy during the summer.
- To install the system by myself, with no special tools.
- All parts to be readily available and costs reasonable, with future upgrades to system capacity already planned.
- To install the system in phases, with each phase able to function independently.

Getting Started

Well, that is quite a list, but I did it! Where did I start? As with any solar energy project, you start with a load analysis. In this case, I wanted to remove one house circuit from the grid, but which one? My wife Barbara uses one of the bedrooms as her office. It contains a computer, scanner, printer, fax machine, and overhead fan with a light on its circuit. It is in use two to four hours each day. Most of the time, only the computer and its monitor are on. We decided that her office would be a good candidate for solar electricity.

The computer draws 200 watts and the monitor another 100, for a total of 300 watts. Assuming that the computer and monitor are used three hours per day, we needed 900 watt-hours per day. The other loads (printer, scanner, fax machine, and lights) were small and only used intermittently—they could be ignored. The fax machine is only turned on when needed. The printer and scanner are plugged into one plug strip switch, eliminating any phantom loads. This had the added benefit of turning both machines on or off with one switch—you couldn't leave anything on by accident.

System Design

How many PV panels would we need to run the office? Stand-alone, battery-based PV systems have an overall system efficiency of roughly 65 percent, and our site receives about five peak sun-hours per day on average. A 300-watt PV array would generate about 975 AC watt-hours per day ($300 \times 5 \times 0.65$), enough to cover the office load on a sunny day. Once the number of panels you need has been determined, all other system components can be sized appropriately.

We wanted enough battery storage to run the office for three days without sun. If cloudy periods extended longer than that, the office could be switched back over to the utility grid until the PV system fully recharged the batteries. I calculated the required size of the battery bank as follows. Four, 220-amp-hour (AH), 6-volt (V) deep-cycle batteries wired in series-parallel would provide 440 AH of battery storage at 12 volts nominal, or about 5,500 watt-hours (WH) total ($440 \text{ AH} \times 12.5 \text{ V}$) during normal operation. But completely discharging your batteries will quickly destroy them, and discharging them less deeply will make them last longer. Limiting the battery discharge to 50 percent gives me an effective storage capacity of about 2,750 WH ($5,500 \times 0.5$), which met my design goal of three days of autonomy.

A 20-amp PWM (pulse-width modulated) charge controller regulates the solar charging. To keep costs down, I went with an inexpensive modified square wave, 600-watt inverter. While a sine wave inverter would have provided higher quality electricity for the office electronics, everything has been running fine so far. Finally, I needed an EPS subpanel to wire into our main house panel. This panel is designed to transfer electrical

The author with his batteries and inverter.



Legal Protections in Florida

Florida Statute 163.04 forbids ordinances, deed restrictions, covenants, or similar binding agreements from prohibiting solar equipment use. Under this law, a homeowner may not be denied by any entity permission to install a solar collector, clothesline, or other energy device using renewable resources. Homeowner associations in deed-restricted communities cannot forbid solar equipment installations.

loads between a backup generator and the grid in case of a grid failure. They are stocked by most hardware and home improvement stores.

System Installation

First, I installed the EPS subpanel, following the manufacturer's directions exactly. Hire an electrician if you don't feel confident about installing this panel yourself.

The next item was the battery box. You can buy a plastic tub, or fabricate a wooden or steel box, and make it as simple or elaborate as needed. I wanted a battery box that would contain all the electronics in a separate compartment from the batteries, and have a cover. I built the box using pressure-treated $\frac{3}{4}$ -inch (19 mm) plywood, and added a hasp and handle on the lid.

I decided to build my own panel mounts from galvanized steel strut material, bolted together. I assembled as much on the ground as I could. The less time spent on the roof, the better. Once the array was assembled, I tried lifting it. If you have any doubts about your abilities, get some help. An incident on the ground could become an accident on the roof. After pre-positioning the tools and parts I would need up on the roof, I hoisted the array, positioned it, and fastened it directly to the trusses with lag bolts. Silicone sealer was used to keep the roof penetrations watertight.

Wiring

All that was left to do was the wiring. First I connected a bare copper ground wire to each of the PV module frames and to a ground rod. This equipment-grounding approach keeps static electricity from building up on the array, and reduces the chance of lightning damage to the equipment. All of the PV system's electrical equipment is bonded to this same equipment ground. PV wiring between the array and the batteries was run in conduit for safety.

I made up custom battery cables. The lugs were crimped and then sealed with heat-shrink tubing. Next I wired the batteries in series-parallel. An AC battery charger and an inverter were installed with breakers to protect against fire, according to the manufacturers' instructions. Finally, I made the connection from the inverter to the transfer panel.



The battery box stores the batteries, PWM charge controller, and inverter. A divider separates the batteries from the electronics.

Applications

The solar-electric panels are now powering my wife's office circuit most of the time. If a few cloudy days occur in a row, it is a simple matter to flip the circuit breaker back to using the utility until the batteries get recharged. A breaker in the battery box allows the array to be disconnected easily for any maintenance that may be required.

In the event of an extended utility outage, any circuit in the EPS panel box can be switched over to the solar-electric system as needed. With judicious use, the system can provide electricity to select appliances in case of an emergency. This is much more desirable than trying to use flashlights, candles, or generators to get through a crisis.

Owens System Costs

Item	Cost (US\$)
3 Solar-electric panels, 100 W	\$1,300
2 Mounting frames	200
4 Golf cart batteries, 6 V	200
Subpanel, EPS	200
Cable & lugs, #4 100 ft.	100
Battery charger, 20 A	100
Inverter, 600 W	100
Charge controller, 20 A	100
Weather-proof cables & connectors	80
LED battery meter	50
Lightning protector	50
Ground rod system	50
Miscellaneous	50
Rain-tight disconnect box	20
Total	\$2,600

Tech Specs

Overview

Type: Battery-based PV system

Location: Brandon, Florida

Solar resource: 5 average daily peak sun-hours

Production: 30 AC KWH per month

Photovoltaics

Modules: 3 Photowatt PW 1000, 100 W STC, 17.1 Vmp, 12 VDC nominal

Array: 3 modules in parallel, 300 W STC total, 17.1 Vmp

Array installation: Self-made mounts installed on south-facing roof, 30-degree tilt

Energy Storage

Batteries: 4 golf cart batteries, 6 VDC nominal, 220 AH at 20-hour rate, flooded lead-acid

Battery bank: 12 VDC nominal, 440 AH total

Balance of System

Charge controller: BZ Products, 20 A, PWM

Inverter: Wagen, 12 VDC nominal input, 120 VAC modified square wave output


Performance metering: BZ Products LPM 10u battery monitor, digital ammeter

The last item, the addition of a battery-powered lawn mower to the charging circuit, was the easiest part to accomplish. I went online and bought Sears' best battery-powered electric lawn mower. I ran an extension cord from the inverter to the transformer cube that powers the mower's battery charger. Once charging was complete, it was time to try the mower out on the grass. The unit mowed my entire lawn without a problem, and it was easier to maneuver around the lawn than my old gas mower. It was much quieter and didn't require pull-starting, gas, or oil.

Positive Steps

Well, all the goals I initially set have been accomplished and the system has been up and running for about three years. How does it work? It covers the load it was designed for reliably, and worked well within its limits. When Barb's computer use went from two hours a day to more than eight hours, her computer and monitor had to be upgraded to keep up with her needs. The system was not designed for that. More PVs will need to be added to cover the added load.

Off-Grid Office System



During the hurricanes in 2004, we had no utility electricity for five days. The PV system was an excellent emergency power system during those times. It's amazing how much better you feel if a couple of house lights are working normally.

It is comforting to go to bed every night knowing that our EPS system is functional and can be turned on with the flip of a switch. There are also the less tangible benefits of contributing less to air pollution and, best of all, the satisfaction that comes from knowing that I have taken a positive, powerful step towards a better future.

The power transfer box (right) connected to the mains panel (left). Circuit breakers keep everything safe.



Access

Bob Owens, 1338 Corner Oaks Dr., Brandon, FL 33510 • 813-684-4648 • bowens_306@hotmail.com

AAA Solar Supply Inc., 2021 Zearing NW, Albuquerque, NM 87104 • 800-245-0311 or 505-243-4900 • Fax: 505-243-0885 • info@aaasolar.com • www.aaasolar.com • PVs

Alternative Energy Engineering, PO Box 339, Redway, CA 95560 • 888-840-7191 or 707-923-2277 • Fax: 707-923-3009 • info@alt-energy.com • www.alt-energy.com • Digital ammeter

BZ Products Inc., 7614 Marion Ct., St. Louis, MO 63143 • 314-644-2490 • Fax: 314-644-6121 • bzp@brick.net • www.bzproducts.net • PWM charge controller

Harbor Freight Tools, PO Box 6010, Camarillo, CA 93011 • 800-423-2567 or 805-445-4912 • Fax: 800-905-5220 • cs@harborfreight.com • www.harborfreight.com • Engine generator

J. C. Whitney, PO Box 3000, LaSalle, IL 61301 • 800-603-4383 • Fax: 800-537-2700 • www.jcw.com • Wire



Protecting Our Environment



ARIZONA
WIND & SUN
Alternative Energy Systems



Serving Customers Around the World Since 1979

Solar electrical systems for utility tie applications, remote home, water pumping, and telecommunication systems.

www.solar-electric.com

(800) 383-0195 • (928) 526-8012
2725 East Lakin Drive, Flagstaff, AZ 86004
fax (928) 527-0729 • windsun@wind-sun.com

Searching for a Canadian renewable energy company?

ENERGY ALTERNATIVES has provided thousands of reliable, long lasting and expandable power systems in some of the most remote areas of Canada during our **21 YEARS OF OPERATION**.



Choose from our **DIY packaged systems** or **turn-key professional installation**.

DEALERS WANTED Energy Alternatives offers a comprehensive dealer training program, fast delivery, excellent pricing and superior technical support.



BC Electrical contractor

86683



FREE
Buyers Guide
(for Canadian customers)

www.EnergyAlternatives.ca
TOLL FREE (800) 265-8898

"We enjoy working with Southwest Windpower because of their quality product line of wind turbines and accessories as well as their commitment to their customers and the industry." - Mike Cook.

Southwest Windpower Distributor
Mike Cook, Dealer/Industrial Sales and Design



Power Up Solar
12230 Eastern Ave, Chase, MD 21220
410 344-9206 www.powerupco.com



Visit our new website at windenergy.com

SERVICE • TECHNOLOGY RELIABILITY • SIMPLICITY

Why we sell more wind turbines than anyone else!

- ▶ 5 year warranty on Whispers and 3 year warranty on Air X.
- ▶ Continuous refinement of our products.
- ▶ Quieter machines that utilize new technology and simple design.
- ▶ Making wind energy easier with innovative tower designs.
- ▶ New manufacturing facility! We've moved into our new 28,000 sq. ft. facility to expand production and service.


Southwest Windpower
Renewable Energy Made Simple

1801 West Route 66
Flagstaff, AZ 86001 USA
Tel 928-779-9463 • Fax 928-779-1485
www.windenergy.com • info@windenergy.com

JWP- Jan Watercraft Products

Battery Watering Made Easy!

Tired of manually filling your batteries? **JWP** has a solution for **YOU**. With our "Single Point Watering System" you can fill up to (8) batteries from a remote position without ever having to touch a battery or remove a cap again!



JWP, your source for the most convenient and accurate means of filling and maintaining proper battery water levels. Five year warranty, free shipping in USA.



Distributed by: **JWP**
E-mail: sales@janwp.com
Call Bob- 1-616 822-7587



www.janwp.com



AT LAST SOLAR CHARGING AND BATTERY MONITORING THAT WORKS TOGETHER

Patented Solar Boost MPPT technology harvests all the power your solar panels can deliver – up to 30% more! Ask us how.

New Solar Boost 3024i delivers up to 30A output into 12V or 24V batteries. It can even charge 12V batteries from 24V solar panels. Now available with optional built in remote display.

New IPN-ProRemote display works with the Solar Boost 3024i and combines full-featured battery monitoring with solarcharge monitoring. Gone are the days of guessing how much battery power remains!



Contact us today for more information
800-493-7877 or 760-597-1642
2598 Fortune Way, Suite K, Vista, CA 92081 USA
blueskyenergyinc.com



Blue Sky
ENERGY

Blue Sky Energy, Inc. manufactures and distributes worldwide. Reasonably priced and quality built since 1993.



Solar Transformation

One Village at a Time





Jeff Lahl

©2006 Jeff Lahl

In the dry savannah villages of northern Nigeria, just south of the Sahara Desert, most people still scratch out a subsistence living, growing their crops in extremely harsh conditions. Although wood is a rapidly disappearing resource, it is still the primary fuel used for cooking. For lighting, most villagers still rely on kerosene lamps, which produce toxic fumes and pose a fire risk. Many villages obtain their water by a rope and bucket from open wells, which are often contaminated. Health resources are minimal, and village primary schools are often no more than dilapidated buildings lacking chairs, desks, and books.

And yet Nigeria is not without resources. As a member of OPEC (Organization of the Petroleum Exporting Countries), Nigeria exports nearly US\$15 billion worth of oil each year and is the sixth largest supplier of oil to the United States. Ironically, very little oil revenue filters down to help the rural population. Of the funds that do make their way to northern Nigeria, most are used for larger-scale development projects, such as roads. Seldom do the funds or projects benefit the poorest people, the rural villagers.

Electrical energy has tremendous power to catalyze development in all sectors of community life, ranging from health and education to economic development. Although electricity is sporadically available in larger towns and cities, it is almost never found in small villages. Since oil revenues and the national grid offer little hope in the foreseeable future, another source of energy is needed to help these villages.

An Ambitious Project

In 2001, Robert Freling, executive director of the nonprofit Solar Electric Light Fund (SELF), and his excellency Ibrahim Saminu Turaki, Governor of Jigawa State in northern Nigeria, initiated a proposal to use solar electricity (photovoltaics; PV) to provide energy for essential services in three villages. The projects were funded by the U.S. Department of Energy, through an interagency agreement with the U.S. Agency for International Development, and the Jigawa State government.

After extensive surveys and consultation with community members, an ambitious goal developed—to demonstrate the comprehensive use of solar electricity for a range of applications, including education, health care, water pumping, agriculture, and economic development.

To implement the project, SELF partnered with the Jigawa Alternative Energy Fund (JAEF), a nongovernmental organization that promotes renewable energy use in northern Nigeria. As SELF's project manager, I visited the three villages with my JAEF associates, meeting with community members to assess each village's development needs. After getting their input, we drafted proposals to discuss with them. Once the proposals were approved, the equipment list was put out for international bid, which was won by Kyocera Solar.

All from the Sun

Our first completed system was a streetlight. We had announced to the village of Wawan-Rafi that the first light would be installed by that evening, and a crowd of 40 to 50 people had gathered to watch the light click on. When it finally flickered on, people cheered and looked up at the



As a beautiful sunset blossoms, technicians race to complete the wiring on the first solar-electric streetlight—and the first source of electricity—in this village. Besides providing a measure of safety for the community, these solar-powered lights now illuminate evening gathering spaces for village members.

light with delight and wonder, and children danced around the light pole. Electricity had come to this village for the first time.

We completed the other systems over the next few months. Below are brief descriptions of the types of projects we accomplished.

Streetlights. In a hot climate where people enjoy the cool of the evening, streetlights provide safe and pleasant gathering places for socializing and commerce. Each stand-alone system consists of a 50-watt PV module, a 100 amp-hour battery, a charge/light controller, and a 13-watt CF floodlight.

Village schools. A 320-watt PV array and 400 amp-hour battery provide energy to illuminate two primary school classrooms with nine, 11-watt compact fluorescent (CF) lightbulbs in each classroom. The

Village PV Applications

Application	No. of Systems
Three-light home system	40
Streetlights	34
Five-light home system	20
Health clinics	3
Microenterprise centers	3
Mosques	3
Schools	3
Village water pumps	3
Mobile irrigation pumps	2

school principal now has the village's first computer and the AC electricity to run it.

Village health clinics. A 160-watt PV array, charging a 400 amp-hour battery, provides energy for three, 11-watt CF lightbulbs, a small vaccine refrigerator, and a DC table fan.

Community water pumping. A 1-horsepower submersible pump, powered by 24, 80-watt PV modules, provides between 3,000 and 5,000 gallons (11,356–18,927 l) per day of clean, fresh water from an uncontaminated aquifer.

Mobile solar irrigation pumps. In one village that has a year-round source of surface water, solar-powered pumps help the poorest farmers grow crops during the dry season, providing a critical inflow of food and cash into the village. Four durable Uni-Solar 64-watt PV modules (in a folding array) are connected through a linear current booster to a

A stand-alone solar-electric system provides energy for this remote clinic's vaccine refrigerator, a small table fan, and compact fluorescent lighting.



Conergy Solar Force piston pump. The systems are mounted on traditional two-wheel carts that can be pulled from field to field by two cattle.

Microenterprise centers. A 1,600-watt PV array and a 1,440 amp-hour battery provide both DC and AC electricity for six small businesses at each center.

Peanut oil expeller. Making and selling peanut oil is one of the few sources of income for village women. An experimental solar-powered expeller saves time and labor, which helps the women earn more income. The 1-horsepower expeller is integrated into one the microenterprise centers and runs off of a Xantrex DR2424 inverter.

Home lighting systems. Both three-light and five-light home systems demonstrate the benefits of CF lighting, a vast improvement over kerosene lamps. Besides offering improved brightness, using CF bulbs also eliminates toxic fumes and the risk of fire. The three-light systems pair 50-watt PV modules with 100 amp-hour batteries; the five-light systems have 80-watt PV modules with 160 amp-hour batteries. The CF bulbs are rated at 9 watts each.

Access to electricity gave this barber, who occupies a space in one of the microenterprise centers, the opportunity to trade in his scissors for electric clippers, increasing his productivity—and his profits.




This mobile solar irrigation pump makes watering tomatoes and other crops a much easier task.

Mosque systems. Lighting makes nighttime activities possible, and an AC-powered public address system facilitates the call to prayer. An 80-watt PV module with a 100 amp-hour battery powers the system.


Future Sustainability

The true measure of project success is not if you can complete the installation, but rather if the installation is still working in five or ten years, or at the end of the project's expected life.

PV-powered lighting enables this classroom space to be used 'round the clock—for adult education classes and for a children's study space.



Clinic System



Note: All numbers are rated, manufacturers' specifications, or nominal unless otherwise specified.

We took great care to address the technical, financial, and organizational aspects of sustainability. JAEF, structured as an "energy service company," owns all the project PV systems, and charges each user a small monthly fee to cover operation and maintenance expenses. These fees, which cover spare parts, technician wages, and administrative costs, also provide funds for equipment that needs replacement. In four or five years, when batteries start to fail, there will be enough funds to replace them. In most cases, the monthly fees, which range between US\$3 to \$5, are no more than what families were spending on kerosene for their lamps.

Two levels of paid JAEF technicians keep the systems operating. Technicians living in the villages perform basic maintenance tasks, such as checking and watering batteries, cleaning modules and lamps, or performing rudimentary troubleshooting. Another group of technicians with more education, experience, and PV training visit the villages monthly, overseeing the local technicians and handling more complex repairs.

JAEF was furnished with enough spare CF bulbs, lamps, controllers, and fuses to last the villages for about one year. In that time, enough fees will have been collected to order another batch of supplies. Each village was given a solar water distiller so that distilled water is always available to top off the batteries. Depending on sunlight and ambient temperature, the simple, passive distiller made by SolAqua

produces 0.75 to 1.5 gallons (2.8–5.7 l) of distilled water per day, which is more than enough to service all the batteries in each village.

PV system design also plays a big role in sustainability. Because undercharging batteries (or overuse) contributes to premature battery failure, the system arrays were "oversized" compared to many systems installed in the developing world. Among other benefits, this allows a battery to recover to full charge after an extended discharge period, such as one caused by several days of cloudy weather.

In the larger systems, such as the microenterprise centers, multiple inverters and charge controllers were used. This is especially important in developing countries, where equipment is often subject to severe environmental conditions, such as extreme heat, dust, and insects, and where the frequency of failure can be much greater. Having multiple controllers and inverters provides an insurance policy of sorts—you can lose a component, do a little rewiring, and still have all or most of the system functioning until further repairs or replacements can be made. This insurance is particularly

important to the microenterprise centers, where at least six families depend on the income from each center.

Progress & Growth

The PV systems have had a positive impact on the 8,000 residents of these villages. One village principal says that he is using his two lighted classrooms five nights per week. Adult education classes are being offered for the first time and are attended by 30 to 40 adults. The brightly lit classrooms are also open for children to work on their lessons.

SELF Systems Costs

System Type	Cost (US\$)
Microenterprise center	\$12,468.16
Village water pump	9,278.00
School	3,294.00
Irrigation pump	3,042.24
Clinic	2,949.00
Mosque	945.62
5-Light home	669.38
3-Light home	500.58
Streetlight	464.53



This PV array provides energy for a mobile solar irrigation pump. The cart, moved from field to field by two cattle, enables farmers to irrigate their crops during the dry season, providing food and income for their families.



The technicians for the project were a diverse group; some had technical backgrounds, some had university degrees, and some had barely handled tools before. Before the projects began, all attended a one-week training course at a nearby university, where they got a good handle on the basics of PV installation.

The health worker in one village reports that with lights, he now opens the clinic three to four nights per week. He also says that procedures, such as giving injections and starting intravenous drips, are now much easier and safer to do under decent lighting.

The illuminated areas below streetlights have become major gathering places for people socializing or doing business. In one village, some enterprising young women now sell prepared food under one of the lights—perhaps the first “fast food” in Jigawa State. In another village, streetlights now guard the entrances to the village, making people feel more secure.

Before the installation of solar pumps, people in these villages either drew impure water with a rope and bucket from an open well, or stood in long lines at one of two hand pumps that served hundreds of families.

For the same monthly amount this family paid for kerosene to fuel their lamps, they now enjoy clean, reliable, and nonpolluting solar electricity that provides energy for several compact fluorescent lights in the house.



Government supplied diesel-powered pumps lay unused and rusting in most villages, due to a lack of funding for fuel and maintenance. Now, the PV pumps, connected to a distribution system that feeds a half-dozen or more spigots placed around the villages, are not only supplying plenty of clean water, but are saving people time and effort in gathering it.

The microenterprise centers have enabled the electrification of existing businesses: Barbers have switched from hand clippers to electric clippers, tailors from pedal-driven sewing machines to electric ones, and radio repairers from a heated metal rod to an electric soldering gun. We expect electrification to increase productivity and raise the incomes of these businesses. A microfinance program affiliated with the centers also has enabled people to start new businesses. Once these loans are satisfied, new loans will be available to help additional businesses.

Several spin-off benefits from this project have resulted. Jobs have been created for solar technicians. The women technicians trained for this project have modeled new roles in a culture where women are traditionally sequestered behind the walls of the family home. JAEF has greatly increased its experience and capacity to do similar projects. Outside the project villages, other communities are requesting their own reliable power supplies, making it likely that JAEF will start a PV sales division.

This project was a model of peaceful and positive cooperation between the United States and a Muslim society. The goodwill we've generated and the friendships made while working in these villages have been deep and profound.



A source of reliable (and clean) electricity supports several small businesses in this microenterprise center.

Moving Forward

Solar electricity is available as a powerful tool to help people who have been stuck in poverty with few opportunities and until now, with little optimism. Remote areas no longer need to wait years or decades for the national electric grid, nor do they need to rely on diesel generator-based microgrids. PV-based electrification can jump-start every aspect of development in impoverished villages. Rather than just addressing one area of development, such as health or education, solar electrification can enable improvements in all sectors.

This comprehensive project has provided a model for larger programs, and improved the prospects for people in some of Africa's poorest villages. Now, for these people, hope truly rises with the sun.

Access

Jeff Lahl, 155 Keonekai Rd., Kihei, HI 96753 • 808-874-5706 • jefflahl@yahoo.com

Robert Freling, Solar Electric Light Fund (SELF), 1612 K St., Ste. 402, Washington, DC 20006 • 202-234-7265 • rfreling@self.org • www.self.org

Conergy Inc., 1730 Camino Carlos Rey, Ste. 103, Santa Fe, NM 87507 • 888-396-6611 or 505-473-3800 • Fax: 505-473-3830 • info@conergy.us • www.conergy.us • Solar pumps

Kyocera Solar Inc., 7812 E. Acoma Dr., Scottsdale, AZ 85260 • 800-544-6466 or 480-948-8003 • Fax: 480-483-6431 • info@kyocerasolar.com • www.kyocerasolar.com • PV systems

SolAqua, PO Box 4976, El Paso, Texas 79914 • 866-SOL-AQUA or 915-383-1485 • Fax: 915-822-9886 • info@solaqua.com • www.solaqua.com • Solar water distiller

Xantrex Technology Inc., 5916 195th St. NE, Arlington, WA 98222 • 800-670-0707 or 360-435-8826 • Fax: 360-435-3547 • info@xantrex.com • www.xantrex.com • Inverter



User Friendly Hydro Power



Now Featuring Permanent Magnet Alternators

Alternative Power & Machine
4040 Highland Ave. Unit #H • Grants Pass, OR 97526 • 541-476-8916
altpower@grantspass.com

www.apmhydro.com

Sun Frost

Energy Efficient
Refrigerators & Freezers

Customized To Fit Your Needs



- ▶ Available in DC or AC
- ▶ Select From Over 10 Models
- ▶ Choose from 1000's of Colors, Finishes & Woods

We also Manufacture
Composting Toilets!

Please Contact Us For More Info

P.O. Box 1101, Arcata, CA 95518
tel: (707) 822-9095 • fax: (707) 822-6213
info@sunfrost.com • www.sunfrost.com



Things that Work!
Model 4-1850
Home Power #67

Digital Power Meters

20-CTR: Measures AC Power up to 10 kW, 100-250 vac single or two phase. Remote display. Easy to install.

OneMeter: NEW FEATURES! Standard Features include Multiple AC or DC power channels (any voltage/current), PC interface (with PC software), internal logging, and one display. Options now include Flash Memory Logging (up to 1 Gig!), USB connection, simple Web interface, extra displays (many types/sizes), Battery Monitor, Weather Monitoring (wind speed, direction, temperature, humidity, solar output) and Control output. The OneMeter can be field upgraded with new hardware/firmware.

4-1850WX: Special meter for Refrigerator Replacement Programs. Detects Defrost Cycle, displays cost/kWh-hrs/yr. Other Models available. Check our website or call for details.

All products are California CEC eligible meters

CUSTOM APPLICATIONS and DISPLAY OPTIONS: We can build a digital power meter to meet your needs, including large displays as well as the popular Beta Brite scrolling LED sign. Please call with your needs/ideas.

Brand Electronics
421 Hilton Rd.
Whitefield, ME 04353
For information only, call 207-549-3401
info@brandelectronics.com

To order, call toll free
1-888-433-6600
www.brandelectronics.com



Quality First!


SOLAR PUMPING PRODUCTS




Brushless DC Submersible Pumps up to 2 HP, heads up to 700 feet and flow rates up to 50 GPM.



Diaphragm Submersibles with heads up to 230 feet & flow rates up to 4.3 GPM.



Centrifugal Booster Pumps from 12 volt Home Pressure Systems to 180 volt High Pressure Booster Pump Systems.



Pool Circulating Pumps from $\frac{1}{2}$ to 2 HP.



New Micro-processor based pump controllers up to 3 HP.

Current boosting and voltage boosting models available.

We also manufacture:

Jet Pumps
Triplex Piston Pumps
Jack Pump Retrofit Kits

For free system sizing, technical support, or to place an order call:

Phone: 1-800-370-8115
(928) 348-9652

Fax: (928) 348-9653

www.sunpumps.com



SunPumps stocks all parts and will rebuild any original SolarJack pump or controller.

PLEASE VISIT US ONLINE AT www.sanjuancollege.edu/reng

AS THE SUN SETS ON THE
AGE OF FOSSIL FUELS,
WHERE DOES YOUR
FUTURE LIE?

A DEGREE IN RENEWABLE ENERGY

TWO YEAR A.A.S. DEGREE OR ONE YEAR CERTIFICATE PROGRAMS
FOCUS ON PHOTOVOLTAIC DESIGN AND INSTALLATION
BOTH EMPHASIZE FULL N.E.C. COMPLIANCE

AFFORDABLE TUITION PLAN:
\$420 OUT-OF-STATE & \$300 IN-STATE PER SEMESTER

FOR ADDITIONAL INFORMATION ABOUT THE
RENEWABLE ENERGY PROGRAM AT
SAN JUAN COLLEGE, FARMINGTON, NM
PLEASE CONTACT: TOM MUNSON
(505) 566-3003 OR (800) 241-6327
munson@sanjuancollege.edu



The TriMetric
Model 2020

BATTERY SYSTEM MONITOR



Displays vital battery system data to help users provide better battery care, increase conservation awareness and aid system maintenance.

- Volts • Amps • Amp-hours • Min/Max volts
- Days since charged • Battery % full
- Remote locatable • More !

Bogart Engineering • (831) 338-0616
www.bogartengineering.com
19020 Two Bar Rd. Boulder Creek, CA 95006 USA

As seen in HP 90, pg 50
and HP 103 pg 72
Dealer Inquiries
Welcome

PROVEN
PROVEN WIND TURBINES



Reliable • Quiet • Rugged • Elegant

Solar Wind Works

~ Proven USA Distributor ~

Chris Worcester, NABCEP Certified PV Installer

CA Contractor's License: #796322

NV Contractor's license: #59288



Renewable Energy Power Systems

- Sales—PV, Wind, & Microhydro
- Design—Off-Grid or On-Grid
- Installation & Service

Toll Free! 877-682-4503

PO Box 2511, Truckee, CA 96160

info@solarwindworks.com • www.solarwindworks.com



The PentaMetric

NEW BATTERY SYSTEM MONITOR: AVAILABLE NOW

When you need A LOT
MORE than a TriMetric




The "System Sentry" feature of the PentaMetric records vital battery system data every hour. As long as your system is working OK you can just forget about it. But if after some time your system seems to be losing power or otherwise acting strangely, in 2 minutes you can download the data into your Windows computer—then email the result to your installer or other expert for analysis.

You can also use the computer to read all the regular data and program all functions. The website has information for you techies on how to set up, graph and analyze the data so you can diagnose most common system problems without actually visiting the site.

The PentaMetric system with computer interface (without LCD display unit) is about \$320. See website for more information

ADVANTAGE SOLAR



Introducing The New SolCool Solar Powered Air Conditioning Unit. True Air Conditioning At A Fraction Of The Energy Consumption !

Introducing The New PV Powered PVP5200 Inverter. 96% CEC Efficiency And A Ten Year Limited Warranty !

The New Standard In Renewable Energy Product Distribution.

Whether you're an established dealer, installer, or someone who is interested in entering the solar field, Advantage Solar can provide you with the tools to make your business a success ! Our many years of experience coupled with the latest in business to business technology allows us to offer you service that's unmatched in the industry.



What's The Advantage ?

- Personal, friendly service !
- Complete system packages !
- Professional design assistance !
- Aggressive dealer pricing structure !
- Experienced technical and engineering staff !
- Comprehensive stock of balance of system components !
- One of the largest renewable energy product inventories in the nation !

Advantage Solar Inc. Toll Free 1-877-807-6527 www.advantagesolar.com

The only one-stop, full-service wholesale distributor you'll ever need!


AEE Solar Has It All!

Plenty of PV Modules - Grid-Tie & Off-Grid
Wind & Hydro Systems • All Balance-of-System Items

27 Years
of Dealer
Satisfaction!

At AEE Solar, we offer our dealers and installers:

- Competitive prices on all the top brands
- Unsurpassed technical expertise
- The widest selection in the business, including all items necessary for NEC-compliant installations
- A 27-year industry-wide reputation for delivering the highest standards in dealer satisfaction



AEE Catalog Available -
with space for your name and logo!

**AEE Solar
SUPERSOURCE**
Bringing Power to the People Since 1979

Order Online at
www.aeesolar.com

Makes ordering and tracking easier than ever – call for a password and a quick demo!

Call 1-800-777-6609

8:30 - 5:00, Pacific Time, Mon-Fri
1155 Redway Drive
PO Box 339, Redway CA 95560
707-923-2277 tel • 707-923-3009 fax
www.aeesolar.com • info@aeesolar.com

Real-World Solar Energy

IN THE CLASSROOM

Dick Anderson

©2006 Dick Anderson


Over the years, things have changed in high school "shop" classes. The days of squaring up a board by hand with a jack plane are over. Today, these classes are called "technology" classes, and they had better be interesting—which means being high tech, hands on, and light on theory. Although we still are required to teach specific shop skills, these skills are taught by using practical applications.

At Darlington High School in Wisconsin, where I teach in the "technology lab," we believe that the next generation will be expected to understand and use renewable forms of energy. We are designing and developing a "working" curriculum to give students real-world, hands-on experience with renewable energy (RE) technologies. Our projects have included wind and solar-electric systems, electric vehicles, and now solar domestic hot water (SDHW) systems.

Practical Application

In my classroom, I use RE systems as the bridge to teach my students basic shop skills. Complex in design and function, RE systems are useful for this purpose, and are great attention-getters. When students see other students working on a unique RE project, they ask questions. The result? The students doing the work get peer recognition, and the students asking the questions learn from their peers.

Most recently, my class put together a demonstration SDHW system. The students working on the project quickly came to understand that having basic skills, like measuring, leveling, soldering, and getting a good fit between pieces, are necessary to build a system. This teaching method also



The SDHW project student engineering team—(L to R) Curtis Schulte, Andrew Skog, and Chad Allendorf—unpacks the equipment, inventories the parts, and studies the manual to become familiar with the system specifics.

motivates students to study and learn the theories behind the skills, so they can apply them successfully to the project. And instead of relying on me for a grade, students quickly discover that their finished project is the ultimate measure of their skill mastery. Soldering water pipes, for instance, is a self-grading activity—they don't need a teacher to tell them that a joint leaks.

As the students work, and invest time and energy in a project like this, it takes on greater value to them. Their workmanship becomes a matter of pride, and they begin to see how much the wood, the pipes, and the wire are teaching them. The system and its components are demanding. "Just getting by" is not an option—it must work.

The students design the project, build it, and learn from it. I am their resource when they have questions. If they

SDHW Project Challenges

- Build a stable, portable platform
- Correctly size the hot water storage tank
- Accommodate the future addition of a second hot water storage tank
- Slope the collector loop adequately for easy draining
- Provide a means for filling and sampling water from the storage tank
- Incorporate a sight gauge to show the level of water in the storage tank
- Integrate a thermometer into the system to measure the temperature of the storage tank water
- Draw a schematic to show the operation of the system
- Design a data collection sheet to record the system's performance

The Helio-Pak 16 unit came with the pumps, heat exchanger, expansion tank, temperature gauges, differential controller, and pressure relief valve, all assembled together. The students' job was to first build a portable platform for the system. Then they had to attach the Helio-Pak unit to the water heater inlet and outlet fittings, and mount and connect the Mini-Gobi collector. During the process of putting the system together, one student suggested that they make the collector adjustable to accommodate sun angles during different seasons. A removable pin in the front of the collector holds the panel in place after its tilt angle is adjusted. This adaptation also required using flexible reinforced polyethylene tubing between the collector and the heat exchanger. Permanently installed systems should always use copper tubing in the collector loop because of potential high temperatures.

The demonstration SDHW system offered students plenty of activities in various skill areas. The woodworkers got involved in the design and construction of the rolling base. The planning students got to make sketches and blueprints. The electrical students puzzled through the electronics of the differential temperature controller. Someone even had to read and figure out how to test and set the controller. And although the plumbing students had a big role in this project, they had to work hand in hand with the other students.

need instruction on a specific skill, like operating a machine or soldering, I can give them a demonstration and advise them to practice until they reach a level of performance they feel will be worthy of the project. If they ask how I would solve one of the problems, I always answer, "What do you think?" Since there's usually no single answer to a problem, students work to find the "best" solutions—the project reveals if their solutions work.

System Specifics

This demonstration closed-loop SDHW system uses a counterflow, tube-within-a-tube heat exchanger to transfer heat between two separate loops of water—a solar collector loop and the storage tank loop. Each loop uses a 120 VAC pump to circulate fluid.

Sunlight strikes the 2-square-foot (0.2 m^2) Mini-Gobi solar collector, and heats the water-glycol solution in the copper tubes. A pump circulates this solution through the heat exchanger, where the heat is transferred, via conduction, to the circulated storage water.

The differential temperature control and sensors are the brains of the system. For this demonstration system, a 9°F (5°C) difference between the bottom of the storage water tank and the outlet at the top of the solar collector activates the pumps to begin circulating water. When only a 4°F (2°C) difference in temperature exists, the pumps turn off. Internal dip switches in the Delta-T controller allow the installer to field-set the differential, which would normally be 18:5 for a closed-loop system.

Andrew sweat-solders copper fittings.



Bringing RE to the Classroom


To ensure students get firsthand experience with the actual components they'd handle with in the workplace, the relationship between a classroom model and a full-size system should be as real as possible. Like this SDHW system, many demonstration models can just be slightly modified, scaled-down versions of full-sized systems.

As a learning tool, the models should be portable, so that the system can be demonstrated almost anywhere. This exposes more students to RE, and makes the technology accessible to teachers who want to integrate it into their curricula.



Chad is learning to judge how tight pipe fittings must be while keeping in mind the alignment to other fittings, like elbows and tees.

Demonstration Solar Hot Water System



This and other RE projects can provide learning opportunities across the curriculum. Math students can make projections on the sizes of collectors and storage tanks needed for various domestic applications. Language arts students can write up installation and maintenance instructions. Physics students can use the model to study the concepts of heat transfer, radiation, conduction, and convection. Even geography classes can get in on the fun. Using what they've learned about longitude, latitude, hemispheres, and seasonal changes, they can determine the best placement of the solar collectors and predict how seasonal changes affect hot water production. Throughout the year, students can test their predictions, and determine their accuracy.

Demo SDHW System Costs

Description	Cost (US\$)
Helio-Pak 16 SDHW module, prewired & preplumbed*	\$1,500
Mini-Gobi solar collector, 2 sq. ft.*	200
Electric water heater, 30 gal.	130
Lumber & plywood for construction	36
2 Wheels, 8 in. pneumatic	16
Pipe, 2 in. by 8 ft. (for platform handles)	16
Dyn-O-Flo propylene glycol, 1 gal.	12
Misc. hardware	10
Total	\$1,920

*Includes a generous educational discount from Heliodyne Inc.




Andrew tests the completed system under the sun—success!

As an instructor, I feel that these real-world projects give students a greater understanding and an appreciation of how energy is produced—and how it *can* be produced. I believe that RE will be the future, and that my students should be given the opportunity to learn about it today.

Access

Dick Anderson, Darlington High School, 11838 Center Hill Rd., Darlington, WI 53530 • 608-776-4001 • andersonr@darlington.k12.wi.us

Heliodyne Inc., 4910 Seaport Ave., Richmond, CA 94804 • 510-237-9614 • Fax: 510-237-7018 • info@heliodyne.com • www.heliodyne.com • Mini-Gobi solar collector & Helio-Pak 16 AC system



TCT SOLAR

www.tctsolar.com

904.358.3720

ProgressivTube® 22 Years of Performance
Commercial & Residential Applications
Dealer & Distributor Inquiries Invited



THERMOMAX.COM

THE SOLAR WATER HEATING SOURCE



Thermomax Evacuated Heat-Pipe Solar Collectors

Thermo Technologies Temperature Differential Controllers

Stiebel Eltron Solar Tanks

Please visit www.thermomax.com for our services and products

5560 Sterrett Place, Columbia, Maryland 21044

E-mail: info@thermomax.com

Phone: (800) 7SOLAR7, (800) 776-5277



HP Digital— The Perfect Paperless Alternative



\$15
/year

Our digital subscription option is here! Download a full year of *Home Power*—six issues in PDF for just \$15.*

- Identical to our print edition
- Easy, on-screen navigation
- Built-in bookmarks and links
- Searchable and printable

To learn more or to get started, visit...

www.homepower.com/digital

* Requires Adobe Acrobat Reader 5.0 or later and an e-mail address.

ARE YOU JUST GETTING STARTED?

HP's QUICK START SPECIAL is the fastest way to come up to speed on all of the latest sustainable technology options.

Buy a six-issue subscription (\$22.50) and we'll include our three most-recent back issues for just \$10 more. **SAVE \$15** and get just the start you're looking for!




homepower.com/specials • 800-707-6585 or 541-512-0201



BACK ISSUES ON CD-ROM

Identical to Our Print Version. Hi-Resolution PDF. Searchable. Printable.



\$29 each, or...

- » **Get \$10 off any CD-ROM purchase when you subscribe or renew**
- » **Choose one for FREE when you subscribe or renew for three years**
- » **Buy the entire set of 10 for just \$100—Save 65%**

To order or learn more, visit www.homepower.com or phone 800-707-6585 or 541-512-0201

Shipping & handling not included. Adobe Acrobat Reader required.

Missing Something?

Get all available back issues (75) for \$100!
Or, #1-99: \$5.95 ea. • #100-present: \$8.95 ea.
All prices include shipping charges to all destinations.



Issue 110 Dec/Jan 2006

New Fuel Solutions • Wind Power Basics
• Natural Building Materials • Home Efficiency • Multimeters • Solar Car Race
• Tax Credit Retrospective • And more!



Issue 109 Oct/Nov 2005

Green Dream Home • PV Cost Estimate
• PV Installation—Part 2 • DIY Passive Solar Heat • Natural Lighting • MPPT • Car Sharing • And more!



Issue 108 Aug/Sep 2005

Passive Cooling Strategies • Pole Mount Installation—Part 1 • The Good Life • Prius+ • Solar Hot Water Batch Heater • Passive Solar Earthship • And more!



Issue 107 Jun/Jul 2005

Zero Energy Home • Cordwood Building
• Making Biodiesel • Solar Hot Water for Beginners • Rainwater Catchment • Solar RV • And more!



Issue 106 Apr/May 2005

Island Getaway • Grid-Tie Inverter Showcase • PV Design Choices • Ram Pump • DIY Solar Fountain • SIP Building • And more!




Issue 105 Feb/Mar 2005

Tools of the Trade • Solar Design Blunders • Wind Tower Basics • Microhydro Intro—Part 3 • Tankless Hot Water • Ford Hybrid SUV • And more!

Browse our back issues at www.homepower.com/archive
Order online or call 800-707-6585 or 541-512-0201

SUNDA Evacuated Tubes

Aerospace Technology for
Solar Water Heating



Affordable vacuum tube collectors
for superior performance in all
seasons and climates



Sun Spot Solar
PO Box 55
Del Water Gap, PA 18327
570.422.1292
info@ssspotolar.com | www.sspotolar.com

Your New Favorite Shirt Is Here.

in 100% organic cotton

\$10

Sizes: S, M, L, XL, XX
S&H: US-\$2, Can-\$3, Other-\$5

[Tank Tops - \$12, Color: Natural, Sizes: S, M, L]



www.homepower.com/shirts
800-707-6585 or 541-512-0201



Solar Electricity

Saves an Endangered Campground

Paul Hanley & Ken Kelln

©2006 Paul Hanley & Ken Kelln

Tapping into solar electricity allowed the Narrows Campground in Canada's Prince Albert National Park to remain open and reclaim the park's natural serenity, while cutting their reliance on a fossil-fuel-powered generator.

A combination of citizen action and solar electricity has saved a favorite family campground in a remote area of Canada's Prince Albert National Park.

In 1999, high operating costs and budget cuts put The Narrows Campground in central Saskatchewan on the "endangered list," forcing the park superintendent to reluctantly announce plans to close the site. Today, thanks to a solar-electric (photovoltaic, PV) system and responsive park management, not only is the site open, but its operating costs are down and the campground is a demonstration site for the Canadian park system.

The story of the campground's near-death experience begins in 1995, when the Canadian government enacted sweeping budget cuts designed to eliminate a massive federal deficit. Looking for ways to cut costs, officials at Prince Albert National Park zeroed in on the high costs of operating an idyllic 87-site campground tucked into a pristine corner of the boreal forest park, 29 kilometers (18 mi.) from the nearest resort town and 19 kilometers (12 mi.) from the provincial utility grid.

The single highest cost at the campsite was the aging, propane-fueled generator used to provide electricity for pumping water, for lighting, and for operating the camp store and marina. The generator used about 10 to 15 liters (2.5–4 gal.) of propane per hour, or 45,500 liters (12,000 gal.) per year. At prices as high as 80 cents a liter (about US\$2.76 per U.S. gallon), annual electricity costs were in the neighborhood of Can\$37,000 (Can\$1 = US\$0.86). The power plant also required frequent and expensive maintenance, as well as 225 liters (59 gal.) of motor oil per season. It was both too expensive to bring in electricity from the grid, and environmentally inappropriate to run a transmission line through a protected forest near a pristine lake.

Initially, park officials tried to privatize the site, turning site services over to private operators. But these operators were ultimately unable to run the site to Parks Canada standards, which alienated many longtime camp users. By 1999, the only option left seemed to be to closing down the site entirely. When that decision was announced, the campers decided to get organized.

Campers Propose Sustainable Alternative

The Narrows Campground has been immensely popular with a group of families who have used the site every summer, some for as long as 40 years. It is typical for many families to camp for a week or two at a time.

"My dad started bringing us to The Narrows when we were kids, in the 1960s," says Barb Kachur, who took a lead role in organizing alternatives to the closure. "My five siblings and I still come here every year for a reunion, even though we're now spread out across Canada. We weren't about to see our gathering place close if there was anything we could do about it."

Kachur and other camp volunteers were able to get 1,800 names on a petition asking that the campground stay open, prompting the federal minister in charge of the national park system to direct the superintendent to collaborate with the campers to find a solution. Adopting a nonconfrontational approach, an ad hoc campers' committee met with the park superintendent on a monthly basis to come up with a cost-effective way to save their campground. Five different proposals were considered, including one to use solar electricity in the campground.

"It was quickly determined that solar electricity was the most appropriate way to power the campground," says Barb Kachur, "especially since the National Park is dedicated to sustainable alternatives. The only problem was that installing a solar-electric system of this size involves significant up-front costs—about Can\$200,000—and the park didn't have any money to spare."

A solution was found when a federal government program to fund sustainable energy demonstration projects was identified. With half the capital costs coming from this fund, Parks Canada was able to come up with the rest of the money, recognizing that the project would eventually pay for itself through lowered annual costs. In 2001, an initial 4.1 KW solar-electric system was installed.

**Uni-Solar shatterproof panels were chosen due to the possibility of vandalism.
The PV mounting system was designed to accommodate 80 panels.**



Advantages & Disadvantages

Advantages

Low operating and maintenance costs. The PV system saved annual costs of operating a propane-fueled generator, including fuel costs of approximately Can\$35,000, oil costs of approximately Can\$300, and significant maintenance costs. The panels are shatterproof, making them ideally suited for the park environment.

Elimination of noise. The previous system was noisy, which is inappropriate in a natural campground setting. The solar-electric system is silent.

Educational value. The solar-electric system provides a new attraction for the campground and the National Park, creating opportunities to educate the public and the travel industry about a sustainable electricity source.

Disadvantages

Initial costs are high. The initial cost of building the system was high, although it was much less than putting in a utility line from the provincial grid system.

Less energy available. Unlike a grid connection, the PV system will not supply enough energy for some applications that might be useful at the campground, such as heating water or operating a large number of freezers and refrigerators at the camp store.

Solar Electricity to the Rescue

Today, longtime visitors may not notice much of a difference at The Narrows Campground. They'll still find running water, lights, and other conveniences that make a rustic camping experience a little more comfortable. But anyone walking around the campground will soon come upon an impressive array of 64, 64-watt solar-electric panels, which now supply most of the electricity needed to run the campground.

Although the big propane generator has been replaced with a small, 7 KW one for backup, electric



Rear view of the array and electrical building. This building contains the batteries, inverters, back-up generator, and charge controllers.

pumps continue to feed water sufficient for the six cold-water washroom facilities. An ultraviolet water-disinfecting unit is in place to ensure safe, potable water. There is a streetlight, all the buildings have electric lights, and the marina has a refrigerator and freezer. Everything runs, rain or shine, since batteries store a six-day energy supply.

The old system was noisy, required daily maintenance, and was expensive. In contrast, the solar-electric system is quiet, low maintenance, and once capital costs are

Two Xantrex SW4048 sine wave inverters provide 8 KW at 120/240 VAC. A 240 to 600 VAC step-up transformer enables long-distance, high-voltage electrical transmission throughout the campground.



covered, the electricity is free. A reasonable estimate of the payback time on capital costs from savings on propane and maintenance could be as short as two to three years. Lowered annual operating costs have meant no increase in fees at the campground due to the new electricity source.

Significantly, the solar conversion eliminates annual emissions of about 70,000 kg (154,000 pounds) of climate changing carbon dioxide, making it consistent with the environmental objectives of Parks Canada. The elimination of carbon-dioxide emissions also sets the trend for reducing greenhouse gas emissions as per the Kyoto Protocol, which Canada ratified more than three years ago. The solar conversion is also consistent with the objectives of The Narrows campers, who appreciate the opportunity to enjoy nature without doing it any harm. Thanks to their activism, The Narrows is now considered a model, low environmental impact campground.

"The use of solar electricity makes a lot of sense for Parks Canada," says Dale Redford, the park's front country manager. "It makes a lot of sense both ecologically and economically to invest in sources like solar energy. Even if initial capital costs are high, the payback time can

Tech Specs

System Overview

Type: Off-grid, battery-based PV

Location: The Narrows Campground, Prince Albert National Park, Saskatchewan, Canada

Solar resource: 6 average daily peak sun-hours

Production: 480 AC KWH per month

Photovoltaics

Modules: Sixty-four, Uni-Solar US64, 64 W STC, 16.5 Vmp

Array: Sixteen, 4-module series strings, 4,096 W STC total, 66 Vmp

Array installation: Custom-made structural steel rack, south facing, 36-degree tilt

Energy Storage

Batteries: Eight Surrette 6CS25PS, 6 VDC nominal, 820 AH at 20-hour rate, flooded lead-acid

Battery bank: 48 VDC nominal, 820 AH total


Balance of System

Charge controller: Two Xantrex C40, 40 A, PWM

Inverter: Two Xantrex SW4048, 48 VDC nominal input, 120 VAC output, stacked for 120/240 VAC

Transformer: Xantrex 240/600 VAC step-up

Narrows Campground PV System



PV System Costs

Item	Cost (US\$)
64 Uni-Solar US64 solar-electric panels	\$35,000
Installation, 400 person-hrs.	16,000
Xantrex Power Panel with two SW4048 inverters	14,000
Rack, custom galvanized; concrete pad & frost fence	13,500
Onan generator, continuous-duty propane, 7 KW, with fuel tank	10,500
Building, 10 x 12 ft.	10,000
8 Surrette 6CS25PS batteries	8,000
Module interconnects, waterproof with strain relief	1,000
Lightning arrestors, AC & DC	1,000
Direct burial armored cable to battery & inverter, each 100 feet #4, 2 conductor	800
Battery box	700
2 Splitter boxes	400
AC distribution panel & breakers	200
Total	\$111,100

be long, given that national parks are meant to be here forever. In the case of The Narrows Campground, which is 19 kilometers (12 mi.) from a major utility line, on-site electricity generation from sustainable sources made even more sense because bringing in a transmission line is also expensive." The campground runs from the May long weekend to the September long weekend, a time when the solar energy is maximized.

Redford says Natural Resources Canada was interested in the project both to support sustainable energy sources and especially to showcase a northern solar electricity project for potential use in fly-in fish camps, which can be found throughout Northern Canada. "A lot of camps might be open to the solar option after seeing it operating at The Narrows," says Redford. "The North is particularly well suited to summer solar applications given the long hours of daylight."

How the System Works

The Narrows solar-electric system was designed by solar consultant and engineer Ken Kelln of Kelln Solar of Lumsden, Saskatchewan, and was built by a local solar contractor from Prince Albert. The first stage of the project was completed with the installation of 64, 64-watt panels.

The direct current (DC) electricity the panels generate is routed to a bank of deep-cycle batteries, which store the solar energy for use at nighttime or during cloudy weather. A pair of charge controllers regulate the output of the PV array and keep the battery bank from being overcharged. The stored energy in the battery bank is converted to 120/240 VAC by the inverters, and a 240 to 600 VAC step-

up transformer enables high-voltage electrical transmission throughout the campground. Additional transformers step down the AC voltage to 120/240 volts to power electrical loads at their point of use.

The Narrows project incorporates a number of measures to reduce energy requirements. For example, the six washroom facilities had skylights installed to reduce the need for electric light. The campground lights are also activated by motion detectors, so they are only on when needed. And the 24 toilets at the campground were replaced with low-flush units to reduce the amount of water required.

Model for Parks

Parks Canada will be taking advantage of The Narrows Campground PV project as an educational opportunity. Asset managers from parks in Saskatchewan and other provinces have already attended a solar electricity workshop at the Park, and plans are underway to make northern outfitters aware of the solar option.

Other parks all over the country are impressed with the performance of the system, and are considering harnessing the sun's or wind's energy. Kelln Consulting Ltd. has designed and is in the process of installing a 9 KW PV system and a 50 KW grid-tied, wind-electric system for the information center at Fort Battleford Historic Park in Saskatchewan.

The Narrows Campground has become a haven for environmentalists, students, and campers, who come here to take advantage of Canada's first solar-powered campground located at the heart of Prince Albert National Park. As the load requirements have gone up over the years, Parks Canada officials are considering adding an additional sixteen photovoltaic panels, making it a 5 KW PV system, to keep up with the demand.

Access

Kelln Solar, PO Box 94, Lumsden, SK, Canada S0G 3C0 • 888-731-8882 or 306-731-2224 • Fax: 306-731-2774 • info@kellnsolar.com • www.kellnsolar.com

Paul Hanley, 2506 Ewart Ave., Saskatoon, SK, Canada S7J 1Y8 • 306-554-2962 • paulhanley@sasktel.net

Prince Albert National Park, Box 100, Waskesiu, SK, Canada S0J 2Y0 • 877-255-7267 or 306-663-4522 • Fax: 306-663-5424 • panp-info@pc.gc.ca • www.pc.gc.ca/pn-np/sk/princealbert/index_e.asp

The Narrows Campground Users Web site • <http://members.shaw.ca/narrows4> • Information about & photographs of the solar-electric installation





Batteries with HuP® technology

FREE SHIPPING in lower 48 states! Most models ship within 2 days

10 year Warranty! 7 year free replacement 3 years prorated

Northwest Energy Storage Dealer inquiries invited

 www.solaronebatteries.com 800-718-8816 941-697-1344 Fax 941-697-0767

Use ALL the power from PV Arrays, ALL day, at ALL temperatures

TECHNOLOGY DEVELOPED FOR NASA
NOW AVAILABLE FOR THE RESIDENTIAL
AND COMMERCIAL PV MARKETS

T80 TurboCharger™

Decrease the number of PV panels

Extend your Solar Day

Increase battery life

Automatic voltage step down

80 Amps output at up to 80 volts

Charge 12, 24, 36, or 48v batteries
from up to 140 volts PV input

Maximum Power Point Tracking

Internal Battery Energy Meter

Ten Year Warranty



As Reliable
as The Sunrise

Off Grid and Back-up PV Systems

You may not know it, but low cost Charge Controllers without MPPT have to throw away 20% to 40% of your PV array power. Our Charge Controller puts ALL of that expensive power into the batteries. Actually it runs at 98.5% efficiency which means it stays cool for high reliability.

The Energy Meter is included which provides an accurate display of Battery state of charge, load current, hrs left, etc. A wireless Remote Display is optional.

This is the highest power, most efficient, feature rich Charge Controller available. It reduces the overall cost of a PV system. We would love to tell you how it does that.



APOLLO SOLAR

23 F. J. Clarke Circle

Bethel, CT 06801

(203) 790-6400

www.Apollo-Solar.net

The War of the Currents



Thomas Edison

Courtesy U.S. Dept. of Interior, National Park Service, Edison Natl. Historic Site



Nikola Tesla

Courtesy Nikola Tesla Museum

John Cowdrey

©2006 John Cowdrey

Most of us don't give a second thought to where our electricity comes from, how it gets to the outlet, or the fact that it arrives as alternating current (AC). In fact, it's hard to believe that a battle was ever waged over whether to use AC or DC (direct current) electricity—why not just choose the best form? However, at the turn of the twentieth century, two powerful inventors battled over the future of electrical transmission. The outcome led to the interconnected power system we rely on today.

Early Electric Generation

First pioneered at the turn of the nineteenth century, the earliest sources of continuous electrical energy were batteries—DC devices. However, these batteries did not produce enough energy to economically run bright lights or powerful motors for any useful length of time.

In 1831, Englishman Michael Faraday invented the first electromagnetic generator or dynamo. But it wasn't necessarily these rotating machines (see the sidebar on opposite page) that sparked the revolution in widespread electricity generation and distribution. Rather, it was the simple need for light. In the early 1800s, homes and businesses relied on light from candles and kerosene lamps.

DC vs. AC

Direct current (DC) electricity comes from sources such as batteries, photovoltaic (PV) modules, and DC generators. DC voltage doesn't change polarity—the positive pole always has a positive voltage with respect to the negative pole. Since charges flow from a higher potential (voltage) to a lower potential, DC provides a constant, unidirectional flow.

Alternating current (AC) electricity is produced from rotating generators and can now be synthesized by inverters and variable-speed motor drives. The familiar AC voltage takes the form of a sine wave, with the voltage's magnitude constantly changing and reversing polarity. The current also changes constantly and reverses direction each cycle. (For more information about AC and DC electricity, see the two-part article in *HP52* and *HP53*, "Basics of Alternating Current Electricity," and *Word Power* in *HP85* and *HP86*.)

Later on, gas lamps, which used coal gas for illumination, gained popularity, especially in cities. However, gas lamps were dirty and smelly, and posed a fire risk.

Illuminating Inventions Lead the Way


Inventors had been working for more than 50 years trying to invent a successful incandescent lamp. In 1802, Sir Humphry Davy caused a platinum filament to glow when he connected it to the most powerful battery built in that time. Englishman Joseph Swan had some success by 1860, but eventually gave up on the project since his lamps burned out within a few minutes.

American inventor Thomas Edison also faced similar problems. He experimented with more than 1,600 different filament materials, including platinum, but his lack of success with the platinum filament did not stop him from telling reporters in 1878 that there was "no doubt" that he had already discovered a successful light. He showed reporters his platinum filament light, being careful to usher them out of the room before it burned out. "When I'm through, only the rich will be able to afford candles," said Edison.

A year later, in December of 1879, Edison was able to get a carbonized-thread-filament bulb to burn for 13.5 hours. In 1880, after a worldwide search for a more durable filament, Edison started manufacturing carbonized bamboo filament lamps that lasted 1,000 hours.

Edison realized, though, that to sell his lamps to the public he needed an entire system of electricity generation and distribution. So he bought an old building on Pearl Street in New York City and turned it into a power plant, filling it with coal-fired steam turbines and dynamos. On September 4, 1882, 800 lamps at the Drexel-Morgan Building, the *New York Times* headquarters,

A huge Tesla coil, part of Nikola Tesla's transatlantic experimentation in wireless communication and electricity transmission.



The Burnby Library, Dibner Institute for the History of Science & Tech., Cambridge, MA

How DC & AC Generators Work

Both DC and AC generators use Faraday's principle of induction, which says that when a conductor moves through a magnetic field, a voltage is induced. A rotating loop of wire (armature) cuts and stretches the magnetic lines of force, as the conductors pass the field face, generating voltage.

At other times during the rotation, when the loop is traveling parallel to the magnetic lines of force, no voltage is generated. The polarity of the voltage induced in the left and right segments depends on whether they are traveling down through the field, and then traveling up a half-turn later. With each rotation, the voltage reverses, generating one cycle of AC.

When scientists first sought to generate electricity from machines, they wanted the same steady flow that batteries provided. American blacksmith Thomas Davenport invented the commutator, a mechanical device to make an alternator's current unidirectional. The commutator acts like a high-speed switch, switching the load just as the generator's voltage drops to zero, ensuring that the load's current and voltage do not reverse. Practical DC generators use many armature windings and commutator segments to minimize ripple in the output voltage.

and other establishments were illuminated by Edison's power plant. After this remarkable success, the Edison General Electric Company was formed to build and sell electric power stations to cities and towns across the United States.

By 1887, Edison's DC system of generating electricity had become the industry standard, with more than 120 Edison power stations delivering DC electricity to its customers. But this method of producing and distributing electricity was not without its challenges. The low-voltage energy (240 V) could only be sent a short distance—usually one mile or less—before the electricity began to suffer extreme losses in voltage. Because of this, power plants had to be built close to users, which was a costly endeavor. And, to carry the high currents required

current controversy



Brown Brothers

Edison buried his electrical lines due to the tangle of wires overhead.

to meet the demand of distributed load, expensive, large-diameter copper wire had to be used for cables and lines carrying the electricity.

Foreign Competition

Meanwhile in Europe, Serbian inventor Nikola Tesla was developing a different system. As a young man, he examined the early DC machines and decided that there was a way to eliminate the sparking commutator and just use AC directly. Tesla understood that a rotating magnetic field could be produced in a motor by two or more alternating currents of the same frequency, but which were out of step with each other. By this method, commutation was unnecessary. His idea was not only brilliant, but stunningly simple.

In 1884, Tesla arrived in the United States and went to work for Edison, although it was not the harmonious meeting of the minds that Tesla had envisioned. With little scientific training, Edison relied on his laborious trial-and-error approach to inventing. Tesla, by contrast, had great academic and engineering skills.

Given their very different personalities, conflicts arose. Edison brusquely told Tesla that he was not interested in AC—he asserted that there was no future in it and said that anyone who dabbled in it was wasting his time. Edison also believed that AC was deadly—he was convinced that people would be killed by the high voltages that can

be produced with transformers and AC. Many historians speculate that part of Edison's opposition to AC may have come from the grudging realization that the Serbian genius who was working for him had designed a system that made his own DC system obsolete.

Tesla Takes Another Tack

In 1887, after parting ways with Edison over a bonus dispute, Tesla founded the Tesla Electric Company and began working on his AC alternators day and night. During this period, he not only constructed the machines, but he also formulated the basic mathematical theory and basis for our modern electrical system. His original version, developed in Belgrade, Yugoslavia, was two-phase electricity—two identical voltage waveforms separated by 90 degrees. While this system produced the rotating magnetic field he desired, it required four wires.

He progressed from this system to the three-phase system—three voltage waveforms, 120 electrical degrees out of phase with each other. This system requires only three wires, and was electrically balanced, since the voltages add up to zero. In 1883, Tesla had built his first working AC motor, producing motor rotation for the first time without a commutator.

Edison's inventors improved the early dynamo designs.



By 1891, he had acquired more than 40 patents for his "polyphase" system. Unlike Edison's DC system, in Tesla's system, voltage could be generated at two- or three-phase, stepped up for transmission, and then stepped down again to run lights and his polyphase motors.

Westinghouse Transforms the Industry

Intrigued by the emerging electrical energy business, business magnate George Westinghouse had identified significant flaws with Edison's DC system. Due to the need for the rotating commutator, Edison's systems could not generate at high voltages, and due to voltage drop, his plants could only deliver energy over a radius of about one mile.

Westinghouse understood that a transformer would allow stepping up the generator voltage to high voltage and low current, permitting longer range transmission with low losses. With this in mind, he bought patent rights to the transformer invented by Frenchman Lucien Gaulard and Englishman John Gibbs, and hired American engineer William Stanley to improve the primitive design into one that was economical to manufacture. By using transformers, power plants would no longer have to be located in city centers. Instead, they could generate electricity where hydro or coal power was abundant, deliver the energy with low loss by high-voltage transmission lines, and step the voltage down to low voltages at the point of consumption.

In March of 1886, Westinghouse tested his system in Great Barrington, Massachusetts. A generator produced 500 volts AC, which was stepped up to 3,000 volts for transmission, and then stepped down to 100 volts to power electric lamps. But Westinghouse still had no AC motor. Tesla's patents were the key that Westinghouse needed for his vision. Westinghouse visited Tesla's lab and purchased his patents.

Ames Hydro operators gather around the big Westinghouse generator.



Courtesy Deep Springs College Archives, Dyer, NV

Transformers & Transmission

A transformer is an electrical device that transforms one voltage into a higher or lower voltage. The simplest transformer consists of two windings wrapped around a laminated steel core. AC current in one winding causes a changing magnetic flux in the core. This expanding and collapsing flux induces a voltage in the other winding. Each turn of the primary or secondary winding has the same voltage. The transformer is reversible—if there are more turns on the secondary winding, the voltage will be stepped up; if there are fewer turns on the secondary winding, the voltage will be stepped down.

A transformer does not produce electricity—it just changes the current and voltage levels. For a transformer, power in approximately equals power out (minus efficiency losses). Power ("P"), current ("I"), and voltage ("V") are given by the formula $P = I \times V$. If the voltage is stepped up ten times, the current decreases by the same factor of 10.

The ability of a transformer to step voltage up or down, coupled with low wire losses due to higher voltages, means that electricity can be transmitted and distributed over long distances. On average, the electricity you use at your household socket may have traveled as far as 300 miles (483 km) and passed through four to five transformers.

The Executioner's Current

By 1889, Westinghouse had built 870 central lighting stations, cutting into Edison's sales and profits. Edison was furious at the Westinghouse-Tesla encroachment into the business he had pioneered. His fortune was threatened and his personal pride was wounded. In retaliation, Edison Electric Light Co. published a book predicting the dire consequences if AC were used to generate electricity. And then, much to his delight, Edison was handed an opportunity to discredit AC.

The governor of New York appointed a commission to find an alternative to the gallows. When first approached by the commission, Edison was opposed to the idea of using electricity for capital punishment. But in a fit of inspired revenge, he changed his mind, telling the commission that 1,000 volts of AC from a Westinghouse machine would work well. To demonstrate AC's killing capacity, Edison's associate Harold Brown traveled from town to town, publicly killing old dogs, cows, or horses with AC. He even killed Topsy, a three-ton elephant.

Tesla also campaigned, but instead of leaving a trail of charred animals in his wake, he relied on dazzling demonstrations to counter fears of alternating current. One

current controversy

of his more outlandish demonstrations of AC's safety was to pass high-frequency current through his body to light a fluorescent lamp.

Despite Edison's efforts, the AC campaign continued. In 1891, Westinghouse built his first AC hydroelectric power plant for long-distance transmission of electricity in Ames, Colorado, sending electricity 2.6 miles (4.2 km) to power the Gold King mining camp. This was the longest distance that electricity had been transmitted in the United States.

The next year, Westinghouse won the bid to light the 1893 Chicago World's Fair—the first all-electric fair. Westinghouse had underbid General Electric by half, with much of the savings realized from using less copper. At night, 27 million attendees witnessed the illumination of 100,000 incandescent lamps—the most spectacular lighting display the world had ever seen.

The End of the Current War

In 1890, the International Niagara Commission had sponsored a contest to harness the energy of Niagara Falls. World-famous scientist Lord Kelvin chaired the Niagara Commission, which investigated proposals from around the world. Initially opposed to AC, he changed his mind after visiting the Chicago Fair, and awarded Westinghouse the contract in October of 1893. Kelvin recognized the advantages of the lower costs of an AC system and AC's ability to transmit energy over long distances.

When the power plant was successfully inaugurated in 1895, it was the largest electrical engineering project to date. To

add insult to injury, Edison General Electric had to license the Tesla patents from Westinghouse to install the transmission and distribution lines from Niagara Falls to Buffalo, New York. After finally abandoning Edison's DC system, General Electric eventually removed Edison's name from the company's title.

And so the war was won. With the ease of long-distance AC energy transmission, four major highly interconnected grids evolved, with interstate transmission lines connecting many different utility systems. Today, we enjoy—and sometimes suffer—from this long-distance generation. Although most of the time our electricity is delivered to us quietly and without fanfare, brownouts and blackouts serve as reminders that a system of widespread distribution is still not without its own limitations.

Access

John Cowdrey, 3746 Eldorado Springs Dr., Boulder, CO 80303 • 303-494-3299 • hydroman303@comcast.net

Edison: A Biography, by Matthew Josephson, 1992, Paperback, 528 pages, ISBN 0471548065, US\$24.95 from Wiley, 10475 Crosspoint Blvd., Indianapolis, IN 46256 • 877-762-2974 • Fax: 800-597-3299 • www.wiley.com

Tesla: Master of Lightning, by Margaret Cheney, 1999, Hardcover, 184 pages, ISBN 0760710058, US\$20 from Barnes & Noble Books • 800-843-2665 or 201-272-3651 • www.barnesandnoble.com



Samlex inverters offer:

- 2 Year Warranty
- < 3% THD



PURE SINE WAVE INVERTERS



BATTERY CHARGERS



CONVERTERS

Pure sine wave inverters range from 150 ~ 3000 watts continuous, and are available in consumer and industrial versions.

Common sense power solutions available through:



www.huttonsolar.com

THE NEW VALUE FRONTIER



www.kyocerasolar.com



www.powerupco.com




www.aesolar.com



www.solarpioneers.com

www.samlexamerica.com/solar

Toll Free 1-800-561-5885 E-mail: sales@samlexamerica.com



Residential Wind & Hybrid Systems from **Abundant Renewable Energy**

Introducing the **ARE110** and **ARE442** turbines
See our website for the latest pictures and specs

- Maximizing Energy, by Maximizing Efficiency
- Direct Grid Connect without Batteries
- Battery Charging Systems
- The Most Powerful Blades, the Most Efficient Alternators, and the Most Sophisticated Controls in the Field today.
- Quiet, Consistent, Reliable

Web Site: **www.AbundantRE.com**

Phone: **(503) 538-8298** • Email: **info@AbundantRE.com**

See web site for our list of dealers



Read about ARE installations of AWP3.6 turbines in *Home Power*:

AWP Review: #102, pg. 82

Direct Grid Tie: #100, pg. 22

Choose a Wind Generator:

#90, pg. 50



THE MOST EFFICIENT
PORTABLE 12/24 &
110-VOLT REFRIGERATOR/
FREEZER MADE!



Ph: 619.220.6003

WWW.FRIDGEFREEZE.COM

Northeast Shelter Systems
Safe Rooms - Fallout Shelters
Nuclear - Biological - Chemical
Advanced Electromagnetic Pulse Protection
www.northeastsheltersystems.com

**CRYSTAL
CLEAR
WATER**



LORENTZ' solar-operated pool filtration pump BADU Top provides crystal-clear water for your residential pool and substantially reduces your power bills



LORENTZ 
reliable solar solutions since 1993
Tel. ++49 (0) 4193-7548-0 www.lorentz.de

**Battery Filling
Systems**

Put the fun back in watering your batteries!



- One Connection
- One Minute
- Accurately Fills Each Cell, Every Time!

See Product Review,
Home Power Magazine
Issue 100, Page 82

Master Distributor for BFS, deep cycle & industrial batteries

**All Battery
Sales & Service**

1-800-562-3212

Fax: 425 742-1739

vern@allbatterysalesandservice.com



Making the Utility Connection

John Wiles

Sponsored by the Photovoltaic Systems Assistance Center
Sandia National Laboratories

More than 90 percent of new PV systems being installed throughout the United States are connected to the local utility with utility-interactive inverters. These inverters range in size from about 250 watts (rated AC output) to about 250 KW. Multiple inverters may be used at a single location to provide even higher outputs.

The connection requirements to the utility are established in various sections of the *National Electrical Code (NEC)*. Unfortunately, in many cases, these requirements are not fully understood or complied with. This article concentrates on the requirements of the 2005 *NEC*, Section 690.64, Point of Connection, as they apply to residential PV installations.


NEC Details for Grid Connection

Section 690.64 of the code allows the output of the inverter to be connected either on the supply (utility) side of the service disconnect or on the load (house) side of the service disconnect. Connections for dwellings are covered as an exception to the basic requirements of this code section, which deals with commercial, non-dwelling installations.

The requirements of 690.64(B)(2) are complex. Here is what the section (without the exception, which applies to residential installations) says:

The sum of the ampere ratings of overcurrent devices in circuits supplying power to a busbar or conductor shall not exceed the rating of the busbar or conductor.

Backfed breakers feeding a load center.



The key word is "supplying." In a load center or panel board, the main circuit breaker *supplies* power to the internal bus bars, as do any backfed circuit breakers *supplying* power from the PV inverters. The potential problem can be seen in the drawing below left.

The load center is rated at 100 amps, but the main circuit breaker can supply 100 amps to the bus bars, and at the same time, the inverters may add another 30 amps to the bus bars. If the loads were increased to 130 amps (for example, by increasing plug loads), no circuit breakers would trip, but the bus bars in the center of the panel, rated at 100 amps, would be overloaded, carrying 130 amps.

Exception for Dwelling Units

Now, examine the installation requirements for dwelling units. The exception for 690.64(B)(2) reads:

Exception: For a dwelling unit, the sum of the ampere ratings of the overcurrent devices shall not exceed 120 percent of the rating of the busbar or conductor.

With the exception, it's okay to add PV backfed circuit breakers to the dwelling (residential) load center with some leeway before having to change equipment. Normally, the main circuit breaker in a residential load center is rated the same as the residential load center. This exception allows the sum of the main circuit breaker plus the sum of any backfed PV circuit breakers to be 120 percent of the rating of the load center.

This additional 20 percent allowance is made because, generally, residential circuits are more lightly loaded (due to demand-factor calculations) than circuits in commercial buildings. If the loads remain below the rating of the busbar, the panel cannot be overloaded.

Where the main circuit breakers and panels have the same rating, the exception to 690.64(B)(2) allows 20 amps of backfed PV circuit breakers to be added to a 100-amp panel and 40 amps to be added to a 200-amp panel. Although these numbers translate to a 3,840-watt (AC inverter output) PV system on a 100-amp panel and a 7,680-watt PV system on a 200-amp panel, some people want to install bigger PV systems, which requires creative thinking. These limits include the normal 80 percent maximum continuous operating-current limitations on the circuit breakers.

Many common PV inverters are rated at 2,500 watts and 240 volts. The rated output current is $2,500 \div 240$

= 10.4 amps. Using the NEC-required 1.25 multiplier (Section 690.8) yields a circuit breaker requirement of 13 amps, which rounds up to 15 amps as the rating of the backfed circuit breaker. On a 100-amp panel, with a 100-amp main circuit breaker, only one of these inverters can be accommodated. On a 200-amp panel, only two of these inverters may be connected, limiting the PV system to 5,000 watts and not the maximum potential of 7,680 watts.

However, the drawing at right shows a code-compliant way to add three of these 2,500-watt inverters to a 200-amp panel by using a subpanel. A subpanel is selected to accommodate the three, 15-amp backfed circuit breakers, one from each of the 2,500-watt inverters. The main circuit breaker on this dedicated (PV-only) subpanel has to have a minimum rating of $3 \times 10.4 \times 1.25 = 39$ amps (rounded up to a 40-amp circuit breaker). This would also be the rating of the backfed circuit breaker in the main panel and, at 40 amps, would meet the code requirements for a 200-amp main panel.

Using a formula derived from the NEC requirements, the minimum size of the panel would be about 75 amps, which would round up to a 100-amp, standard-sized panel. The equation is:

$$(3 \times 15) + 40 \leq 1.2Y$$

Where Y is the panel size required

Solving for Y gives us: $Y \geq (45 + 40) \div 1.2 = 71$ amps. So, if you want to install larger PV systems on residential services, using a supply-side connection [690.64(A)] can meet the code requirements.


Line (Utility) Side of Ground-Fault Equipment—690.64(B)(3)

The code generally requires that all PV inverters be connected on the line (utility) side of any ground-fault protection equipment with an exception that allows backfed ground-fault protection (GFP) equipment when the protected circuits have ground-fault protection from all sources.

However, tests by SWTDI and Sandia National Laboratories on the typical 5- and 30-milliamp GFP circuit breakers have revealed that the internal sensing and trip circuits are destroyed when they are tripped while being backfed by a PV inverter. Conversations with manufacturers of the larger 100- to 800-amp ground-fault protection devices indicate that these devices may also be damaged when tripped while being backfed. Therefore, ground-fault protection equipment should only be backfed when it has been tested and listed for backfeeding.

Backfed Circuit Breakers—690.64(B)(5)

Although another section of the NEC [408.36(F)] requires that backfed circuit breakers be clamped, changes to 690.64(B)(5) in the 2005 NEC no longer require them to be clamped when connected to the output of utility-interactive inverters. Section 690.3 allows the 690 requirements to override the 408 requirement. A Fine Print Note explains that circuit



Inverter subpanel feeding residential service entrance.

breakers suitable for backfeeding are not marked with "Line" and "Load" designations.

Battery Backup, Utility-Interactive Systems—More Complexity


The specifications in Underwriters Laboratories (UL) Standard 1741 require that all utility-interactive inverters cease exporting power to the utility grid when the utility grid voltage and frequency deviate from very narrowly defined values. In blackout situations, the PV system and the standard batteryless utility-interactive inverter cease to operate and will not even supply power to local loads.

In areas where utility blackouts are a concern, some systems are being installed that have a battery-based energy storage system to provide local power during utility outages. The batteries are connected to a specially designed and listed utility-interactive inverter that, in the event of a utility outage, will disconnect from the utility system and provide a set of designated circuits with power from the PV system and the battery. All of these actions are done automatically with transfer devices built into the inverter. The drawing on the next page shows a simplified block diagram of a typical system. Several variations are possible.

Interfacing these systems with the utility grid and meeting 690.64(B)(2) requirements presents challenges for the system designer, the installer, and the inspector. Many of these inverters have internal transfer relays that are rated for 60 amps continuous duty, and that information is presented in the specifications.

This specification leads designers and installers to size the backup load subpanel for 60 amps and to use a 60-amp backfed circuit breaker to connect the inverter to the main load center where the utility connection is made. The use of 60-amp circuit breakers in both positions provides for best use of the internal 60-amp relay and appears to allow maximum loads to be connected to the backup subpanel. Unfortunately, the use of 60-amp circuit breakers poses two problems and code violations.

Inverters commonly used for grid-tied backup systems cannot source these high currents, but NEC Section 690.64 requires the load center to be sized based on the size of



Utility-interactive PV system with battery backup.

the breaker, not the rated output of the inverter in utility-intertie mode. Even though the inverter may be rated (and can be adjusted) to carry 60 amps, the external wiring and circuit breakers require the normal 80 percent continuous current derating. For a 60-amp continuous current, an 80-amp circuit breaker and conductors rated for at least 75 amps would be required.

Another option that will allow the 60-amp circuit breakers to be retained would be to adjust the inverter to not allow more than 48 amps of continuous current to be handled by these circuits. That adjustment is commonly available on most of these inverters, although there is some question about who has access to the adjustment (qualified or unqualified people).

Second, the 690.64(B)(2) requirements discussed above must be addressed. In a residential installation, a 60-amp backfed PV circuit breaker would dictate that at least a 300-amp main panel be used (60-amp PV circuit breaker + 300-amp main circuit breaker = 360 amps; $1.2 \times 300 = 360$). Residential load centers rated at 300 amps and above are available but not common. In a commercial installation, the existing load center would have to be replaced with one having at least a 60-amp greater rating than the original rating. In either case, a supply-side interconnection [690.64(A)] might be the more practical alternative. If the full 60-amp rating of the inverter is to be used, then, of course, 80-amp circuit breakers and 75-amp conductors should be used. The use of 80-amp overcurrent devices would require a 400-amp load center to meet NEC requirements.

In all cases, 120 percent of the load center rating must equal or exceed the sum of the main breaker and the 80-amp PV breaker. Some possible combinations would include a 200-amp panel and a 150-amp main breaker. A 300-amp panel could be used with a 240-amp main breaker.

To further complicate system design, many of these systems have an external inverter-bypass switch that is used if the inverter fails. This bypass switch, usually consisting of a pair of interlocked circuit breakers, is used to connect the backup subpanel directly to the main panel when the inverter fails. These circuit breakers are typically also rated at 60 amps and installed in a small 60-amp, three-position (three-phase) load center. Obviously, neither the circuit breakers nor the load center are rated to carry 60 amps continuously. The use of a larger load center and interlocked 80-amp circuit breakers would allow a full 60-amp rating for the inverter-bypass switch.

Some inverters have only 50-amp internal ratings. The ratings of the external overcurrent devices would have to be at least 70 amps and conductors would have to be rated for at least 63 amps. The load center would need to have a 400-amp rating unless a smaller main breaker could be used.

Summary

The requirements of NEC Section 690.64 can be met in nearly all installations. While the requirements, at first glance, are somewhat complex and sometimes overlooked, attention to these details in the design, installation, and inspection of these systems should help to ensure a safe, durable, and code-compliant installation.

Access

John C. Wiles, Southwest Technology Development Institute, New Mexico State University, Box 30,001 / MSC 3 SOLAR, Las Cruces, NM 88003 • 505-646-6105 •
Fax: 505-646-3841 • jwiles@nmsu.edu •
www.nmsu.edu/~tdi

Photovoltaic Power Systems & the 2005 NEC: Suggested Practices, a 145-page manual can be downloaded from the SWTDI web site • www.nmsu.edu/~tdi/photovoltaics/codes-stds/PVnecSugPract.htm

Sponsor: Sandia National Laboratories, Ward Bower, Sandia National Laboratories, Department 6218, MS 0753, Albuquerque, NM 87185 • 505-844-5206 •
Fax: 505-844-6541 • wibower@sandia.gov •
www.sandia.gov/pv

The 2005 NEC and the *NEC Handbook* are available from the NFPA, 11 Tracy Drive, Avon, MA 02322 • 800-344-3555 or 508-895-8300 • Fax: 800-593-6372 or 508-895-8301 • custserv@nfpa.org • www.nfpa.org



KTA SERVICES INC.

Electric Vehicle Components & Systems Since 1984

Components, Conversion Kits, Publications, Videos, & Engineering Design Services for the EV Hobbyist & Manufacturer

We stock and sell the largest variety of the very best.

Components & Publications Catalog.....\$5.00

944 West 21st Street, Upland, CA 91784 USA

Tel: (909) 949-7914 • FAX: (909) 949-7916 • Web: www.kta-ev.com

PC Software for Sine Inverters

WinVerter™



xantrex

www.RightHandEng.com (425) 844-1291

www.solren.com
hp@solren.com

Lightweight & Efficient
Plug 'n Play Installation
Unsurpassed Quality
Breakthrough Price

360 Merrimack St. Lawrence, MA 01843 tel: 978-683-9700 fax: 978-683-9702



SOLECTRIA RENEWABLES

Grid-Tied PV Inverters



PVI2500 Residential



PVI1800 Residential

North American Board of
NABCEP
Certified Energy Practitioners



NABCEP Solar PV Installer Certification



Why PV Installers Should Get Certified

- Certification based on industry standards of safety
- Distinguishes you among your peers
- More consumers look for certification as a sign of competence and quality
- Helps you keep current in technology and continue your professional development

Consumer Benefits of Using

NABCEP-Certified PV Installers

- Provides confidence that PV system will be installed to manufacturer's specs and in compliance with NEC
- NABCEP Code of Ethics stresses consumer protection, professional conduct and integrity of service
- The installer has met established PV standards and industry requirements through certification process, and keeps current through continuing education

For more information to www.nabcep.org

Growing Solar

Strategies for RE Success

Don Loweburg

©2006 Don Loweburg

Hailed as "America's Largest Business-to-Business Solar Event," the Solar Power 2005 conference was held October 5–9, 2005, in Washington, D.C. More than 1,300 attendees, and a record number of presenters and displays resulted in the largest conference to date. Julia Judd, executive director of Solar Electric Power Association, reported that attendance was greater than ever (exceeding last year's by 15 percent), and also was the most diverse. Companies represented everything from roof-integrated solar-electric (photovoltaic; PV) systems and domestic solar water heating to inverters and Web-based monitoring systems.

Increasing Solar's Exposure

Certainly, Solar Power 2005 was a trade show, with manufacturers and service providers vying for the attention of the attendees. New players and established manufacturers put on their best face, while information-hungry attendees cruised the aisles, collecting glossy brochures and chatting with manufacturer reps. Perhaps more importantly, though, Solar Power 2005 focused on addressing the question, "What's needed to grow the U.S. solar energy market?" Below is a sampling of ideas companies are investing in to move solar technology forward.

Sponsored Solar Thermal Systems. Solar thermal currently represents a small fraction of the total solar

German company KACO showcased their line of inverters.



energy business, but this technology offers great potential for increasing the amount of renewable energy (RE) in the United States' energy mix. If the amount of thermal energy collected is quantified in kilowatt-hours (KWH), the installed cost of solar water heating systems is about US\$1 per watt—an amount that's considerably less than the price of PV installations. Even accounting for the generous PV rebates offered by several states, solar thermal systems still deliver more energy for every dollar invested. And a new federal tax credit of up to 30 percent of the cost of a solar thermal system may help stimulate consumer interest.

At Solar Power 2005, Jeff Curry of Lakeland Electric, a municipal utility and Florida's third largest public power utility, described an innovative utility program for promoting solar thermal systems. In 1998, Lakeland started placing solar thermal systems on some of their customers' homes and then metering each system's hot water output. But rather than reporting the energy produced in British thermal units (Btu), the amount of energy produced is reported in equivalent KWH using a special meter. Customers are billed for KWH of electricity used and KWH for hot water delivered. The customer can then see what proportion of the total energy is used to make hot water. Jeff says that "customers love it because they get to use solar energy with absolutely no financial risk—no upfront [or maintenance] expenses—because Lakeland owns and maintains the system."

Besides actively increasing the use of RE in their system and creating revenue, Lakeland benefits by owning the tradable renewable energy credits (TRECs) generated. Lakeland can sell these credits, currently at a value of US\$0.032 per KWH. This revenue, when combined with the metered charge in KWH for the hot water generated, covers the capital investment and maintenance of the solar hot water panels.

Lakeland's program of metering hot water production in KWH has an important additional benefit. Making solar hot water has been traditionally regarded as an energy efficiency measure or load reduction technology, but neither has had much impact on the widespread adoption of solar water heating in the United States. By explicitly treating solar hot water production as an energy generation technology, it may be possible to shift the public and bureaucratic mind-set.

Maximizing PV Performance. Bill Brooks of Brooks Engineering presented findings based on a PV system's

performance-testing program—the BIPV Testing & Evaluation Project—funded by the California Energy Commission. Motivation for this project was based on consumers having too little to rely on besides the manufacturers' literature for judging performance and suitability of various PV products. And the literature often does not paint an accurate picture of performance because it doesn't factor in the interaction between the individual components. The end result of these sometimes overly optimistic reports can be a disappointed end-user, which can have negative consequences for the installer and for RE as an industry.

If high-efficiency components are mismatched or improperly installed, system performance will suffer. This project evaluated several professionally installed commercial and residential systems that used various inverter-module combinations. (The live data and project details are available on the Web—see Access.)

The project yielded two general conclusions. First, array string voltage should be as high as possible for any given inverter. Inverter manufacturers specify an input voltage window, but make the window as wide as possible to accommodate many module configurations and types. However, inverter performance is better when the array string voltage is well above the inverter's minimum operational value.

Second, the data showed that over time, sloppy or overly broad module power ratings will be the source of disappointing system performance. This point makes the case for more accurate module power ratings. Many modules sold in the United States have power ratings that are plus or minus 10 percent, while European and Asian markets often require tighter tolerance ratings.

Short-Supply Solutions. No modules, no problem? Well, not exactly. In his presentation, Matt Lugar of Sharp Solar presented several recommendations for weathering the solar-electric market. He says that due to a silicon shortage that may last another two years, PV modules are increasing in price and modules will be in short supply.

With the manufacturers in the driver's seat of this "seller's market," Matt's advice was directed primarily at installers and sellers of PV systems. He suggested that PV purchasers prepare for price increases, and advised installation companies not to get locked into specific module sizes, but to sell watts instead. That way, when "volatility" restricts the availability of a particular module, the installer-seller may substitute another module, while still maintaining the specified system watts. Matt also

counseled installers to make monthly projections of future requirements (in watts) so that manufacturers can allocate production, and stressed the importance of communication with the module suppliers. He also emphasized the importance of keeping all accounts current and, at times, to consider prepaying for product.

Matt suggested that folks looking to break into the business focus on promoting solar hot water system installations, energy audits, and other energy efficiency measures. New companies can establish strong customer relationships this way and prepare for PV when the market improves. He also encouraged new business owners to use the current period of module constraint as an opportunity to get additional training, licensing, and certification to enhance their professional and competitive standing.

Future Forward

These innovative ideas and many others will be instrumental in moving solar energy into the U.S. mainstream. And this year, by taking advantage of the federal tax credits and state rebates for solar-electric and solar thermal systems,

you can help renewable energy gain momentum too. (For more information, see the Database of State Incentives for Renewable Energy Web site at www.dsireusa.org.)

Access

Don Loweburg, IPP, PO Box 231, North Fork, CA 93643 • 559-877-7080 • i2p@aol.com • www.i2p.org

BIPV Testing & Evaluation Project • www.pierminigrid.showdata.org

Jeff Curry, Lakeland Electric, 501 E. Lemon St., Lakeland, FL 33801 • jeff.curry@lakelandelectric.com • www.lakelandelectric.com/aboutus/pressrel

Matt Lugar, Sharp Electronics Corp., Solar Energy Solutions Group, 5901 Bolsa Ave., Huntington Beach, CA 92647 • 714-903-4679 • matt.lugar@sharpusa.com

Solar Power 2005/2006, 805 15th St. NW, Ste. 510, Washington, DC 20005 • 202-682-0556 • info@solarelectricpower.org • www.solarpowerconference.com • Solar Power 2006 will be held Oct. 15–20 at the San Jose Convention Center, San Jose, California. A CD containing all the presentations made at Solar Power 2005 is available for sale on the Web site.



Suntech, a company based in China, exhibited their PV modules.



SunEarth INC.
Quality Solar Energy Products

**THINK THERMAL-
THINK SUNEARTH**



The Empire Series Liquid Flat Plate Collector

www.sunearthinc.com

SunEarth, Inc.

8425 Almeria Avenue, Fontana, CA 92335
(909) 434-3100, FAX (909) 434-3101
Distributor inquiries welcome.

Inverter Service Company

a division of Direct Power and Water

- Authorized Service Center for Xantrex Inverters
- Authorized Service Repair and Sales of Mitsubishi UPS (7.5kva to 350kva)
- Certified Xantrex Dealer
- Largest inventory of SW, DR parts in North America
- Fastest turn around time in the WEST



Albuquerque, NM

Erich Lindner

Master Electronics Technician
erichl@directpower.com

Daniel Duffield

Electrical Engineer
dand@directpower.com

1-800-260-3792


www.directpower.com

Solar Parts and Systems for the Do-it-yourselfer

Serving North America for 25 years

Online Catalog and Design Guide www.aaasolar.com

AAA Solar Supply
(800) 245-0311
Albuquerque, NM



SOLAR HOT WATER SYSTEMS

*Lessons Learned:
1977 to Today*

Solar Hot Water & Pool Heating Design High Performance-Low Maintenance Systems Reality Checks Using Current Technology

In this definitive, fully illustrated 200-page manual, solar energy pioneer Tom Lane outlines how the latest technology and valuable lessons learned from the past can help a new generation of solar contractors expand their businesses and satisfy their customers.

\$50

color edition

Order online (FREE partial download) or call:
ENERGY CONSERVATION SERVICES

\$34

B&W edition

(352) 377-8866

www.ecs-solar.com



STABER

**Only Top Load Horizontal-Axis Washer
Made in the USA--Great for Off-Grid Systems!**

-Avg. of 15 gallons of water & 1 oz. soap per load

-Avg. of just .15 kWh per load

-Stainless steel inner & outer tubs

-Dual bearings on front & rear for better durability

-No front rubber gasket to worry about leakage or mildew

-Total front access to parts--*most simple design on the market*

-Simple, mechanical switches--no expensive electronic buttons!

-High extraction spin speed

-MADE IN THE USA!



Call 1-800-848-6200 to learn more!

www.staber.com


Staber Industries, Inc. 4800 Homer Ohio Ln Groveport, OH 43125



"SOLAR WAND"

SOLAR ASSISTED HOT WATER

Closed Loop Antifreeze System



"Let Our Solar Wand Tame Your Utility Bills"

Energy - Invest Today "Sun Will Pay"

Employment - Create American Jobs

Environment - Reduce CO₂ Emissions

Empowerment - 30% Federal Tax Credit

Straight Forward Installation, Solar Powered Pump, Automotive Type Radiator Unit Kits Including Anti-Scald Valve From \$2,700

www.butlersunsolutions.com


Butler Sun Solutions

Since 2003

Dedicated to conserving the earth's energy and water resources.

OG-300
Certified
858-259-8895
*Patents Issued & Pending

MAXIMUM ENERGY ALL DAY



LORENTZ ETATRACK systems provide up to 50 % surplus energy output during summer months.

Thanks to anti-shadowing-technology especially suitable for solar parks.

max. 160 sqft/15 m²
up to 2.5 kWp
no light sensors
no wind sensors
maintenance-free
1-axis

LORENTZ

reliable solar solutions since 1993

Tel. ++49 (0) 4193-7548-0 www.lorentz.de

Energy Movement

Michael Welch

©2006 Michael Welch

In the last several months, the energy world has seen lots of interesting and mostly positive movement. The recently passed energy bill has provided a lot of impetus for the nonrenewable technologies, and some help in areas that *Home Power* readers are more interested in promoting.

But several other areas of movement are not as closely connected with the energy bill, and clearly reflect the public's desire for a renewable, cost-effective, and nonpolluting energy future. Greater public awareness of environmental problems that were mostly being ignored by politicians and the large energy companies is again becoming a factor in policy making.

Economically, it hasn't hurt the cause to have energy prices skyrocket from previous years as much as gasoline prices have (about 60% higher, supposedly from supply interruptions since Hurricane Katrina), and as much as home heating costs are expected to rise this winter (40% for natural gas and 27% for heating oil). Supplies are not expected to return to normal until the summer of 2006 at the earliest.

PV Demand

All facets of the industry have been impacted by a worldwide, hot market for solar-electric modules. And this is happening on many levels, from the home rooftop market to larger commercial installations to utility projects. As reported in *HP102*, the module shortage has resulted in substantial lead times for module shipments, and has been pushing up prices after literally decades of steady price decreases. I and many others felt that things would have changed by the end of 2005.

But module prices are continuing to go up, even though the industry has done a lot to try to keep up with demand. For example, solar cell manufacturers quickly ramped up production. But they were stymied when PV-grade silicon manufacturing could not keep up with the cell-producers' demand. Fortunately, these are all short-term problems that are naturally solvable within the economic framework of a demand-driven industry. Prices and demand are rising, so the industry wants to add production, and they will.

What has been surprising to me after watching this trend of increasing prices is that the higher costs have not seemed to slow demand much at all. The public's interest in the technology in the United States, where prices have gone up

the most and incentives are far less than in high-sales nations, has continued despite higher per-watt installation costs.


One thing that helps is that installed system prices are not going up at the same rate that PV module costs are increasing. This is because the PV modules normally make up 50 to 80 percent of the total system cost, leaving the rest to balance of system (BOS) parts and installation fees. The major BOS component is the inverter, and inverter prices have been holding steady for years, not even keeping up with increases in common price indexes. Installation costs have stayed pretty flat, with easier-to-install equipment and sharing of techniques among installers.

Solar Hot Water Resurgence

As the point person in a local nonprofit that deals with renewable energy, I have noticed an increasing interest in solar heating. In fact, 2004 statistics recently released by the U.S. Department of Energy bear this out. Solar thermal collector shipments increased by 23 percent over 2003 levels. The same report shows that solar thermal collector prices are decreasing at a pretty good rate, due to advanced technologies and manufacturing economies of scale. Prices are down 27 percent since 2000.

Besides the cheaper prices helping to increase the amount of installed solar thermal capacity, folks that I talk to are

Domestic Solar Panel Shipments



finally "getting it" that solar heating pays off with greater energy savings and greater environmental benefits than "sexier" solar electricity. Once again, fuel price increases are a timely nudge for folks to take a harder look at how they are making hot water and space heat. For sure, it is helping that *Home Power* and other RE magazines have been telling folks about the benefits of solar thermal systems for quite some time.

But media outlets are not the only ones passing this news on. The solar thermal cause is being taken up by municipalities, utilities, and nonprofits alike. The cause is even being reinforced by installing dealers of renewable-electric systems fearing for their jobs as they watch PV module prices increase and availability decrease.

This is a great thing for the industry in general. It helps put solar heating and solar electricity on a more equal footing, and helps consumers make more holistic choices about dealing with their energy use and supply.

Biofuels Boom

Because of post-hurricane fuel prices, public interest is up in both fuel-efficient vehicles like hybrids, and in alternative fuels for internal combustion engine vehicles. This greater interest is giving biofuel manufacturers and organizations more clout and more prominence as they try to work their way into the mainstream.

With this clout, these organizations are better able to stick up for themselves in spite of a government that is so extremely favorable to the fossil-fuel industry. For example, the American Soybean Association is gaining support in fighting the import of millions of gallons of biodiesel and vegetable oil from foreign countries. The ASA is trying to close a loophole in an incentive that was designed to increase U.S. production, but is also available to importers.

There is plenty of room for both domestic and imported biofuels. We are already unable to keep up with the demand for biodiesel in the United States. And other countries that have vegetable oil-based industries are throwing away millions of gallons of potential fuel, which could be placed in tankers and brought to the United States. Not only is this a potential fuel that could offset fossil fuel use and decrease air pollution, it is a potential revenue stream for developing countries and should be rescued from becoming an environmental dumping problem for those countries.

According to the ASA, 2005 biodiesel production is at about 30 million gallons, with projections for 80 million gallons in 2007 and up to 200 million gallons in 2007. But that seems to be a drop in the bucket compared to the potential for demand in the United States.

I know that several companies are looking at importing veggie oil for biodiesel. One, EarthFirst Americas, has already brought their first shipment into Florida from Ecuador, and expects to hit the 3 million gallon per month mark by spring 2006. This company is mainly in the business of liquid and solid waste removal, a great matchup. Another company is looking at shipping foreign veggie oil to the Northwest, and setting up local businesses to turn the oil into biodiesel.

It seems certain that we cannot completely replace fossil-fuel use in transportation in the foreseeable future, but at least we will start making a dent in it soon.

Oil Bucks

Another item in the news is the high profits that the oil companies have posted recently. In the third quarter of 2005, oil company profits were up by 46 percent over the same period the previous year, according to the *Washington Times*. But to hear the oil companies talk, you'd think it was about time, after so many years of nearly nothing. Fuel prices have been changing up and down, but the general trend is up, up, up.

According to the activist group Public Citizen, oil companies reported earnings of 22.8 cents per gallon of gasoline refined in 1999. In 2004, that amount was nearly double—40.8 cents. Public Citizen testified before Congress in September that the price increases and huge profits are not the result of Hurricane Katrina, as the oil companies would have us believe. The problem is more related to less competition in the marketplace—a result of the federal government's unwillingness to enforce antitrust laws that make it illegal to withhold commodities from the market to drive up prices.

Further, Public Citizen states that oil company mergers in recent years have consolidated too much power into too few hands. A decade ago, ten companies controlled 55.6 percent of refining capacity. In 2004, after mergers between already-giant companies, five companies controlled 56.3 percent of refining capacity.

Public Citizen's Tyson Slocum said, "We have every meteorologist in the country monitoring hurricanes, letting us know exactly when the next one is going to hit and where. But who is monitoring the companies that are jacking up gasoline prices for consumers under the guise of natural disasters?" He continued, "We need the government to protect us from dangerous weather, but we also need to be protected from price-gouging every day when we heat our homes, drive our cars, or fly somewhere."

Now Congress is asking the oil companies to invest in production and refining to make up for the Gulf hurricane losses. Others are suggesting that they help the poor and fixed income folks afford oil and gasoline. Still others are suggesting a windfall tax that would go toward renewable energy industry development, and are bemoaning the US\$6 billion subsidy that the oil industry will be receiving as a result of the 2005 energy bill. Whatever happens, these oil industry problems are helping the renewable energy industry to gain appreciation among politicians and the public.

Brightening Up

This column touches on only a few of the many energy items we've been seeing in the news recently. Others include more interest in government incentives and a renewed interest in the administration's secret energy meetings with the fossil fuel and nuclear industry CEOs. For the world, and in spite of the mostly horrible energy bill foisted on the public last year, I see a future of possibilities.

Access

Michael Welch, c/o Redwood Alliance, PO Box 293,
Arcata, CA 95518 • 707-822-7884 •
michael.welch@homepower.com •
www.redwoodalliance.org

Public Citizen's Critical Mass Energy Program, 215
Pennsylvania Ave. SE, Washington, DC 20003 •
202-588-1000 • cmepl@citizen.org • www.citizen.org/cmep

Sustainable Energy Coalition, 1612 K St. NW,
#202-A, Washington, DC 20006 • 202-293-2898 ext. 201 •
kbossong614@yahoo.com • www.sustainableenergy.org



Guy-Less Tilt-Down Tower!

Turbines up to 15 ft. rotor diameter
Safe & easy for one person to operate
Years of field testing—Engineering available

INDEPENDENT POWER SYSTEMS

Provided as complete installation kit

Small Footprint!

See www.solarwindmontana.com for pricing and specs.

SOLAR HOT WATER WITH WINSTON SERIES CPC COLLECTOR

- Residential / Domestic Water Heating
- Commercial Water Heating
- Industrial Water Heating
- Domestic Space Heating
- Air Conditioning
- Swimming Pool and Spa Heating
- Snow Melting

The Natural Power For Good

EMAIL@SOLARGENIX.COM WWW.SOLARGENIX.COM
CONTACT: 3622 S. MORGAN ST. CHICAGO, IL 60609
PH: 773-847-8333 F: 773-847-8555

2101 WESTINGHOUSE BLVD., STE 115 RALEIGH, NC 27604
PH: 919-871-0423 F: 919-871-0702

SOLARGENIX ENERGY



ELECTRO AUTOMOTIVE

Electric Car Conversions Since 1979

Books Videos Kits Components

Catalog Send \$6.00 for our catalog, or visit our web site.

"Convert It" We wrote the book on electric car conversions - literally! Send \$30.00 postage paid for this hands-on how-to conversion manual, written in plain English for the home hobbyist mechanic.

Conversion Kits Complete custom bolt-in kits for the VW Rabbit and Porsche 914, or a universal kit for other small cars and light trucks.

Web Site Visit our web site for our complete catalog, price list, gallery of conversions, and extensive conversion information section.

P.O Box 1113-HP, Felton, CA 95018-1113 831-429-1989
WWW.ELECTROAUTO.COM ELECTRO@CRUZIO.COM

Our 21st Year Offgrid!
We provide excellent service & technical support.
Residential Power • Water Systems • Communications
Wind • PV • Hydro • Custom Design • Installation
All Major Brands

Don Loweburg
NABCEP Certified Installer

California Rebates!

OFF LINE

Located in the central Sierra, near Yosemite

e-mail: ofln@aol.com

www.psnw.com/~ofln

P.O. Box 231, North Fork, CA 93643



(559) 877-7080

CA Lic. #661052



PLASTIC BATTERY BOXES

- HDPE WELDED-SEAM VENTED BOX WITH REMOVABLE LID
- SAFE & SECURE CONTAINMENT FOR LEAD-ACID BATTERIES
- UPS SHIPPABLE, CUSTOM SIZES

radiantsolartech.com

707-485-8359



• Simmons •
Natural Bodycare
simmonsnaturals.com
MAKING
EVERYDAY
SPECIAL
Off the grid since 1982
TOWARD A SUSTAINABLE FUTURE •

Ultra-Efficient, Economical
**Wood-Gasification
Boilers**

www.newhorizoncorp.com
304-765-7171

MREA WORKSHOPS ARE MORE HANDS-ON THAN A DRIVE IN THEATER!

NOW SHOWING:

Workshops at the ReNew the Earth Institute in Custer, WI

The Solar Lifestyle: Intro to RE	March 4
Solar Domestic Hot Water Systems	March 10
Solar Space Heating Systems	March 11
Energy Efficient Construction	March 18
Intro to Alternative Construction	March 19
Basic PV/PV Site Assessor	March 25-26
Intermediate Photovoltaics	April 1-2



Producer/Director: Midwest Renewable Energy Association
715-592-6595 * www.the-mrea.org * info@the-mrea.org
Call or click for more information.



DC Receptacles & Plugs

Unsafe Connectors?

Ian Woofenden

©2006 Ian Woofenden

Derivation: from Latin receptaculum, to receive.

For small electrical applications in boats, RVs, and cabins, direct current (DC) electricity can still make sense. Using DC can eliminate the need for an inverter, and the 10 to 20 percent efficiency penalty it carries. Unlike AC systems, though, high-quality, safe, and standard DC receptacles aren't yet available. Many types of receptacles are being used in DC systems, and various kluges have been the end result, with systems made up of poorly matched components.

DC systems use various connector types, such as Anderson connectors, spade connectors, or specialty connectors from the audio, professional lighting, electronics, or industrial fields. None of these has the convenience of a typical AC plug, and many of the robust receptacles that can be used for DC are quite expensive.

The most commonly used DC receptacle is the cigarette lighter receptacle, like those found in automobiles, recreational vehicles, and boats. These plugs and receptacles can be purchased in most hardware, marine, automotive, or RV stores. Many 12 VDC appliances come with this type of plug.

But these plugs have serious shortcomings. They are often not high quality. In many cases, both the plugs and the receptacles fail prematurely, and the cheaper ones frequently do not make good contact. Another drawback is their exposed electrified terminals. In a cigarette lighter socket, the DC positive terminal is at the bottom of the socket well, and within reach of fingers or metal tools. The DC negative terminal is the whole sleeve of the socket, and easily accessible, making for an ever-present shock and short-circuit hazard.

In the off-grid renewable energy world, installers and homeowners are in a bind—if we're using DC, we're faced with needing a safe and durable way to connect and disconnect appliances. If we reject the flimsy and unsafe cigarette lighter plugs, the next most common solution is to use standard 120 VAC receptacles. But besides the fact that many of these are not tested or rated for DC use, an even more important drawback is that you may accidentally plug 12 VDC appliances into 120 VAC receptacles or vice versa. I've seen older off-grid homes that rely on labels or even just the color of the receptacle to distinguish between 12 VDC receptacles and 120 VAC receptacles. This is not a good solution! Plugging in the wrong load can damage the appliance, the circuit, and you.



Cigarette lighter receptacles are the most common 12-volt DC receptacle, but they have multiple problems.

A better (although more expensive) solution, short of developing a universal standard receptacle and plug, is to use an unusual receptacle that's not commonly found in homes. Many choose a 240 VAC receptacle with one or both prongs perpendicular to the normal 120 VAC receptacle prong orientation; others use 240 VAC twist-lock plugs. This avoids any confusion about what plugs belong in what receptacles, unless you have friends who bring 240 VAC appliances with them when they visit.

I wish I could report that using these receptacles is the best answer. Unfortunately, it may be only a step along the way. I hope that at some point users, installers, and regulators come to an agreement on a safe, durable, economical, and approved connector for DC applications. I welcome your input and suggestions.

But after living with DC systems in my home for more than twenty years, I wonder if the answer for most renewable energy systems is just to switch to high-quality inverters and AC loads. While I still have a great love for the simplicity and efficiency of DC, having a single, AC distribution system with conventional, safe, and approved wiring and receptacles has a lot going for it.

Access

Ian Woofenden, PO Box 1001, Anacortes, WA 98221 •
ian.woofenden@homepower.com



SOL

is "Solar-on-Line"

Internet-based Distance Courses
with practical skills workshops



Internet-based distance courses year-round
Practical skills workshops offered in the US and Mexico
Visit the Solar-On-Line website for schedule and details

For current schedule
of On-line Courses & Workshops
Click on SOL www.solar-on-line.org

E-mail: SoL@SoLenergy.org • Phone/Fax: 720-489-3798
See Happenings in this issue for the 2004 schedule of courses.

BackHome

MAGAZINE

Your Guide to Self-Reliant Living

Take control of your own life. Thousands of people have gone BackHome to enjoy less complicated, more rewarding lives... and you can join them. In each bimonthly issue, find articles on topics such as Alternative Home-Building Techniques, Organic Gardening, Selecting a Home Business, Living Mortgage Free, and much, much more!



Subscribe to BACKHOME
for just \$21.97 per year.
Call us at 800-992-2546,
write to us at P.O. Box 7010,
Hendersonville, NC 28793
or visit our Web site:

www.backhomemagazine.com

Log on to your future @ www.solarenergy.org

Online Renewable Energy Education

Photovoltaic Design Online

Jan 9 - Feb 17 • Mar 13 - Apr 21 • May 30 - Jul 7

Solar Home Design Online

Feb 13 - Mar 24 • Sep 5 - Oct 13

"This course was excellent. I will definitely recommend it to others interested in PV design. The electrical information I gained from the course is priceless."

- PV Design Online course participant



Start your renewable energy education from home . . . Today!



PO Box 715 • Carbondale, CO 81623
tel: 970-963-8855 • fax: 970-963-8866
sei@solarenergy.org

www.solarenergy.org

The Long Goodbye

Kathleen Jarschke-Schultze

©2006 Kathleen Jarschke-Schultze

In our lives, there is always someone who influences our course or direction. We don't always know this person personally, but still feel close to them because we identify with them. For me, it was a woman who wrote about how to live the life I wanted.

The first time I heard of Carla Emery was in the late '70s, when my friend Jean showed me her copy of Carla's book, *The Encyclopedia of Country Living*. At the time, I was living in a city, working as a psychiatric technician. I knew I wanted to live a different lifestyle, and my friend knew that too.

Jean's copy of the book was one of the first. She had lived in Kendrick, Idaho, when and where Carla's *Encyclopedia* first began. It was printed with a mimeograph machine and bound in a blue, three-ring binder. I loved it at first sight. I devoured Jean's copy, and went and found my own. By then, a publisher was printing it with a regular binding; it had been expanded and updated. I read every word.

It would be the truth to say Carla and her incredible book brought me to the place I am today. She has inspired my life and my writing. She wrote honestly about her life—the good and the bad, though always with humor. My first copy became tattered and stained. I loaned it to many people and finally it didn't come back. I couldn't remember whom I had loaned it to. I went out and bought a new one. It had been updated since my last copy, so I read it again.

Kathleen and Carla at the SolWest renewable energy fair, summer 2004.



The *Encyclopedia* is the reference book I have recommended to anyone moving to the country. It has something on everything—plants, animals, and common sense, along with how to do anything you need to on a homestead. All this knowledge is sprinkled liberally with autobiographical vignettes of Carla's life.

When I joined Bob-O as a "mail-order" bride (HP22) at Starveout, his mining claim in the remote Siskiyou mountains, I brought Carla's book with me. I used it all the time. I was constantly attempting things I had never done before. Carla guided me through it all.

It was one of the most thrilling moments in my life when I met Carla for the first time. She came to our county for one evening to give a lecture. I bought a new copy of the book and she autographed it for me. That book is still a prized possession.

Since I had the new book, I started loaning out my old copy, and soon enough it went on a "walkabout" and did not return. I don't loan my signed copy to anyone these days.

At the SolWest energy fair two years ago, Bob-O and I had our booth right across from Carla and her husband, Don DeLong. I sat in their booth and talked with her several times, always worrying that I was being a pest. I bought a book for each of my sisters and my sister-in-law. Carla autographed each one personally, and I was thrilled.

I told her how much my sister, Mary, loved the story about a very young Carla and her horse Shorty Bill getting lost in a blizzard on their way home from school in Montana. It always brings tears to Mary's eyes, but she loves the story.

I brought the books to our family reunion. Everyone there was ecstatic. The books sat on the picnic table, and were constantly picked up and read by all my relatives. Most conversations during that reunion started with, "Hey, did you know...?"

I saw Carla and Don again at the Midwest Renewable Energy Fair this last summer. I stopped by her booth several times to chat. It was great to visit with someone you admire so very much.

On October 18, 2005, I received a heartrending e-mail from Don, informing me of Carla's untimely passing. I was deeply saddened by his news. It read:

Carla Emery DeLong, bestselling author of The Encyclopedia of Country Living and tireless crusader for the homesteading movement, passed away from complications from low blood pressure

on October 11, 2005. She died in Odessa, Texas, on her way home from a national speaking tour, surrounded by her family.

Carla's entire life was distinguished by her strength of character and her willingness to make her own way on her own terms. She will be remembered by thousands around the world for her writings on independent living, and for the doctrines of self-sufficiency and environmental stewardship she preached at speaking engagements across the United States.

Carla Emery DeLong was 66 years old. She was born Carla Harshberger in Los Angeles and raised on her parent's ranch in Montana. Before her birth, her father had lost his farm in Montana. Her parents went to California looking for work. Actress Dorothy Lamour employed them as chauffeur and cook.

The young family eventually worked its way back north. Her father worked as a logger in Oregon, then found defense work in the shipyards of Seattle. By saving everything they could, they returned to a new ranch in the mountains of Montana. That is where Carla's childhood memories began. She always considered herself a Montana farmer's daughter.

As an adult, she attended college in New York City. She met and married her first husband, Mike Emery, also country raised. They returned to the country in Kendrick, Idaho, where in 1969 she began compiling the *Encyclopedia*. Now in its updated ninth edition, it covers a multitude of topics and chronicles Carla's journey through life.

On Carla's Web site, Don writes that shortly before her death, she wrote down how she wanted to be remembered. "She was responsible. She loved a job. She loved being a wife, a mother, and a writer. She worked hard and did her best."

Here is what I believe. To impart practical knowledge that betters a person's lot in life, and builds self-reliance, health, self-confidence, and personal responsibility is one of the most wonderful things you can do with your time on this Earth. Another is to love and be loved. Carla embodied this idea and spent her life doing just that. Her passing is a great loss to us all.

Access

Kathleen Jarschke-Schultze is growing and harvesting saffron crocus at her home in northernmost California. c/o *Home Power* magazine, PO Box 520, Ashland, OR 97520 • kathleen.jarschke-schultze@homepower.com

Carla Emery's Web site • www.carlaemery.com

The Encyclopedia of Country Living, Updated 9th edition, by Carla Emery, 2003, Paperback, 864 pages, ISBN 1-57061-377-X, US\$30 (includes shipping) • PO Box 133, San Simon, AZ 85632 • 520-845-2288 • www.carlaemery.com



Solar Panels • Wind Turbines • DC Lighting



ABS Alaskan, Inc.
Alternative Energy & Remote Power
2130 Van Horn, Fairbanks, AK 99701
toll free: 800-235-0689 fax: 907-451-1949

visit us online: www.absAK.com

Alaska Battery Anchorage, AK ph: 907-562-4949 fax: 907-563-4900
Distribution Center Renton, WA ph: 425-251-5745 fax: 425-251-5748

Micro Hydro • Complete Systems • & More

Do You Need Batteries?...

RAE Storage Battery Company

Since 1943... Quality & Service

Surrette Solar 1, 400 Series, Type CH 375 - L16

Engineered under careful guidelines
by Dave Surrette - Family owned
business Est. 1935

Gambissara Solar for export

212-206-6344 • 1201 Broadway,
Room 809, New York, NY 10001

Newly established factory warehouse. U.S. Battery Co. Corona, CA



**Phone 860-828-6007
Fax 860-828-4540**
**51 Deming Rd., POB 8005,
Berlin, CT 06037**



BZ Products Model MPPT500

500 watt 45 amp Maximum Power Point Solar Control

- Boost charge current up to 30%
- Up to 45 amp output current
- Microprocessor control
- 95 % efficacy
- 500 watt PV input
- Universal PV input 12 to 48 volts
- 12, 24 or 48 volt output
- Digital metering
- PWM float control
- Battery temperature sensor standard
- Five year warranty
- Made in U.S.A.





BZ Products, Inc.
314-644-2490 • www.bzproducts.net • bzp@bzproducts.net
7614 Marion Ct., St. Louis, MO 63143, USA

letters to HP

Thanks, Home Power!

Dear Mr. Perez, I would personally like to thank you for the magazine you run. When I first began reading it back in 1999 or 2000, I found it somewhat—well, hippie-ish! You know—"smoke dope, wear hemp clothes, hate the U.S.A."—that kind of thing. As I began researching solar energy, I found just the opposite. I found a great deal of independence in the pioneers of this field—the kind of independence that built this country.

The more I read the magazine and crawl into your head, and understand what you are really trying to say, the more I agree with you and your philosophies. Now I am using solar energy, and was one of the hundreds of homes on last October's solar tour.

Please forgive me for any criticism of your past ideas. At this point, not only do I understand them, I totally agree with them. Thanks for being there. I really mean this. Bill Mount, Tacoma, Washington

Solar Ambassadors

In the fall of 2005, the students of the Crested Butte (Colorado) Community School helped install a 1.55-kilowatt photovoltaic (PV) array, complete with a real-time data monitoring system. The students learned about renewable energy technologies in the classroom, and then the fifth, eighth, and tenth grades helped install the system right outside their classroom windows. This project couldn't have happened without the expertise, planning, and fundraising

Students show off their new solar array at Crested Butte Community School in Colorado.



efforts of the Crested Butte Office for Resource Efficiency (ORE); the initial idea and a US\$10,000 donation from Gunnison County Electric Association; and the educational execution of Solar Energy International's (SEI) Solar in the Schools program.

During the installation, the students were careful with panels, serious about their role in the installation, and filled with empowerment as they were given the responsibility to help make this project a success. All student participation took place on the ground, preceded by instruction from the SEI staff on job-site safety, tool and equipment safety and use, and an overview of PV panels and electricity. The assembled array (donated by BP Solar) was then lifted off the ground by a boom truck and placed on its pole. SEI staff finished up the final connections. The school hosted a successful solar fair the following week to showcase their new PV system and to further educate the public about renewables and energy conservation. Not only did the students sell more than 250 compact fluorescent bulbs that day, they also eagerly fell into the role of solar ambassadors—kids teaching their peers! Soozie Lindbloom, Carbondale, Colorado, Coordinator, Solar in the Schools • soozie@solarenergy.org

Solar-Electric Hot Water

I wonder if the output from a PV array could be sent directly to an electric water heater? A resistive load should heat up with DC electricity. With an output that varied with the prevailing sun, the system would not be efficient, but this might serve to preheat the water before routing it to a gas-fired water heater. Thanks in advance for any feedback. Fred Clarke • fbc3@copper.net

Hi Fred, Your concept will work. Many people have used a diversion heating element for preheating their domestic hot water with overproduction from their PV system. Many retail advertisers in Home Power sell low-voltage water heater elements. One supplier reports that "AC water heating elements work fine for DC. You just need contacts that can switch the DC to turn the elements on and off. You can get a variety of 120- and 240-volt elements at anywhere from 500 to 4,500 watts. If you use a 240-volt element at a lower voltage, remember—every time you cut the voltage in half, the wattage drops by 75 percent."

The low-voltage elements make sense for excess solar electricity, but a thermal system dedicated to heating hot water is more cost effective. This is due to the higher efficiencies of thermal collectors and the lower cost per square foot of collector/panel surface area. Cheers, Chuck Marken • chuck.marken@homepower.com

Developing World Need

Dear Sir, I'm a British member of a Catholic religious order of educators and have been working in the Peruvian Amazon for the past five years. I have founded an environmental organization here—the only one of its kind—since there

are many problems due to the petrol companies and illegal timber work. In this town of 400,000, we also have a serious noise and pollution problem because of the transport system—basically 20,000 motorbike taxis.

I'd be very interested in seeing how your magazine's ideas could be incorporated into future public planning. We are already consulted by the local government as to better ideas for the future, and would like to see how we could benefit from renewable technologies. I'd be grateful for any info that you feel may be relevant for our town and the river villages. Sincerely, Paul McAuley • redambientalorenata@yahoo.com

Hello Paul, I'm sympathetic to your plight because of my own work in the developing world. The need is great, though funding and financing are always a problem, and there are serious issues with outsiders introducing technologies that may or may not be desired by the locals.

Many of the renewable energy technologies are probably very appropriate for your town in Peru. I'd urge you to study more, and especially recommend Solar Energy International's Renewable Energy for the Developing World workshop. This Colorado classroom-based workshop is full of examples of incredible work by a variety of organizations focused on the developing world.

As far as the specific question you mention, if there is utility electricity there, I strongly recommend that you consider using electric bikes and scooters. This would reduce your noise and pollution levels dramatically, and in the future, give people the option of making their own transportation energy with the sun, wind, and falling water. Perhaps you can bring in a sturdy electric bike or scooter and begin using it yourself, which is often the best way to interest others in new technology. Regards, Ian Woofenden • ian.woofenden@homepower.com

Technology Old & New

Last October, I was giving my dad a ride, and enjoying the fall foliage of northeast Pennsylvania. I knew where the local wind farm was, but never had seen it in person. I'm happy to report that at 87 years old, Dad knows just what it is and what it does.

Here's a photo of the scene (at right). In the foreground and sitting alone is a fine example of yesteryear's technology. Looming in the background, sitting atop a ridge at an altitude over 1,900 feet above sea level, were just a few of 40 modern wind turbines—quite the contrast in technology. These majestic machines owned by Florida Power & Light are scattered across an ancient five-mile-long ridge in the Appalachian Mountains.

In doing a little research on the wind farm before writing this letter, the first person I talked to in the area did not share my admiration

for the wind turbines in her backyard. Obviously, she's just one more great example of a NIMBY (not in my backyard). I suspect she thinks the energy that comes out of her wall plug grows on lovely electricity trees planted in someone else's backyard. Glenn Ryerson • glenn@3cats.com

New Wind Technology?

I've been interested in wind power for some time, but it seems to not be cost efficient in my area because of lower wind speeds. However, I just read an article in the October 2005 issue of *Popular Mechanics* magazine and want to run it by someone, so I located you on the *Home Power* Web site. The article reports on a way to make small wind turbines 40 percent more efficient! I'm wondering if you've seen this article. If so, I'd be interested in your thoughts on it. It seems that they may be on to something that could spur the increase of small home wind power in this country. Please feel free to send me your thoughts. Thanks, Mike Woolen, Sullivan, Illinois

Hi Mike, I wouldn't get too awfully excited about this, though the general idea of electronically enhancing output at lower wind speeds has some merit. The basic problem is that there just isn't that much energy in low wind speeds. The power available in the wind varies with the cube of the wind speed, so a 4 mph wind has one-eighth the energy of an 8 mph wind. That means that designing a machine to be optimized for extremely low wind speeds is a low-return enterprise from the start. Turbines should be designed to capture the most prevalent and productive winds, which are generally in the 10 to 20 mph range.

A few manufacturers are playing with power electronics to match their turbines to the charging needs better, and that shows some promise. But overall, the technology we have works

In Pennsylvania, old meets new—a fossil-fueled jalopy in front of a field of modern wind generators.



fairly well, and I don't expect any amazing breakthroughs. The easy answer if you want more wind energy production is to put turbines on tall towers, where there is more wind. Even a few miles per hour difference in average wind speed can make a huge difference in output. For instance, the increase in output between 10 and 12 mph in average wind speed is more than 70 percent. Best, Ian Woofenden • ian.woofenden@homepower.com

Tax Credit

Your profile of the recently passed federal energy bill has inspired me to install a small PV system on our vacation home. I want to be sure everything is done to qualify for the 30 percent government tax credit promised by the energy bill, but I can't seem to find where the government is hiding the forms and other relevant information. Do you possibly have a link? Thanks! Jerry Borshard, Plano, Texas • jcborshard@fastmail.fm

Hello Jerry, The following link has pretty detailed information on the new federal tax credits for residential solar energy systems. There's an IRS contact listed as well. Just go to www.dsireusa.org and click on "Federal." You can also click on "Texas" for incentives specific to your state. Thanks for reading, and for using renewable energy! Best, Joe Schwartz • joe.schwartz@homepower.com

Wind Metering Correction

Hello Home Power crew, As a long-term owner of a grid-tied, wind-electric system, I would like to compliment you on the excellent article by Ian Woofenden, "Wind-Electric Systems Simplified" in HP110. However, I will call your attention to a small statement in the article that is rather misleading.

In the description of the kilowatt-hour meter, the article states: "A bidirectional KWH meter can simultaneously keep track of how much electricity you're using and how much your system is producing." I believe a more accurate wording would be: A bidirectional KWH meter can simultaneously keep track of how much electricity you're getting from the grid and how much electricity you're putting into the grid.

In most grid-tied RE systems, the amount of electricity we purchase is not the same as the amount of electricity our home uses. Part of the electricity we generate is used directly by our house and is not recorded on the bidirectional KWH meter. It is only when our PV panels or wind generator generates more electricity than the house is using that the KWH meter records the amount of electricity we are putting into the grid. This amount is very different than the amount of electricity our system is producing. Thank you for an excellent publication and (with this small exception) an excellent article on wind-electric systems.

As far as my own wind energy experience, we went online in October 1985, and it was the start of a twenty-plus year adventure with utility-intertied wind electricity (see HP51). A 4 KW Whirlwind generator tops a 120-foot guyed tower on our rural property outside of Buffalo, New York. It has been a challenge keeping the unit running when both the dealer who installed our system and the turbine manufacturer went out of business a short time after installation. With skills as a machinist, no fear of



Carl Berger on his Whirlwind's tower.

heights, and help from friends and family as ground crew, I am able to keep the twenty-year-old Whirlwind running. It has been through a number of rebuilds and I was able to locate some critical parts on the Internet. It has been great fun and I'm happy I went on this adventure. However, climbing the tower is not as easy as it was twenty years ago, and the time is near when the unit will be retired and I will move on to other projects. Carl Berger • csberger@earthlink.net

Hi Carl, Thanks for your letter. Bidirectional KWH meters display a home's net electricity use. Two-channel KWH meters separately display electricity purchased from and "sold" to the grid. Also, many inverters measure and display their AC output instantaneously, daily, and cumulatively. An additional, user-supplied KWH meter can also be installed to independently track an inverter's contribution to a home's total electricity use if this metering is not built into the inverter. Congrats on your long history with wind energy! Ian Woofenden • ian.woofenden@homepower.com

Putting \$100 Billion in Perspective

The oil shock of the last few months has revealed much about what American consumers are willing to pay for, and also what kind of impact the economy can withstand. The oil companies collectively made US\$100 billion in profits over a period of three months. If this quarterly profit were annualized, it would represent, in profits alone, the dollar cost of moving half of the U.S. electricity industry to renewable energy. This is based on an assumption that renewable electricity would cost US\$1 per watt

(reasonably accurate with respect to wind turbines) and that current generation capacity is somewhere between 700 and 800 gigawatts (in other words, about one thousand, 800-megawatt power plants).

Hydroelectric dam operators use wind turbines to reduce water discharge when the wind is blowing. This is evident with Bonneville Power Administration and Hydro Quebec at the very least. Hydro Quebec has ordered 660, 1.5 MW turbines, which presumably can be used in conjunction with the James Bay and St. Lawrence systems, among others. Similar thinking can be used with natural gas and combined cycle turbines—use as much wind as is available and fill in with on-demand backups.

Renewable energy creates a conundrum. You would not expect to see wind turbines next to natural gas compressors. However, many gas wells are in remote locations, and depending on the value of the gas, wind power may leave more gas for the well operator to sell. The natural gas pipeline, in that respect, becomes a partial proxy for renewable energy. At some point, the investors in the well may notice that the renewable energy component of their system is lasting longer than the well, so perhaps investment in the RE makes more sense than poking another hole in the ground.

There is an enormous amount of money sloshing around the U.S. (and global) economy that doesn't know where to settle. Supposedly, the cash pile in U.S. companies runs between US\$1 and \$2 trillion. Utility-scale wind turbines are being sold at US\$1 per watt, and photovoltaic cells cost less than US\$2 per watt to manufacture (although retail prices range from US\$3.60 to \$4). Therefore U.S. corporations could secure the national electricity supply and have a few hundred billion left over.

Many of the utility workers local to San Antonio went to New Orleans following Katrina, only to return home in a week frustrated by a lack of utility poles. The Pakistan earthquake and aftereffects of Hurricane Stan in Central America show how, at some point, people willing to contribute money to disaster relief get overwhelmed. It takes time for government and relief agencies to get organized, and often they have to work their way into areas blocked by downed trees, washed-out bridges, or landslides. We've been reminded that it can take weeks for some areas to return to habitability.

Texas seems to be the homebuilding capital of the world right now. One can see some evidence of this by looking at historical and current satellite photographs of Houston, Dallas, San Antonio, Austin, and other regions along the major Texas interstates. Question: Where do the utility workers come from to maintain all of this infrastructure? City Public Service (the San Antonio power company) sponsors a program for hiring utility workers straight out of high school. A number of RE projects in Texas have been built because there is no other way to get electricity installed in a meaningful time frame.

Another scene you can get from the satellite photographs is the traffic jam of coal trains in Wyoming and Nebraska. One thing renewable energy installers and activists may have

to address in the short term is that a significant base of users might well be traditional resource extraction industries. This would apply to mines and lumbering operations, as well as oil wells. The people in these traditional industries would like to simply hook up power from their local utility. Such utilities might be hard to find in the remoter reaches of Alberta and the Northwest Territories.

The energy situation is simply becoming more volatile, with 30 percent price swings in a matter of weeks. Anyone trying to plan investments in this environment would want to pool and spread their risks into a basket of energy technologies. Meredith Poor • mnpoor@idworld.net

Which Way Up?

Dear *Home Power* and Dr. Bernd Geisler, I just love the magazine. It has so many great examples. In *HP110*, "Efficiency Pays" was excellent, with many tips on saving energy. I live in a grid-tied, 1.8 KW solar-electric home with solar hot water, solar tube lights, Energy Star appliances, solar clothes dryer (clothesline), solar oven, and LED lights. Best of all, I have no gas or fireplace, just all clean electricity. I installed the systems myself, before there were incentives. My electric bills average US\$20 to \$30 a month. I live in a nine-year-old, 1,600-square-foot, three-bedroom home.

I have been checking into spray-on soy-foam insulation for my home renovation, with no luck. The suggestion in the article about using radiant barriers was a super idea I hadn't thought of before. The only part that confused me is the foil side put facing down. The picture shows it down and back to the attic-living area. Everything I have heard suggests that the foil should be placed facing the heat. In a hot climate like the example in Texas, that would be up, away from the attic and living space. I live in Arizona, so that's what I would do. In a cold area, it might be the way shown in the story. Which is correct? Jim Stack, Chandler, Arizona • jstack6@juno.com

Hello Jim, The manufacturer recommends installing the radiant barrier under the rafters with the foil facing down for retrofits, to reduce or eliminate dust buildup, which they fear could compromise the function of the foil over the years. Personally I think that dust cannot do much harm, because it has too little mass and therefore minimal specific heat.

I agree that the foil side facing up would probably lower the temperature of the radiant barrier a bit, because the heat would be reflected slightly earlier. But the paper layer is also very thin and has low specific heat capacity, so physically it really should not matter much which direction it faces. This may seem counterintuitive. Keep in mind here that the radiation involved is (invisible) infrared (IR), because the visible and UV parts cannot penetrate through the upper layers of the roof. Only the IR part can penetrate deep into the attic and heat it up. Even if the radiant barrier doesn't look like a mirror when you look at the paper side, for IR it still is.

By the way, I have used another method for my house. Since I had accidentally bought twice as much radiant barrier as needed, I placed a second layer of radiant barrier with the metal side facing upwards directly under the shingles when those had to be replaced after a severe hailstorm. My idea was that the earlier the

IR is reflected, the better. Because the attic temperature is usually hotter than the ambient temperature, heat flow by conduction will usually be directed out of the attic! Convective heat flow also rises out of the attic naturally (warm air rises), so the main problem is really blocking radiation from entering the attic, which is best done as early as possible.

I don't know which method works better, foil side upwards or downwards—that would be a nice research project. But my guess is it does not really matter. My combined method has definitely been very, very effective. Our August cooling bills were reduced by half compared to previous years' bills.

For the do-it-yourselfer, the method recommended in the article is probably the easiest and involves the least amount of trouble. That's why I mentioned it. Stapling the foil facing downwards also gives the attic a space-age look, which is attractive because people can see something special has been done here. It definitely looks much better than brown paper, and also makes the attic appear brighter, because of all the light reflection. But I would be intrigued to know what a company engineer would say about this issue. It is a very interesting question, indeed. Best wishes, Bernd Geisler • texregeninfo@aol.com

Compressed Air

I eagerly await each edition of *Home Power* magazine and read it from cover to cover. It has had a strong influence on my attitudes towards energy usage awareness. So, first up, I'd like to thank everyone at *Home Power* for the excellent publication. One of the strongest messages I've taken from my reading is what I call "the three great misuses of electricity," namely: for heating water; for all other forms of household heating and cooling, including cooking; and for almost all the motors you can find around your house.

Most articles in *Home Power* (and other publications) concentrate heavily on the first two areas. For heating

water, an on-demand, gas-boosted solar hot water system seems the clear winner. Household heating/cooling requirements are best minimized by good design, the use of thermal mass, and the use of insulation, and are best boosted by heat pumps and nonelectric heaters. Cooking with electricity seems to be the least efficient method of all, and any other method seems preferable (a gas stove is my personal pick). I suspect that the electric motor great misuse is not looked at much because it is deemed too difficult or not worth dealing with. I'd like to make a few observations about this, ask a few questions, and propose a few ideas. I'd appreciate input from the people at *Home Power* and the readers out there as well.

When designing a renewable electricity system for your home, the sizing of the inverter is a decision to get right the first time. Of importance in this decision is both the "normal" load (power draw when things are up and running) and the "surge" load (power draw when things are starting up). Items that require a large surge load capability almost always involve an electric motor (such as fans, the compressor in your fridge, or the power tools in your shed). Electric motors are also pretty power-hungry even once they're up to speed. Finding an alternative to the electric motors in your life could mean you are able to significantly scale down the components in your home's renewable electricity system (I think).

With all this in mind, my interest was piqued when a friend recently converted his shed over to an air-tool system. All his electric motors are now run from a pressurized air reservoir that is filled via an electric compressor. The only surge load he now has to worry about is the compressor, which is lower than most of his tools.

So here (at last, sorry) we come to the crux of my letter. Two questions sprang to mind after the conversation with my friend. I'm interested in your comments in what is wrong with these ideas, and then I'd like your input into solving the problems you identify. My two questions are: Can I run an air compressor directly from a solar/wind-

12 VOLT LED LIGHT BULBS



CC Vivid LED Light Bulb

- Energy efficient reading or accent light
- 18 bright white LEDs
- 12 Volt / 2 watts
- 60,000 hr bulb life
- 40 Lumen light output
- \$34.95



CC Vivid + LED Light Bulb

- Energy efficient porch, reading or ambient light
- 36 bright white LEDs
- 12 Volt / 3 watts
- 60,000 hr bulb life
- 90 Lumen light output
- \$44.95

FREE
US Ground Shipping
C. CRANE
COMPANY

800-522-8863 • ccrane.com

MALLARD WIND GENERATORS

Economical, Strong, & Very Reliable

MALLARD
800E



SALE

800 Watt

\$399

Regular price \$475

Package Deal 3-800E

& Regulator \$1150

We also have charge regulators, tower kits & plans, PMAs, blades, and lots of friendly advice & customer support.

Mike's Windmill Shop

www.mikeswindmillshop.com • 928-532-1607

Major Credit Cards Accepted • Call for Volume Pricing

electric system? Can I convert any of my indoor appliances to use air-driven motors (my fridge would be at the top of the desired conversion list)? I believe that it is possible that producing, storing, and transmitting compressed air could be done much more cheaply than producing, storing, and transmitting electricity.

My limited knowledge about all things electrical/mechanical leads me to think that it would be a struggle to run an air compressor directly from a solar-electric panel or wind turbine. So how about with a supercapacitor in between (I want to avoid the need for any kind of battery in this system)? If this would overcome the problem, can you publish a circuit diagram and parts list that would allow me to build such a system? What about an article about converting a fridge to use a hacked-up, cheap air tool, instead of an electric motor, to run its compressor? *Home Power* is better than many others because of the quality of its practical advice and the fact that many of its articles deal with things we can actually build. I'd really appreciate if it could turn its creativity to helping me solve my third great misuse of electricity. Chris Molloy • chris.molloy@allianz.com.au

Hi Chris, Thanks for your thoughts and questions. I'd like to start to answer your questions with a bit of historical perspective. The RE industry got its start largely with off-grid homes, many of them homes of "back-to-the-landers," including my own family's. We were poor, but eager to use natural energy as much as we could. Many of us started purchasing solar-electric modules when they were quite expensive, and we never seemed to be able to afford enough to do everything we wanted to do with electricity. This led us to some energy and economic compromises. It was simply financially out of our reach to power any significant heating loads with renewable energy. So we used wood, propane, or other fossil-based fuels for heating space and water, and we used fuel-fired generators to supplement our RE system output. Switching heating loads to other fuels became a basic strategy of RE system design.

But I'd like to point out that this was not because of some inherent mismatch between renewable electricity and heating. It was because of economics—we simply couldn't afford to power those huge energy loads with our RE systems. Propane became a common "enabler" (read: "crutch") for off-grid systems. But many of us had to ask if we had taken a real step forward to go off the electricity grid only to get onto the propane grid. Electricity generated at home is surely a more efficient and environmentally friendly plan than propane extracted from the ground hundreds or thousands of miles away and trucked in.

This is a long way to say that I think your "three great misuses" is a bit misguided, though there certainly is some truth in it. I would encourage you to think instead about the most appropriate way to accomplish each type of task, and find a way that is simplest, with the fewest energy conversions, and with the lowest economic and environmental cost. For space heating and water heating, passive solar design and solar hot water systems should be your first focus. But RE-based electric systems can be contributors in both of those arenas. This is especially true with hydro- and wind-electric systems, which are sometimes used for heating. This is usually with resistance heating, but recently a colleague has been experimenting with a heat pump run by his RE system, which promises to be a very efficient use of the energy.

Performance & Stability

98.0% of our orders ship within 2 days
99.8% of our products never fail
99.9% of our customers are satisfied
100% of our ownership, management, & strategy is unchanged since we started 13 years ago

MORNINGSTAR

Performance & Stability you can count on... for a long time



THE WORLD'S LEADING SOLAR CONTROLLERS

 **MORNINGSTAR**
corporation
Phone: +1-215-321-4457
www.morningstarcorp.com



HYDROSCREEN CO. LLC

- Self Cleaning
- Easy Installation
- High Capacity
- No moving parts
- Pipe, ramp and box mountings

- We specialize in creatively engineering solutions for your unique hydro diversion screening needs.
- Our solutions are cost effective with numerous screen mounting options; we also have durable 304 SS mounting boxes.

Visit us at www.hydroscreen.com or call (303) 333-6071
e-mail: RKWEIR@AOL.COM
We don't just sell screens, we engineer solutions!


Precision Wedge Wire Coanda Screens
for Hydro, Agricultural, and Domestic Diversions from 10 gpm to 500 cfs



solarthermal.com

SOLAR WATER HEATING
IT'S ALL IN THE VACUUM
SOLAR RADIANT FLOOR

Save up to 80%
on heating bills
Commercial • Residential



25 years
of industry leadership

THE NEW SOLAMAX SYSTEM
Direct flow design • Lower cost
Highest performance

THERMOMAX™

250.721.4360
zev@solarthermal.com
Toll free fax and mess'g
1.888.923.9443
Ask About Dealerships

As far as the compressed air idea, I think you'll find that you are using more energy to power tools this way than powering them directly with electricity. Every energy conversion has losses. When you convert from the rotational energy of the compressor's electric motor to the stored energy in the compressed air, there is a loss. When you convert from the energy in the compressed air to the rotational energy in your tool, there is another loss. As water pumping and wind guru Windy Dankoff points out, "In the process of compressing air, the temperature of the air rises, and the heat is lost. That's why compressors always have cooling fins to dissipate the heat. That heat represents about 50 percent of the energy that enters the compressor. If compressed air is the final desired medium of energy transfer, this is an inherent loss that must be accepted. Otherwise, electrical systems are more efficient."

Get high-quality, efficient motors for your large tools and you'll be saving more energy than by using compressed air. While it would be possible to drive compressors with wind turbines and hydro turbines directly, I doubt that you would see any overall gain over conventional RE electric systems.

Electricity is a wonderfully handy way to transmit and use energy. Put your efforts into using it as efficiently as possible, but don't start to think that there is something wrong with the form itself. Best, Ian Woofenden • ian.woofenden@homepower.com

Chris, I must agree with Ian on this one—compressed air, while excellent for transmitting very large amounts of mechanical power with simple devices over short distances (rotors and reciprocating actuators) lacks the efficiency and magnitude (not to mention the economics) of storage compared to that of electricity coupled with batteries.

Compressors, unless operating very slowly, will develop large amounts of heat (this is why the cylinder head has cooling fins and a fan on it). As Ian mentioned, this represents a loss (20% or more in home systems).

The storage of energy in compressed air systems, unless they are very, very large (as is done in Germany using underground caverns) is not only expensive in terms of the tank required but also disappointing when scaled down to home size. Here are

some numbers: Let's say you can find a very large propane cylinder—the kind used for home heating at about 500 gallons volume (they cost about US\$1,200 new). These tanks are rated at about 250 psi, but let's get crazy and run it up to 300 psi just to make the math easy. Using the universal gas law combined with a little physics, we find that the energy we can store in that tank amounts to something like 0.5 KWH. An ordinary Trojan golf cart battery costing US\$60 can store the same amount of energy (this assumes a regular discharge of 50%)!

So for the price of the propane tank, you could buy more than twenty times as much storage capacity, not counting the cost of the compressor or the fact that I can use electricity for a variety of purposes (like typing this letter on my computer). I know, it really is depressing and I still find myself, regardless of having done this calculation more times than I would care to admit, redoing the calculation over and over again over the years—you should see the results for hydro storage if you want to get even more depressed!

Compressed air storage is a wonderful technique for large power devices operating intermittently (air hammers, impact wrenches, etc.). It is also very safe, since the danger of electrocution is eliminated. And while the efficiency of very large compressed-air installations can be quite respectable (up to 80% compared to batteries at about the same value), in most home situations, I doubt if you would recover more than 50 percent. Electric motors are cheap and versatile. They can be replaced very easily and maintenance is virtually nonexistent (you have to oil air-tools on a regular basis).

If you would like some more info on the analysis of compressed air storage, check out Dr. Bossel's paper on the subject from www.efcf.com/reports. Just click on it and look under the "thermodynamics of compressed air storage." Hope this helps. Dominic Crea • dom120@juno.com



Send your letters to
Home Power magazine at
letters@homepower.com
or PO Box 520, Ashland,
OR 97520

share what you know!

Write for Home Power

We're always looking for fresh and inspiring new articles to publish. If you've got a renewable energy story to tell or an area of relevant expertise or experience, consider sharing what you know with other *Home Power* readers.

Have an idea? We're all ears.

Before you start writing, drop us an e-mail at submissions@homepower.com describing what you have in mind. Floating your idea up front could save you a lot of time. If it sounds like a good fit for *Home Power*, we'll work with you to define the editorial, photographic, and informational components needed to cover the topic.

Not a Writer? Not a problem.

We have a top-notch editorial staff who love nothing more than to make you sound brilliant. Don't be shy.

For more information, see our complete submissions guidelines on our Web site.

www.homepower.com/writing



BZ Products Model MPPT250

250 watt 25 amp Maximum Power Point Solar Controller

- Boost charge current up to 30%
- Up to 25 amp output current
- Microprocessor control
- 95% efficacy
- 250 watt PV input
- 12 to 24 volt input
- Digital metering
- PWM float control
- Battery temperature sensor standard
- 15 amp low voltage disconnect standard
- Aux battery trickle charger standard
- Five year warranty
- Made in U.S.A.



BZ Products, Inc.



314-644-2490 • www.bzproducts.net • bzp@bzproducts.net
7614 Marion Ct., St. Louis, MO 63143, USA

BATTERY BOX VENTILATOR

& BACK DRAFT DAMPER

- Positive hydrogen venting
- Stops back drafts
- Minimal power consumption

* Available from dealers and distributors across the U.S. and Canada



POWER VENT
12v & 24v - \$79
48v - \$104
+ \$10 S&H (cont. U.S.)

Zephyr Industries, Inc.
POB 52, Salida, CO 81201
719.530.0718
www.zephyrvent.com

AFFORDABLE SOLAR SINCE 1978
ZAPSUCKER.COM
LARGEST FULLY STOCKED
ENERGY STORE
ADVANCE POWER CO.
LIC# 620243 (707)485-0588

A Clean and Quiet Revolution

Enjoy the freedom of driving electric. Join the EAA today and declare your independence from high gas prices and imported oil.



For more information
visit us at <http://eaaev.org>

AC Propulsion tzero

ELECTRIC AUTO ASSOCIATION

RE happenings

Coming Next Issue

Listings of training events for dealers.

INTERNATIONAL

Internet courses: PV, green building & intl development. Solar On-Line (SÓL) • 720-489-3798 • info@solenergy.org • www.solenergy.org

Internet courses: PV Design & Solar Home Design. Solar Energy International online. Info: see SEI in Colorado listings.

AUSTRIA

Mar. 1–3, '06. Wels. World Sustainable Energy Days. Includes conferences on energy efficiency, green electricity, renewable HVAC & more. Info: O.Ö. Energiesparverband, Landstraße 45, A-4020 Linz • 43-732-772-014-380 • office@esv.or.at • www.wsed.at

CANADA

British Columbia. BC Sustainable Energy Assoc. meetings at chapters throughout province • www.bcsea.org/chapters

Calgary, AB. Alberta Sustainable Home/Office. Open last Sat. of every month, 1–4 PM, private tours available. Cold climate, conservation, RE, efficiency, etc. • 403-239-1882 • jdo@ecobuildings.net • www.ecobuildings.net

CHINA

Mar. 16–18, '06. Shanghai. New Energy 2006. Intl exhibition & conference on China's RE goals. Info: Coastal Intl Exhibition Co. • 85-228-276-766 • general@coastal.com.hk • www.coastal.com.hk

Jun. 28–30, '06. Beijing. Wind Power Asia 2006. Wind energy conf. & exhibition. Info: Unique Intl Exhibition Ltd. • 86-10-88-145-170 or 86-10-88-145-171 • sonya.xia@windpowerasia.com • www.windpowerasia.com

COSTA RICA

Jan. 23–29, '06. Rancho Mastatal. RE for the Developing World—Hands-On. Solar electricity, hot water & cooking; biogas & other RE technologies. Info: see listings for WA state.

GERMANY

May 16–19, '06. Hamburg. WindEnergy 2006. Intl trade fair. Info: www.windenergy.de

Sep. 4–8, '06. Dresden. European PV Conf. & Exhibition. Info: WIP-Munich • 49-89-720-12-735 • pv.conference@wip-munich.de • www.photovoltaic-conference.com

MONACO

Mar. 30–Apr. 2, '06. EVER Monaco. Conf. & exhibition on RE & ecological transportation. Incl. fuel cell & hybrid vehicles rally. Info: Philippe Napoléon, Gare de Monaco, 98000 Monaco • 37-79-775-421 • napoleon@ever-monaco.co • www.ever-monaco.co

NEPAL

Kathmandu. School of Renewable Energy Ltd. • 97-701-424-4003 • sre@nepalmail.com • www.sre.org.np

NICARAGUA

Jun. 30–Jul. 11, '06. Managua. Solar Cultural Course. Lectures, field experience & ecotourism. Richard Komp • 207-497-2204 • sunwatt@juno.com • www.grupofenix.org

SPAIN

Jul. 12–16, '06. Granada. Solar Cookers & Food Processing Intl Conf. For researchers & practitioners. Spread access to solar cooking, water purification & solar food processing. Info: Terra Foundation, Barcelona • solar@terra.org or Solar Cookers Intl • bev@solarcookers.org • www.solarconference.net

UKRAINE

Apr. 23–25, '06. Kyiv. Chernobyl+20: Remembrance for the Future. Intl conf. on the nuclear accident. Info: Tetyana Murza, Ecoclub • 380-362-237-024 • tanyam@nirs.org • www.ch20.org

U.S.A.

Info on state & federal incentives for RE. NC Solar Center • www.dsireusa.org

Ask an Energy Expert. Online or phone questions to specialists. Energy Efficiency & RE Info Center • 800-363-3732 • www.eere.energy.gov/informationcenter

Stand-Alone PV Systems Web site. Design practices, PV safety, technical briefs, battery & inverter testing. Sandia Labs • www.sandia.gov/pv

ARIZONA

Scottsdale, AZ. Living with the Sun energy lectures, 3rd Thurs. each month, 7 PM, City of Scottsdale Urban Design Studio • 602-952-8192 • www.azsolarcenter.org

CALIFORNIA

Arcata, CA. Campus Center for Appropriate Technology (CCAT), Humboldt State Univ. Workshops & presentations on renewable & sustainable living • 707-826-3551 • ccat@humboldt.edu • www.humboldt.edu/~ccat

Hopland, CA. Ongoing workshops on PV, wind, hydro, alternative fuels, green building & more. Solar Living Institute • 707-744-2017 • sli@solarliving.org • www.solarliving.org

COLORADO

Carbondale, CO. Workshops & online courses on PV, solar pumping, wind power, RE businesses, microhydro, solar thermal, alternative fuels, green building & women's courses. Solar Energy Intl. • 970-963-8855 • sei@solarenergy.org • www.solarenergy.org

Denver, CO. Windhaven RE seminars: Solar & Wind Energy Basics, Biodiesel & Alt. Fuels, Alternative Building, others. Windhaven Foundation for Sustainable Living • 720-404-9971 • windhavenco@yahoo.com • www.windhavenco.org

IOWA

Iowa City, IA. Iowa RE Assoc. meets 2nd Sat. every month at 9 AM. Call for changes. I-Renew • 319-341-4372 • irennew@irennew.org • www.irennew.org

MASSACHUSETTS

Mar. 7–9, '06. Boston, MA. Building Energy 2006 & Trade Show. Speakers, workshops & exhibitors. Northeast Sustainable Energy Assoc. • www.nesea.org

MICHIGAN

West Branch, MI. Intro to Solar, Wind & Hydro. 1st Fri. each month. System design & layout for homes or cabins • Info: 989-685-3527 • gotter@m33access.com

MONTANA

Whitehall, MT. Seminars, workshops & tours. Straw bale, cordwood, PV & more. Sage Mountain Center • 406-494-9875 • www.sagemountain.org

NEW MEXICO

Feb.–Mar. & Oct.–Nov. each year. Deming, NM. Intro to Homemade Electricity. Meets 5 Thurs. eves. Mimbres Valley Learning Center • 505-546-6556 ext. 103 • www.mvlc.us/dabccmain.htm

Six NMSEA regional chapters meet monthly, with speakers. NM Solar Energy Assoc. • 505-246-0400 • info@nmsea.org • www.nmsea.org

NORTH CAROLINA

Pittsboro, NC. RE, biofuels, green building, etc. Piedmont Biofuels Coop • 919-542-6495 ext. 223 • www.cccc.edu or www.biofuels.coop

Saxapahaw, NC. Get Your Solar-Powered Home. Solar Village Institute • 336-376-9530 • info@solarvillage.com • www.solarvillage.com

OREGON

Cottage Grove, OR. Adv. Studies in Appropriate Tech., 10-week internships. Aprovecho Research Center • 541-942-8198 • apro@efn.org • www.aprovecho.net

PENNSYLVANIA

Jun. 23–25, '06. Portage, PA. East Coast Alternative RE Fair. Exhibits, vendors & education on RE & sustainable living. ECARE • 814-736-8818 • info@ecarefair.com • www.ecarefair.com

Philadelphia, PA. Penn. Solar Energy Assoc. meetings. Info: 610-667-0412 • rose-bryant@erols.com

RHODE ISLAND

Jun. 3, '06. Coventry, RI. Sustainable Living Festival & RE Expo. Exhibits & workshops on solar, wind, biofuels, alternative vehicles & building. Music & food. Info: Apeiron • 401-397-3430 • brad@apeiron.org • www.apeiron.org

TENNESSEE

May 10–14, '06. Summertown, TN. Solar installer course, incl. hands-on install. Info: see next listing.

Oct. 19–22, '06. Summertown, TN. Personal oil independence course. Grow your own fuels, put PV on your roof. Info: The Farm • ecovillage@thefarm.org • www.thefarm.org

TEXAS

El Paso Solar Energy Assoc. Meets 1st Thurs. each month. EPSEA • 915-772-7657 • epsea@txses.org • www.epsea.org

Houston RE Group meetings. HREG • hreg@txses.org • www.txses.org/hreg

WASHINGTON STATE

Apr. 1, '06. Guemes Island, WA. Intro to RE workshop. Solar-, wind- & hydro-electricity, solar cooking & hot water. Classroom & tours. Info: see SEI in Colorado listings • Local coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

Apr. 3–5, '06. Guemes Island, WA. Solar Hot Water workshop, with HP Solar Thermal Editor Chuck Marken. Classroom, tours & installation. Info: see above listing.

Apr. 7–9, '06. Guemes Island, WA. Utility Interactive PV workshop. Classroom, tours & hands-on installation. Info: see above listing.

WISCONSIN

Jun. 23–25, '06. Custer, WI. RE & Sustainable Living Fair (aka MREF). Exhibits & workshops on solar, wind, water, green building, alternative fuels, organic gardening, energy efficiency & healthy living. Home tours, silent auction, Kids' Korral, entertainment, speakers. Info: see MREA listing below.

Custer, WI. MREA '06 workshops: Basic, Int. & Adv. RE; PV Site Auditor Certification Test; Veg. Oil & Biodiesel; Solar Water & Space Heating; Masonry Heaters; Wind Site Assessor Training & more. MREA • 715-592-6595 • info@the-mrea.org • www.the-mrea.org



Send your renewable energy event info to happs@homepower.com

questions & answers

Refurbishing Solar Collectors

My brother and I recently picked up some older solar hot water panels in the junkyard at a bargain basement price. They are flat panel copper, but need to be reinsulated, repainted, and resealed. What products would you suggest, keeping in mind that we need to keep this project low budget? I've been told that common black barbecue/stove paint will work, but should be "baked on" to gas off the volatiles before assembling to avoid clouding the glass. Is there a common type of insulation panel that will work, or do we have to invest in spray equipment? Any help would be appreciated. Jim LaPointe • jlapoi2010@yahoo.com

Hi Jim, Use 1-inch insulating board like polyisocyanurate insulation (about R-7 per inch) on the back and sides of your solar collectors. If you can't find it, use stiff, foil-faced, high-density fiberglass insulation. You can also use low-density fiberglass (about R-3 per inch) if the enclosures are deep enough to allow at least a 2-inch thickness. Unless you know that the service temperature of spray insulation is around 400°F (204°C), don't use it or any other type of lower-temperature urethane inside a flat plate collector. Fiberglass is less expensive anyway.

Seal the collector with contractor-grade silicone. Paint it with barbecue paint if you wish. High-temperature, flat-black engine paint works well also. There will not be any out-gassing problem from the paint or silicone as long as the paint is dry and you don't hermetically seal the panels (very hard to do in a garage/shop operation). Solar collectors are better off if allowed to "breathe" a little. Consider taking some photos of your refurbishment and submitting an article about your budget-minded solar hot water project. Cheers and good luck, Chuck Marken • chuck.marken@homepower.com

Switched Outlets

I live in a solar-electric home. I wired wall switches for outlets wherever I thought I would have phantom loads. Unfortunately, I didn't foresee all the places switched outlets would be needed. Putting in switched multistrips isn't always a great solution, such as in the kitchen. The multistrip takes up too much room and is kind of ugly. Has anyone made a thin receptacle interface with a switch on the side to make it a switched outlet? Seems like it would be more readily used and wouldn't be bulky and unsightly. Gary Demos

Hi Gary, You were wise to prewire switched outlets in key locations in your home. But it's hard to predict everywhere that you'll need them. Here's a photo (at right) of two add-on switched plugs that I use in my office. They allow me to turn computer peripherals on and off, eliminating phantom loads when I'm not using the component. These are a bit more aesthetically pleasing and streamlined than plug strips. Another option is to buy a receptacle with an integrated switch. This only gives you one receptacle, but can be a good option for individual appliances. Best, Ian Woofenden • ian.woofenden@homepower.com

Venting a Battery Box

Forty years ago, a cinder-block pump house and generator room was built for an off-grid homestead in the mountains south of Santa Fe. There was no insulation. Thirty years ago, the place sold. The new owner put in a Jacobs wind turbine and some solar-electric panels. He installed the charge controller in the pump house and added a cinder-block addition to house the batteries. He put in minimal insulation that has fallen apart over the years (mice love fiberglass).


Nine years ago, my wife and I bought the place. We were finally able to build our house and move in a year and a half ago. Last winter was our first winter. Our carefully calculated (by-gosh and by-golly method), four-day surplus of energy in the batteries turned into two days during the cold New Mexico winter months. *Ouch!*

So I'm rebuilding the battery and inverter rooms. I'm removing the old, gabled (facing east/west) roof and replacing it with an R-30 insulated, shed-style roof that faces south (for future solar-electric array expansion). I'm adding 4 inches (10 cm) of rigid foam insulation to the outside of the cinder blocks for R-20 walls that I'll stucco. I'll rebuild the doors, and add sun tubes for daytime light and LED lighting for nighttime. All is well so far.

What I'm worried about is the venting for the batteries. I do want to vent any hydrogen, but I don't want to lose all my hard-earned heat. What type of vents do I need? I'm sure you've written an article on the subject, but I seem to have missed it. Thank you, Grey Chisholm • www.chisholmclan.com/the-land/power/index.html

Hi Grey, This is always a conundrum. The best solution is to use a powered battery exhaust fan, such as the Zephyr (www.zephyrvent.com). They have a simple back-draft damper, and only run when the batteries are charging/gassing. They can be run automatically off one of the auxiliary relays in your inverter or charge controller. Let me know if you have any additional questions or ideas. Best, Joe Schwartz • joe.schwartz@homepower.com

Using switched plugs can eliminate phantom loads.



Pumping Dilemma

I'm a subscriber to *Home Power* and would appreciate your insight into our water woes. We are off grid in rural New Mexico, with a 24 V system that includes five, 140 W BP panels, Trace C40 charge controller and SW4024 inverter, and sixteen deep-cycle batteries. We are starting an organic farm and are finding that our water needs of six hours per day are heavily taxing our system. The well pump is 1/2 hp, 120 VAC, and delivers about 10 gallons per minute (0.6 l/s) to our 80-gallon (303 l) pressure tank. We have been advised to put in a 240 VAC pump or to make our water system stand-alone, powered strictly by DC. Other advice has contradicted this. Our pump house is only 50 feet (15 m) from our utility room, batteries, etc., and it was recommended that we just change to a bigger well pump and pressure tanks, and continue to use AC. What are your thoughts about this situation? Thanks very much for your help. Ted Silk • easilk@yahoo.com

Hello Ted, I'd remain 120 VAC for pumping. Your distance is short, and with solar electricity, there is no rush to do the job quickly. Increase the size of the pump if you wish, but I'd recommend going with more storage and pumping (with your existing pump) for a longer duration. An aboveground storage tank (the larger, the better—1,000-plus gallons; 3,785 l) will allow you to store water for when the sun is not shining. A bigger pressure tank will allow for less operating time on the pressurization.

Since water pumping is discretionary, you can choose the time to pump. Do it when the batteries are full and when the sun is shining. You will need to get the increased energy from somewhere, so increase the size of your PV array (I'd say at least double it) to meet the increased water pumping demand. You should not need to increase the size of the battery or the inverter. Richard Perez • richard.perez@homepower.com

Solar Thermal Plumbing

Hi Chuck, Just a quick one for you. What kind of pipe should I use to connect my hot water tank to my solar hot water panels, which are mounted on a south-facing roof on a shed 80 feet (24 m) away from my house? I used plastic PEX (cross-linked polyethylene) tubing. But one day, the water got too hot and the compression ring connections all got loose because the plastic got soft. Not good. With its oxygen barrier, and the way it holds bends and is easy to connect, PEX is so nice to work with. But do people normally use copper? Thanks, Paul Melanson • meshach@allstream.net

Hi Paul, Yes, copper tubing is almost always used on collector loops. The collector loop fluid can easily be more than 180°F (82°C). I believe this is the maximum service temperature recommended for PEX tubing. Other options that have been used are silicone and Teflon tubing, and high-temperature hoses (radiator hose), normally with barbed fittings. I'm not surprised that this happened, and I think it might be of interest to many Home Power readers who are considering a solar water heating system. Cheers, Chuck Marken • chuck.marken@homepower.com

Flywheels

Can you give me any information on flywheels suitable for replacing battery systems in houses? I am the principal of

an eco-village where all the houses are powered by solar electricity, using lead-acid batteries for energy storage. Flywheels could be an alternative storage medium. In the houses, we estimate 25 KWH of storage would be enough.

In the village, we reckon a 250 KWH system may be worth exploring. We also have a winter creek that over five months delivers 1 billion liters (more than 264 million gallons) over a 6-meter (20 ft.) fall from a dam spillway. Thanks for your assistance. Warwick Rowell • warwick.rowell@bigpond.com

Hi Warwick, I've been excited for a number of years about the idea of flywheels for energy storage. But every time I get an update on the products on the market, I'm disappointed. The idle losses are too high (not to mention the cost), and the capacities are often too low. The flywheel systems I'm aware of are designed to be continuously spun using grid electricity, so they are available during short-term utility outages to supply electricity for telecomm applications. See www.beaconpower.com for one prominent manufacturer. I would love to see this technology mature into something that is useful for the renewable energy industry, but at this point, the efficiency, cost, and idle losses of lead-acid batteries look pretty good by comparison. Meanwhile, you should tap into your hydro resource! Regards, Ian Woofenden • ian.woofenden@homepower.com



Send your questions to Home Power magazine at

**letters@homepower.com or
PO Box 520, Ashland, OR 97520**

Intentional Communities



Dedicated to communicating the experience and wisdom of intentional community.

We've been at it for 30 years, and recently covers the world of community like *Communities* magazine.

1 year subscription \$20 (\$24 Canada)
Sample issue \$6 (\$8)

800-462-8240

tci.tu.org/cmag

readers' marketplace

HYDROELECTRIC SYSTEMS: Pelton and Crossflow designs, either complete turbines or complete systems. Assistance in site evaluation and equipment selection. AC Systems for standalone or grid interconnect operation. Manufacturing home and commercial size turbines since 1976. Send for a free brochure. Canyon Industries Inc., P.O. Box 36 HP, Deming, WA 98244, 360-592-5552. e-mail: citurbine@aol.com web page: canyonhydro.com • HP11102

HELP WANTED BUILDING PASSIVE SOLAR Cement Domes Learn to build your own- Housing also provided www.2BbyD.com • HP11103

COSOLAR.COM discount prices from Colorado Solar Electric. OutBack Inverters in stock 1-800-766-7644 • HP11104

SINGLE AND DUAL AXIS SOLAR TRACKER CONTROLS up to 48V and 5A output. www.theanalogguy.com • HP11105

SURPLUS INDUSTRIAL BATTERIES: Save up to 70% on unused military and industrial batteries. Many types and sizes, super H.D. Factory crated. Also chargers, wind and solar equipment, new and used. D.P.S.D. Inc. 3807 W. Sierra Hwy. #6, Acton CA 93510. 661-269-5410. Fax 661-269-3601. • HP11106

DVDs AVAILABLE: NEW-“ELECTRIC CAR CONVERSIONS,” “Guerilla Solar Install,” “Intro to Solar Power,” “Intro to Solar Pool Pumps,” “Solar Installation” www.igotsolar.com • HP11107

ECOMALL: The largest environmental portal of earth-friendly companies and resources. Renewable energy companies, news and information. www.ecomall.com. To advertise, call 845-679-2490. • HP11108

AFFORDABLE-SOLAR.COM Grid Tie - Off Grid. Solar Panels, Inverters, Energy Efficient Appliances, Friendly Knowledgeable people, Fair Prices. Look us up on the web at www.Affordable-Solar.com or call Toll Free 1-800-810-9939 • HP11116

LARGE GAS REFRIGERATORS 12, 15 & 18 cubic foot propane refrigerators. 15 cubic foot freezers 800-898-0552 Ervin's Cabinet Shop, 220 N County Rd. 425E., Arcola, IL 61910 • HP11109

XXXXXXXXXUNI-SOLAR XXXXXXXXX XXXXXX 64 Watts \$359 XXXXXXXXX M55 Siemens panels \$260/SQ 80 watts \$350. New 1500 AH Absolight 12V batteries \$1900. TraceX SW5548 \$2450. Ex 2KW inverter SB \$850. Buy, sell New/Used 760-949-0505 • HP11110

HONDA GENERATORS - 1000 to 10,500 watts. Fast shipping and great prices! www.hayesequipment.com 1-800-375-7767 • HP11111

DC SUBMERSIBLE WELL PUMPS. Complete, ready to install. \$219 includes IMMEDIATE FREE SHIPPING. Visit www.nemosolar.com or call 1-877-684-7979 • HP11112

I AM A SOLAR WHOLESALER looking for retailers to carry my solar electronic and hobby goods. Phone # (916) 486-4373. Please leave message. • HP11113

TRINIDAD COLORADO: Get more out of life and your money with this active/passive, 2000 SF home, 2bedr 1 & 1 3/4 baths on 40 private acres. Built in 2003. \$350,000. This and more solar-powered homes can be found at www.SolarRealty.net. (970) 728-3205, 1-800-571-6518. The worlds only Solar-powered real estate office, John Janus, Broker • HP11114

EDTA RESTORES SULFATED BATTERIES. EDTA tetra sodium salt, \$12/lb. plus \$5 S&H for 1st lb. plus \$1 S&H for each additional lb. Trailhead Supply, 325 E. 1165 N., Orem, UT 84057, (801) 225 3931, email: trailheads@webtv.net, info. at: www.webspawner.com/users/edta. • HP11115

SURVIVAL UNLIMITED.COM - Emergency Preparedness & Survival Supplies. Wind Power from 439.00+. Many great products & prices! 1-800-455-2201 www.survivalunlimited.com • HP11119

HYDROS P.M. BRUSHLESS DC units with Harris housing and wheel. From \$1350. www.homehydro.com (707)923-3507 • HP11128

SOLAR HEATERS FOR SALE! Get free heat from the sun for your home, office, garage, etc. Visit us today at www.hotboxsolar.com or by phone at 1-607-481-0992. HotBox Solar. 263 Glenwood Ave. Elmira Heights, NY. 14903 • HP11117

VARI-CYCLONE: DC powered ceiling fan, 40% more airflow with no increase in power consumption. For more info contact RCH Fanworks, the #1 manufacturer of DC powered ceiling fans, 2173 Rocky Crk. Rd. Colville, WA 99114 PH: 509-685-0535, email: info@fanworks.com, Web: www.fanworks.com, Dealer inquiries welcome. • HP11118

WWW.EARTHTOYS.COM - Online library and emagazine all about alternative energy systems and equipment • HP11120

50+ Custom MICROHYDRO TURBINE sizes in stainless or plastic, brass nozzles 5-29mm, arbors, site study tools, www.H-Hydro.com • HP11121

SOLAR HOT WATER SYSTEMS - MANUFACTURING - SALES - SERVICE - WIND - WATER - SOLAR - BIODIESEL. Dealer Inquiries Welcome. Trimline Design Centre Inc 6772-99 Street Edmonton AB CAN T6E 5B8 780 466-9034 www.trimlinedesigncentre.com • HP11122

SOLAR CELLS New 5" monocrystal 50 per pack - 125 watts \$150.00 make your own solar panels email for specs: none1120@juno.com • HP11123

OVERCOME YOUR ENERGY DEPENDENCE WITH SOLAR. COMPLETE SELECTION of reliable solar energy products for everyday living. Just about anything using electricity can be solar powered—cost efficiently. Free catalog. www.DiscoverPower.com 858-581-0051 Or 800-842-5678. Discover Power • HP11124

WANT TO LIVE RENT-FREE - anywhere in the world? There are empty homes in every state and country, and property owners are looking for trustworthy people to live in them as property caretakers and housesitters! The Caretaker Gazette contains these property caretaking/housesitting openings in all 50 states and foreign countries. Published since 1983, subscribers receive 1,000+ property caretaking opportunities each year, worldwide. Some of these caretaking and housesitting openings also offer compensation in addition to the free housing provided. Short, medium and long-term property caretaking assignments are in every issue. Subscriptions: \$29.95/yr. The Caretaker Gazette, PO Box 4005-E, Bergheim, TX 78004. (830) 336-3939. www.caretaker.org • HP11125

USED WIND TURBINE 17.5 kW Jacobs w/80' Self supp. tower 661-724-1488 \$19,000 OBO • HP11126

ENGINEERING SOFTWARE PROVIDES ENERGY CONVERSION SYSTEMS SOFTWARE. Free material is available at <http://members.aol.com/engware> • HP11127

VOLTSRABBIT KIT FOR SALE new in unopened crate. Retails for \$7.8k - asking \$5k, will ship, you're satisfied or full refund 325-942-1052 eves • HP11129

TRACE SW4048 INVERTER W/ REVISION 4.01 Software. Like new, \$1200. 509/891-6625; Fax 509/244-9351 • HP11130

AUCTIONS AND STORES FOR ALL AE PRODUCTS AND SERVICES: www.tedjec.com/auctions/ • HP11131

JACOBS WIND GENERATORS. www.rightok.net/~windyoaks242 • HP11132

NICE 1400 SQ FT HOME ON 35 ACRES, solar & wind power, 3 bed, 2 bath. Fabulous 360° mountain views, only \$149,900. Call or email Cindy at 888-783-9100 ext 16 or cindy.jeske@coldwellbanker.com Coldwell Banker Colorado Mountain Land & Home, LLC • HP11133

HEAT2ELECTRICITY.COM Convert heat from your woodstove or any heat source DIRECTLY to electricity! Reliable thermoelectric generator systems with new "patent pending" design. 1-877-612-2123 • HP11134

5 ACRES, ASPEN & PINE, SPECTACULAR VIEWS and an open building site make this peaceful beauty in Southern Colorado a great investment for \$18,900. Call or email Cindy at 888-783-9100 ext 16 or cindy.jeske@coldwellbanker.com Coldwell Banker Colorado Mountain Land & Home, LLC • HP11133

Readers' Marketplace Rates

Rates: 25¢ per CHARACTER, include spaces & punctuation. \$20.00 minimum per insertion. All Readers' Marketplace ads are published in both the print and Web versions. Please send a check or Visa, MasterCard, American Express, or Discover card data with ad. Please, no money orders. We do not bill Readers' Marketplace ads; they must be paid for in advance of publication. Your cancelled check or credit card bill is your receipt.

Submit your ad by:

- **E-mail:** (preferred) readersmarketplace@homepower.com;
- **Fax:** 541-512-0343;
- **Phone:** 800-707-6585 or 541-512-0201

Help us prevent fraud! *Home Power* Readers' Marketplace ads from individuals must supply serial number(s) for equipment being sold. Businesses must supply published phone number(s) and a physical address. While *Home Power* is doing everything we can to prevent fraud, we can assume no responsibility for items being sold.

adopt a library!



When Karen and I were living with kerosene lamps, we went to our local public library looking for a better way to light up our nights. We found nothing about small-scale renewable energy. As a result, one of the first things we did when we started publishing *Home Power* sixteen years ago was to give a subscription to our local public library.

If you'd like to do the same for your public library, we'll split the cost of the subscription with you. Inside the U.S., you pay \$11.25 and we'll pay the rest. Outside the U.S., the same offer stands, so call us for rates.

— Richard Perez, Publisher



Check with your local library before signing them up. Eligible libraries must be open to the general public.
PO Box 520, Ashland OR 97520 • 800-707-6585 • 541-512-0201 subscription@homepower.com • www.homepower.com

installers directory

Do you want a renewable energy system, but don't want to install it yourself? You deserve a system that meets your expectations and budget! A renewable energy professional will design and install a safe, code-compliant system, and offer you service and support after the sale. Check out the state-by-state installer listings below.

Home Power does not guarantee the quality provided by the businesses listed below—please shop carefully, request references and certifications, and compare.

Arizona



Generator Solar & Wind Power Systems Design, Sales, installation & maintenance. Off-grid & grid-tied, prime power or back-up. Complete systems, hybrid systems, or sub systems & components. We can do it. Covering all of Arizona & dedicated to helping all present & potential customers. Ralph Odonal, license # ROC203166. (928) 639-2297, (928) 300-4067, altpwrsys@hotmail.com



Good Power Company, Stand Alone or Grid Tie systems for homes, business, solar wells and outdoor lighting. Solar, wind and motor generator systems. Licensed contractor serving ALL of Arizona. Remote home specialist! Free estimates. Call Dave Haycock for prompt courteous design, sales, installation and service. (520) 560-3856, espdave@hotmail.com. References. ROC195768



IDC Solar Exclusive products like the Guy-wireless Wind Tower, the Modular Wiring Unit and the Automatic Battery Watering System, make IDC Solar's renewable hybrid energy systems advanced, to code, and worry free. We are licensed for all commercial and residential renewable energy devices. We install both locally and nationally. 1 (928) 636-9864



Northern Arizona Wind & Sun, of Flagstaff, Arizona, has designed and installed thousands of solar electrical systems since 1979. Call or email us for a design quote for Residential Utility Tie, Remote Home, Water Pumping, or Telecommunication System at 800-383-0195, email windsun@wind-sun.com, or visit our website at <http://store.solar-electric.com/index.html>. Licensed #ROC 089239.

California



Acro Electric is a full service, turn-key, res.& comm. solar electric contractor. We design, install, & handle all necessary CEC, utility forms and contracts. Quality installations are backed by 32 years electrical experience. Approved by the League of California Homeowners (www.homeowners.org) & Better Business Bureau (www.midcalbbb.org). Free site analysis & brochure. (866)711-ACRO • www.acroelectric.com



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8



Carlson Solar has been serving Southern CA since 1988. We are a licensed, bonded, and insured solar-electric installation company, specializing in both grid-tie and off-grid systems. We are NABCEP certified and take great pride in our excellent customer service. Saving the environment one house at a time. Call toll-free 1-877-927-0782 or visit us at www.carlsonsolar.com



Cobalt Power Systems Inc. is a full-service, licensed installer of PV systems in the SF Bay Area. We offer free consultations, detailed proposals, professional system design by an electrical engineer, expert installations, and competitive pricing. We handle all the paperwork for the client, and we oversee all inspections. Please contact us at 650-948-9574 or www.cobaltpower.com.

California, cont.



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob@electronconnection.com, www.electronconnection.com



Empower Energy, Southern California. We design, sell, install, & service high quality residential & commercial solar electric generation systems. Specializing in grid-tied and remote stand-alone systems. Make renewable energy a responsible and cost-effective part of your home or business. Free project estimate 800 494-2366 empowerenergy.net info@empowerenergy.net. Licensed since 1995, #711993



Feather River Solar Electric Bill Battagin of Taylorsville has been designing, installing and servicing renewable energy systems since 1982. PV, micro-hydro, hybrids; grid intertie or stand alone systems. CA Elect. I Lic. # 681552, Outback Cert. Tech. We live and work with RE. Serving Plumas, Lassen, Sierra, Butte Cos. 530.284.7849 frenergy@psln.com, www.frenergy.net



Independent Energy Systems, Serving the Santa Cruz/Monterey Bay Area. We specialize in design, installation and sales of residential/commercial PV systems. Our mission is to provide our friends in the community an opportunity to become part of the future in renewable energy. We are based in Santa Cruz, we love what we do and it shows in our work! Ph: 831-477-0943 or visit www.iesolar.com



Offline Independent Energy Systems, Since 1983. An electrical contracting co., we specialize in utility intertie (with state rebate & net metering) & off grid systems. Owned & operated by Don & Cynthia Loweburg in Central CA East of Fresno. Don Loweburg NABCEP Certified Installer. POB 231, North Fork, CA. 93643, (CA lic# 661052) ph 559 877 7080, fx 559 877 2980, ofln@aol.com www.psnw.com/~ofln



Owens Electric & Solar, Providing quality power solutions since 1964. Full range of energy conservation & turnkey services including efficiency upgrades & PV solar system installations for residential & commercial applications. Licensed, bonded, certified, & insured C-10 Electrical Contractor (#464389) serving northern CA. 1-877-57-SOLAR. info@owenselectricinc.com www.owenselectricinc.com



Solar Wind Works specializes in consultation, sales, design, service, & installation of complete RE systems. US Distributor for Proven Wind Turbines. We supply all components. Grid-connected or grid-independent. Truckee, CA 530-582-4503, 877-682-4503, NABCEP Certified Installer. CA Contractor's Lic # 796322 chris@solarwindworks.com, www.solarwindworks.com

Canada



Energy Alternatives has been serving Canadians for over 20 years. A licensed electrical contractor (BC Lics # 86683) with professional installers throughout Canada. Expert consultation & design services, turn-key installed systems or DIY packaged system kits. Extensive inventory for fast delivery. Visit www.EnergyAlternatives.ca, Call 1-800-265-8898. Canadian dealer inquiries welcome.

Colorado



Burnham-Beck & Sun, Solar & Wind Energy Systems. Located in Fort Collins, Colorado, we make site evaluations, system designs, and installations in Northern Colorado, Southern Wyoming. We drop-ship equipment anywhere in the US. Retail products include PV modules, wind turbines, inverters, batteries, efficient appliances. 970-482-6924. mailto: BurnhamBeckSun@aol.com. www.burnhambeck.com



Namaste Solar Electric Inc., designs, sells, installs & services residential & commercial solar electric systems; over 10 years experience. Grid-tied & stand-alone systems in CO & neighboring states. We live with the technologies we sell & we stock our home-tested products. Our guiding principles: People, Planet, Prosperity. (303) 447-0300 Fax (303) 443-8855 www.namastesolar.com ray@namastesolar.com



Simple Solar Systems is your full-service provider of consultations, designs, sales, and installations of residential and commercial solar electric systems. Grid-tie or Stand Alone. 15 years in the industry. Together, let's live consciously for our planet. Licensed and Insured. CoSEIA and NABCEP Certified Installer, Joe Callahan (303) 541-9852 joe@simplesolarsystems.com www.simplesolarsystems.com



Solar Solutions Ltd. provides photovoltaic, wind & hybrid power systems & components for stand alone systems, grid tied, RV's & remote water pumping. Committed to providing the highest quality service & customer satisfaction. A proud member of Colorado SEIA and a lifetime member of the Colorado RE Society and ASES. Xantrex Certified Dealer. 888 44solar or 888 447-6527 www.solarsolutions.com

Connecticut



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8

Florida



ECS Solar Energy Systems (tel) 352-377-8866 www.ECS-solar.com / tom@ECS-solar.com We service FL, the Caribbean and the Southeastern U.S. FL's first solar contractor since 1977. Solar pool heating, hot water, and electric systems -commercial & residential. Solar lic. # CVC056643 Florida state certified for "grid-connected" systems. Contact us now to receive a free solar informational booklet.

Georgia



SC Solar designs/install PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.

Idaho



Creative Energies Eastern Idaho's premiere full-service RE company. Solar & wind power for remote cabins, homes & ranches, utility grid-tied solar & wind power, solar hot water & heating, solar water pumping & passive solar home design. We custom design a system that fits your needs & budget. Trace certified dealer. Phone/fax: 208-354-3001 toll free 866-332-3410 info@cesolar.com • www.cesolar.com

Mexico



SC Solar designs/install PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.

Michigan



Backwards to the Future Ltd. installing, designing and supplying solar equipment since 1986. OEM supplier of evacuated tube heat pipe technology for DHW & hydronic heating. Systems building integration by joint venture with registered architect. State licensed residential builder & solar mechanical contractor. POB 409 Fennville MI 49408 tel: 269 2366179 email: info@BTFSolar.com www.BTFSolar.com



Minnesota

Innovative Power Systems: The leading provider of solar-electric & solar thermal systems in the Twin Cities. IPS sells, designs, installs, & services solar systems. 2 NABCEP Certified Installers on staff. Since 1990, we have been helping homeowners, businesses, and community organizations make the transition to clean, ubiquitous energy. www.ips-solar.com. 612-623-3246. info@ips-solar.com



Oasis Montana Inc.: Designs, sells, & installs renewable energy power systems in North America and also offers efficient and gas appliances. Our engineer Dan Healy is a NABCEP Certified Installer. Toll-free: 877-OASIMT or 877-OASISPV. Web sites: www.oasimontana.com, www.grid-tie.com, www.PVsolarpumps.com. E-mail: info@oasimontana.com



Planetary Systems, Inc. In business 10+ years. Sales/design/installation of complete RE electrical, water & hydronic heating systems. Our patented RE "Power Package" simplifies installation & reduces costs. Can be shipped nationwide & installed locally. CAD schematic system drawings/technical support provided. Xantrex Certified Dealer. Phone (406) 682-5646, www.planetarysystems.com

Nevada



Alternative Energy Solutions, Reno, Nevada. We design, sell, install and service PV, wind, off grid and grid tie RE systems, Nevada State Licensed and Bonded Contractor, NABCEP PV Certified Installer. Xantrex / Trace Authorized Service Center, Xantrex Certified Dealer, Outback Factory trained field service technicians and Certified Uni-Solar field laminate installer. 775-857-1157 toll free 1-866-491-SOLR



Solar Unlimited, Inc. serves Nevada's Renewable Energy design, sales, service, and installation needs, including PV, wind, net-metering and off-grid systems. We are authorized dealers for Solarwall, Gillette, Xantrex, Outback, African Wind Power and more. Licensed and insured. Call toll free 866-SOLAR99 or visit www.solarunlimited.net.



Solar Wind Works specializes in consultation, sales, design, service, & installation of complete RE systems. US Distributor for Proven Wind Turbines. We supply all components. Grid-connected or grid-independent. Truckee, CA 530-582-4503, 877-682-4503, NABCEP Certified Installer. NV Contractor's Lic # 59288. chris@solarwindworks.com, www.solarwindworks.com

New Hampshire



Sunweaver Incorporating innovative technologies for power, water and heat. Encouraging knowledge and direction towards resource responsible solar living. Installing in New England and the Caribbean since 1985. www.sunweaver.org. mailto: info@sunweaver.org 603-942-5863 Showroom hours: Monday-Saturday 11am-6pm



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8



Direct Power and Water Corp designs, engineers & professionally installs turn-key solar electric systems for remote homes/log cabins, commercial, telecommunication, & water pumping applications. NABCEP Certified Design Engineer Daniel Duffield & Master Electrician EE98J Dave Hammack have over 30 years experience and live by PV. References provided. (800)260-3792 www.directpower.com



Paradise Power Company is a small company located in Taos, New Mexico, the solar capital of the world. Not restricted to any locality though most of our work is in New Mexico, Colorado, and Texas. We offer a complete electrical service specializing in solar and alternative electrical system design, sales, installation, maintenance and lifestyle. 505-737-5896. paradise@taosnet.com • www.paradisepower.net

New Mexico, cont.



Positive Energy Inc. High quality renewable power systems. Licensed, bonded, and insured electrical contractor serving Santa Fe and northern NM. Owner Allan Sindelar is NABCEP certified and is a certified dealer/installer for Xantrex, Outback, and Sunnyboy. 505 424-1112. E-mail: info@positiveenergysolar.com. Website: www.positiveenergysolar.com



Remod Solar Service Solar Heating Specialists for over 27 years with thousands of happy customers. Installation, design & repair. Licensed NM Electrical, Plumbing and HVAC contractor. Solar space heating, solar water heating, radiant floor integration and solar pool heating. Old and slow but at least we're expensive. Remod Inc. Albuquerque Lic. # 26528 (505) 247-4522 chuckmarken@qwest.net

New York



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8



Suntric Renewable Electric Systems, Experienced, qualified installers of photovoltaic, wind, and micro-hydro stand alone systems. Located on the western end of the Adirondack Park in northern New York State. Site evaluations, design consultations, sales and service. Off grid since 1976. Edwin & Pamela Falk, 6920 Abbey Road, Lyons Falls, New York 13368 • 315-348-6893



Solar & Wind FX Inc. NY's only Off-grid Design & Training Center, where a client can see the latest RE & Green building technologies. A family owned, full service company focusing on Western NY that provides site evaluation, design, installation & the all important, service after the sale. Member of NESEA & NYSEIA, SEI alumni & a NYSERDA installer. 585-229-2083, solarandwindfx.com

North Carolina



SC Solar designs/install PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.



Solar Village Institute, Inc. NC's premier solar, wind, micro-hydro dealer-installer-educators. Off-grid since 1992. Top quality, pro work, guaranteed. NC, SC, VA, GA, AK. Specializing in Wind/Solar hybrid off-grid systems. New/remodels. Christopher W. Carter, Pres. SEI alumni, Xantrex Cert. dealer. David Del Vecchio, installation manager. www.solarvillage.com, chris@solarvillage.com, 800 376 9530

Ohio



REpower Solutions: Northeast Ohio's renewable energy provider for home and business. Design, installation, and education for PV and wind systems. NABCEP Certified Installer. Xantrex Certified Dealer. e-mail: power@repowersolutions.com. Website: www.repowersolutions.com. P.O. Box 91992, Cleveland, OH, 44101. 216-402-4458.



Third Sun Solar & Wind Power, Ltd. is Ohio's leading renewable energy contractor. Complete design and installation of off-grid, utility tied, PV and wind systems in OH, KY, IN, IL, MI, PA, WV. Owner Geoff Greenfield is NABCEP Certified Solar PV Installer. We are committed to excellent customer service & the highest quality systems. www.third-sun.com. (740) 597-3111.

Oregon



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob@electronconnection.com, www.electronconnection.com

Oregon, cont.



Mr. Sun Solar: Since 1980, the Northwest's leading solar installer. Over 1,200 projects including solar hot water, solar pool heating, solar attic fans, and on- and off-grid PV systems. Dealer for Sol-Reliant™, The Solar Water Heater Built to Last - OG-300 and Bright Way™ approved. Phone: (888) SOL-RELY (888-765-7359). Web: www.MrSunSolar.com and www.SolReliant.com

Pennsylvania

www.
windturbine-1
.com

SC Solar

Appalachian Wind Systems, LLC has been serving PA, WV & MD for 6 years. Distributor for Cyclone wind turbines, Synergy wind turbines, Sun solar panels, LED lighting, stand alone & grid tie inverters and other products. Site evaluations and financial analyses. We also sell, service & install 10-60 meter NRG meteorological towers & first stage wind analysis. For more information, call 724-452-0326

South Carolina

SC Solar

SC Solar designs/install PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.

Texas

Meridian

Meridian Energy Systems specializes in the design and installation of high quality solar and wind energy systems throughout the State of Texas...and beyond. Factory trained technicians and NABCEP Inaugural Certificant on staff. Visit our website www.meridiansolar.com or call 512-448-0055

NTREI ★

North Texas Renewable Energy Inc. North Texas' premier solar and small wind energy service. Complete system design and installation. Available service contract Independence-Reliability-Conservation. Jim Duncan answers@NTREI.com 817.917.0527

Solar

Solar Unlimited, Inc. Southern Utah's leading design, sales, service and installation professional for all your alternative and Renewable Energy needs, including PV, wind, net-metering or off grid systems. We are authorized dealers for Solarwall, Gillette, Xantrex, Outback, African Wind Power and more. Licensed and insured. Call toll free 866-SOLAR99 or visit www.solarunlimited.net.

Utah

Vermont

Vermont Solar Engineering

Vermont Solar Engineering has provided the finest in renewable energy throughout New York and New England, since 1991. We design, install, and support solar electric, wind electric, and solar hot water systems. K. Herander, NABCEP™ certified installer. Xantrex Certified Dealer. NYSERDA eligible installer. Vermont Solar and Wind Partner. www.vermontsolar.com 1-800-286-1252

DTI

Dunimis Technology Inc. Providing alternative energy systems since 1992. NABCEP certified solar technicians on staff. We specialize in the more demanding upscale off-grid residential & commercial installations. Installations completed in ID, TX, PA, NJ, NC, VA, and WV. P.O. Box 10, Gum Spring, VA 23065, Phone 804-457-9566, jryago@wwjv.net, www.pvforyou.com

Washington

Mr. Sun Solar

Mr. Sun Solar: Since 1980, the Northwest's leading solar installer. Over 1,200 projects including solar hot water, solar pool heating, solar attic fans, and on- and off-grid PV systems. Dealer for Sol-Reliant™, The Solar Water Heater Built to Last - OG-300 and Bright Way™ approved. Phone: (888) SOL-RELY (888-765-7359). Web: www.MrSunSolar.com and www.SolReliant.com

Power Trip Energy Corp.

"Craft Your Personal Energy Policy" Full service electrical contractors specializing in solar installations in Western Washington. Design & install grid-tied and off-grid, beautiful and practical PV projects for residential, commercial, & municipal clients in the greater Puget Sound Region. www.powertripenergy.com (360) 643-3080. info@powertripenergy.com, WA LIC# POWERTE964JN

Washington, cont.



Seraphim Energy, Inc. Full service electrical contractor serving the Columbia River Watershed. We specialize in on and off grid wind, sun and water powered systems, meeting all your design, installation and procurement needs. From 100W to 100GW, plug into Seraphim Energy. WA# SERAPEC971IMG, 800.265.6288, www.seraphimenergy.com, re@seraphimenergy.com



SolarWind Energy Systems, LLC P.O. Box 1234, Okanogan, WA 98840 (509) 422-5309 www.solar-wind.us WA Cont. # SOLARES983RQ. Serving Eastern WA & Northern ID grid-tied & off-grid RE systems. Solar PV, wind, solar hot water, remote stock watering. Design, installation, service, maint. Solar Energy International (SEI) trained. Lic. & bonded. bclark@solar-wind.us or jmartin@solar-wind.us

Wisconsin

Photovoltaic Systems Co.

Photovoltaic Systems Co., since 1980 we have been designing, installing and servicing solar electric systems statewide in WI. NABCEP Certified Installer, Xantrex certified dealer & authorized service cntr.; MREA instructor teaching basic thru advanced PV systems workshops. James Kerbel 7910 hwy 54 Amherst Wi. 54406 715-824-2069 PVSOLAR@wi-net.com



Creative Energies Wyoming's premiere full-service RE company. Solar & wind power for remote cabins, homes & ranches, utility grid-tied solar & wind power, solar hot water & heating, solar water pumping & passive solar home design. We custom design a system that fits your needs & budget. Trace certified dealer. Phone/fax: 208-354-3001 toll free 866-332-3410 info@cesolar.com • www.cesolar.com

Wyoming

RE Installer? Get Listed.

Our readers continue to look to Home Power for referrals to RE installation professionals in their area.

For more information or to get your business listed in HP's installers directory, e-mail advertising@homepower.com or call 541.512.0201.



SOLAR HOT WATER WITH WINSTON SERIES CPC COLLECTOR

- Residential / Domestic Water Heating

- Commercial Water Heating

- Industrial Water Heating

- Domestic Space Heating

- Air Conditioning

- Swimming Pool and Spa Heating

- Snow Melting



SOLARGENIX ENERGY

EMAIL@SOLARGENIX.COM WWW.SOLARGENIX.COM
CONTACT: 3622 S. MORGAN ST. CHICAGO, IL 60609
PH: 773-847-8333 F: 773-847-8555

2101 WESTINGHOUSE BLVD., STE 115 RALEIGH, NC 27604
PH: 919-871-0423 F: 919-871-0702

your complete guide to

COOKING WITH THE SUN

HEAVEN'S FLAME

146 Pages
200 Photos & Diagrams
Solar Cooker Designs

NOW HALF OFF!
just \$7.50 (+shipping)

Order online at
www.homepower.com/hf
or call 800-707-6585
or 541-512-0201



SOLAR HOT WATER SYSTEMS

Lessons Learned:
1977 to Today

Solar Hot Water & Pool Heating Design
High Performance-Low Maintenance Systems
Reality Checks Using Current Technology

In this definitive, fully illustrated 200-page manual, solar energy pioneer Tom Lane outlines how the latest technology and valuable lessons learned from the past can help a new generation of solar contractors expand their businesses and satisfy their customers.

\$50
color edition

Order online (FREE partial download) or call:
ENERGY CONSERVATION SERVICES

\$34
B&W edition
SAH: \$4

(352) 377-8866
www.ecs-solar.com

advertisers index

- AAA Solar Supply 100
ABS Alaskan 109
Abundant Renewable Energy 93
Adopt-a-Library 123
Advance Power Co 117
Advantage Solar 75
AEE Solar Supersource 75
All Battery Sales & Service 93
Alternative Energy Store 9
Alternative Power & Machine 72
Apollo Solar 87
B.Z. Products 109, 117
BackHome 107
Backwoods Solar Electric Systems 2
Bailey's Inc 59
BioShield 50
Blue Sky Energy Inc 65
Bogart Engineering 74
BP Solar OBC
Brand Electronics 73
Butler Sun Solutions 101
C. Crane Company 114
Centric Power Group 53
Communities magazine 121
Conergy/Dankoff Solar 20
DC Power 51
Digital Subscriptions 80
Direct Power & Water Corp 40
Earth Solar 34
Electric Auto Association 117
Electro Automotive 104
Electron Connection 41
Energy Alternatives 64
Energy Conservation Services 101, 127
Energy Outfitters 5
Energy Star 42
Energy Systems & Design 58
Exeltech 43
Forcefield 50
FridgeFreeze 93
Fronius International 19, 21
Gorilla Vehicles 33
Harris Hydroelectric 26
Heaven's Flame 127
Home Power Back Issues 81
Home Power CD-ROMs 80
Home Power Sub Form 81
Hydrocap 51
Hydroscreen Co LLC 115
Independent Power Systems 104
Inverter Service Company 100
JWP/Battery Fill Systems 65
KTA Services Inc 97
Lorentz GMBH & Co. KG 58, 93, 101
Magnetek 27
Magnum Energy 4
Midnite Solar 29
Mike's Windmill Shop 114
Morningstar 115
MREA Workshops 105
New Horizon Corp 105
North American Board of Certified Energy Practitioners 97
Northeast Shelter Systems 93
Northern Arizona Wind & Sun 64
Northwest Energy Storage 87
Offline 105
OutBack Power Systems IBC
Pulse Genetech 33
Quick Start Special 80
Radiant Solar Technology 105
Rae Storage Battery Company 109
Rheem Water Heater 28
RightHand Engineering 97
Samlex America Inc 92
San Juan College 74
Simmons Handcrafts 105
SMA America Inc 3
Solar Converters 59
Solar Depot IFC
Solar Energy International 52
Solar Energy International 107
Solar Pathfinder 18
Solar Wind Works 74
Solargenix Energy LLC 104, 127
Solectria Renewables 97
SOL-Solar-On-Line 107
Southwest Windpower 64
Staber Industries, Inc. 101
Sun Frost 73
Sun Pumps 73
Sun Spot Solar 81
SunDanzer 65
SunEarth Inc 100
SunWize 18
Surette Battery 35
TCT Solar 79
Thermo Technologies/ Thermamax 79
Thermamax 116
Trouble-Free T-Shirts 81
U.S. Battery 43
UniRac 53
Wattsun (Array Tech Inc) 59
Writing for HP 117
Xantrex 1
Zephyr Industries Inc 117
Zomeworks 51

COMING NEXT ISSUE



Step-By-Step: Solar Attic Fan Installation

Expert's Guide to Buying Used Solar Hot Water Panels

Making Sense of Your Green Vehicle Options

Before You Buy! Know the Life-Cycle Costs of Major Appliances



home power

The Hands-On Journal of Home-Made Power

Insulate Yourself From High Heating Bills

Best Options for Efficiency & Comfort p. 44

7 Smart Driving Tips to Save Fuel

p. 30

HIGH-TECH Solar Home Competition

p. 10

Snow Power!

Innovative Energy at a Colorado Ski Resort p. 22

Super Solar Rebates

Cash-Back Incentives in America's Heartland p. 54

Feb / Mar 06, Issue 111
\$6.95 US • \$8.95 CAN





Systems Integrator Wholesale Distributor

Leading the revolution !

with 26 years of solar experience

Residential Solar Electric



Commercial Solar Electric



Solar Thermal



Solar Hot Water

Solar Pool Heating

Solar Electric Systems
Solar Hot Water Systems
Solar Pool Heating Systems

- Utility-tied and Off-Grid Systems
- Network of Authorized Dealers
- Team of Engineers / Technicians
- Complete Pre-packaged Systems
- Large Inventory in 3 Locations
- Assistance with Rebate Filing

Solar Water Pumping
Complete Packages
Agricultural / Residential



Homeowners call us 800.822.4041
for a referral to an authorized installer

www.solardepot.com

Petaluma
1240 Holm Rd.
Petaluma, CA 94954
800 822-4041

Sacramento
8605 Folsom Blvd.
Sacramento, CA 95826
800 321-0101

Corona
1727-A Commerce St.
Corona, CA 92880
800 680-7922

Outback
Power Systems


xantrex

Smart choice for power

op solar



No Fancy Ads, Just Great Products



When you are living on solar power, fancy ads don't matter.
The inverter just needs to work. OutBack Power Systems designs and
builds products to meet the needs of people pursuing real energy independence.

OutBack's inverter/chargers allow you to customize your power system to your specific living requirements. Our modular capability means that your system can grow with your power demands. True sinewave AC output is just like grid power, so your household appliances won't know the difference. Starting multiple power tools and a water pump is a breeze because of our high surge power capability. Generator run time is reduced and battery life lengthened by intelligent and fast battery charging. Simple internal design makes doing any repairs easy. The rugged and aluminum chassis allows you to install the inverter where it is convenient for you.

Powering the planet, one system at a time.

OutBack
Power Systems

19009 62nd Avenue NE
Arlington, WA 98223 USA

Telephone: 360.435.6030
www.outbackpower.com



beyond petroleum®

the future
is in our hands



www.bpsolar.us